

T. DHANA LAXMI
2505A41L46

1.Valid Palindrome LC – 125

https://leetcode.com/problems/valid-palindrome/





2.Valid Anagram LC-242

https://leetcode.com/problems/valid-anagram/

Description | Accepted | Editorial | Solutio

242. Valid Anagram

Solved

Easy | Topics | Companies

Given two strings `s` and `t`, return `true` if `t` is an anagram of `s`, and `false` otherwise.

Example 1:

> **Input:** `s = "anagram", t = "nagaram"`
>
> **Output:** `true`

Example 2:

> **Input:** `s = "rat", t = "car"`
>
> **Output:** `false`


Code

Java | Auto

```java
class Solution {
    public boolean isAnagram(String s, String t) {
        if(s.length() != t.length()){
            return false;
        }

        int count[] = new int[26];
        for(int i=0; i<s.length(); i++){
         count[s.charAt(i) - 'a']++;
          count[t.charAt(i) - 'a']--;
        }
        for(int c: count){
            if(c != 0) return false;
        }
        return true;
    }
}
```

Saved



3.first unique character in a string LC-387

https://leetcode.com/problems/first-unique-character-in-a-string/

Description | Accepted | Editorial | Solutio

387. First Unique Character in a String

Solved

Easy | Topics | Companies

Given a string `s`, find the **first** non-repeating character in it and return its index. If it **does not** exist, return `-1`.

Example 1:

> **Input:** `s = "leetcode"`
>
> **Output:** `0`
>
> **Explanation:**
>
> The character `'l'` at index 0 is the first character that does not occur at any other index.


Example 2:

Code

Java | Auto

```java
class Solution {
    public int firstUniqChar(String s) {
        int count[] = new int[26];
        for(int i=0; i<s.length(); i++){
            count[s.charAt(i) - 'a']++;
        }
        for(int i=0; i<s.length(); i++){
            if(count[s.charAt(i) - 'a'] == 1){
                return i;
            }
        }
        return -1;
    }
}
```

Saved



4.Longest Common Prefix

https://leetcode.com/problems/longest-common-prefix/

Description | Accepted | Editorial | Solutio

14. Longest Common Prefix

Solved

Easy | Topics | Companies

Write a function to find the longest common prefix string amongst an array of strings.

If there is no common prefix, return an empty string `""`.

Example 1:

```
Input: strs = ["flower","flow","flight"]
Output: "fl"
```

Example 2:


```
Input: strs = ["dog","racecar","car"]
Output: ""
Explanation: There is no common prefix among the input strings.
```

Code

Java | Auto

```java
class Solution {
    public String longestCommonPrefix(String[] strs) {
      Arrays.sort(strs);
        String frst = strs[0];
        String last = strs[strs.length-1];
        int i=0;
        while(i<frst.length() && i<last.length()){
            if(frst.charAt(i) != last.charAt(i)){
                break;
            }
            i++;
        }
        return frst.substring(0,i);
    }
}
```

Saved



5.longest substring without repeating characters

https://leetcode.com/problems/longest-substring-without-repeating-characters/

Description | Accepted | Editorial | Solutions | S

3. Longest Substring Without Repeating Characters

Solved

Medium | Topics | Companies | Hint

Given a string `s`, find the length of the **longest** substring without duplicate characters.

Example 1:

```
Input: s = "abcabcbb"
Output: 3
Explanation: The answer is "abc", with the length of 3. Note that "bca" and "cab" are also correct answers.
```

Example 2:

```
Input: s = "bbbbb"
Output: 1
```

Code

Java | Auto

```java
class Solution {
    public int lengthOfLongestSubstring(String s) {
        Set <Character> ch = new HashSet<>();
        int maxlength = 0;
        int left = 0;
        for(int right = 0; right<s.length(); right++){
            while(ch.contains(s.charAt(right))){
                ch.remove(s.charAt(left));
                left++;
            }
            ch.add(s.charAt(right));
            maxlength = Math.max(maxlength,right-left+1);
        }
        return maxlength;
    }
}
```

Saved

