

To Supply Leftover Food to Poor
College Name: Gayatri degree college-Tirupati

Team ID: LTVIP2025TMID29707

Name of the Student	Role	Email
THOTA DHANA SREE	Team Leader	<u>thotadhanasree8@gmail.com</u>
PASUPULETI MOUNIKA	Team Member	<u>mounikapasupuleti118@gmail.com</u>
JAGADEESH MANASA	Team Member	<u>jagadeeshmanasa90@gmail.com</u>
MANDAPALLI RAMYA SHREE	Team Member	<u>shreeramya@1208gmail.com</u>

INTRODUCTION:

Food wastage is a major concern globally, especially in countries where millions of people struggle with hunger and poverty. Every day, a large amount of edible food is discarded from households, restaurants, events, and other establishments. At the same time, countless individuals go to bed hungry, lacking even a single nutritious meal.

AIM:

The project "**To Supply Leftover Food to Poor**" aims to bridge this gap by collecting surplus or leftover food and distributing it to those in need. This initiative is driven by two core goals: reducing food wastage and addressing hunger in underprivileged communities.

By creating a network of donors (restaurants, caterers, households) and coordinating with volunteers and NGOs, the project seeks to ensure that excess food reaches the hungry instead of going to landfills. The emphasis will be on maintaining food safety, quick distribution, and creating a sustainable model that can be replicated in other areas.


This project not only provides meals to the poor but also fosters a sense of social responsibility and community engagement. It turns waste into hope — one meal at a time.

By turning surplus food into a source of nourishment for the needy, this initiative hopes to inspire compassion, responsibility, and a shared commitment to ending hunger. Ultimately, this project envisions a world where no food is wasted and no one sleeps hungry.

MILESTONE-1

Creating Developer Account:


1. Go to <https://www.salesforce.com/form/developer-signup/>
2. Click on sign up.
3. On the sign_upform,enter the following details:



The screenshot shows the Salesforce Developer Edition sign-up page. On the left, there's a blue header with the Salesforce logo and the text "Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud." Below this, it says "Sign up for your Developer Edition." and lists several benefits with checkmarks: "Build apps fast with drag-and-drop tools", "Go further with Apex code", "Build AI agents with Agentforce", "Harmonize your data with Data Cloud", "Ground Agentforce with structured and unstructured data", and "Integrate with anything using APIs". On the right, there's a white form titled "Sign up for your Developer Edition". It includes fields for "First name" (DHANA SREE), "Last name" (THOTA), "Job title" (DEVELOPER), "Work email" (thotadhanasree8@gmail.com), "Company" (GAYATRI DEGREE COLLEGE), and "Country/Region" (India). Below the form, there's a checkbox for "I agree to the Main Services Agreement - Developer Services and Salesforce Program Agreement" which is checked. At the bottom, there's a "Sign Me Up" button.


- First name & Last name: DHANA SREE & THOTA
- Job title: Developer
- Email: thotadhanasree8@gmail.com
- Company: GAYATRI DEGREE COLLEGE TIRUPATI
- County: India

4. Click on sign up after filling this



This screenshot shows the same Salesforce Developer Edition sign-up page, but now with the "Sign Me Up" button highlighted. The form fields are filled with the same information as in the previous screenshot. Below the form, there's a checkbox for "I agree to the Main Services Agreement - Developer Services and Salesforce Program Agreement" which is checked. At the bottom, there's a "Sign Me Up" button. The page also features a "We value your privacy. To learn more, visit our Privacy Statement." link and a "I'm not a robot" checkbox with a reCAPTCHA logo. At the very bottom, there's a "Activate Windows" watermark.

Account Activation:




Developer Org Mail Verification

6. Login to your Salesforce Org

Salesforce Login: <https://login.salesforce.com>

To Supply Leftover Food TO Poor (Salesforce Developer)



Developer Org Login Screen

Milestone-02


Objects

To Navigate to Setup page:



To create an object:

1. From the setup page > Click on Object Manager > Click on Create > Click on Custom Object




2. On Custom object defining page:
3. Enter the label name, plural label name, click on Allow reports, Allow search.

4. Click on Save.


Create Venue Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.



1. Enter the label name Venue
2. Plural label name Venues



3. Enter Record Name Label and Format
 - Record Name : Venue Name
 - Data Type : Text
2. Click on Allow reports and Track Field History, Allow Activities.

3. Allow search >> Save.

The screenshot shows the configuration page for an object in Salesforce. It is divided into four main sections: 'Optional Features', 'Object Classification', 'Deployment Status', and 'Search Status'. The 'Optional Features' section includes checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'. The 'Object Classification' section explains that enabling certain settings classifies the object as an Enterprise Application object, while disabling them classifies it as a Light Application object. It includes checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'. The 'Deployment Status' section has radio buttons for 'In Development' and 'Deployed'. The 'Search Status' section includes a checkbox for 'Allow Search'. A watermark for 'Activate Windows' is visible in the bottom right corner.

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [i](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development

☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)


- ☒ Allow Search

Activate Windows
Go to Settings to activate Windows.


Create Drop-Off Point Object:

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.



1. Enter the label name >> Drop-Off Point
2. Plural label name >> Drop-Off Points
3. Enter Record Name Label and Format




- Record Name >> Drop-Off point Name
 - Data Type >> Text
2. Click on Allow reports and Track Field History, Allow Activities
 3. Allow search >> Save.




Create Task Object:

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.



1. Enter the label name>> Task
2. Plural label name>> Tasks
3. Enter Record Name Label and Format
 - Record Name >> Task Name
 - Data Type >> Text
2. Click on Allow reports and Track Field History, Allow Activities
3. Allow search >> Save.



Create Volunteer Object

To create an object:

1. From the setup page >> Click on Object Manager>> Click on Create >> Click on Custom Object.
 1. Enter the label name Volunteer
 2. Plural label name Volunteers

The screenshot shows the 'Volunteer' object definition page in Salesforce. The left sidebar contains a 'Details' menu with options: Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, and Search Layouts. The main content area is titled 'Volunteer' and contains a 'Custom Object Definition Edit' form. The form has three tabs: 'Custom Object Information', 'Fields', and 'Relationships'. The 'Custom Object Information' tab is active, showing fields for 'Label' (Volunteer), 'Plural Label' (Volunteers), 'Object Name' (Volunteer), and a 'Description' text area. There are also checkboxes for 'Starts with vowel sound' and 'Context-Sensitive Help Setting'. At the bottom right, there is an 'Activate Windows' watermark.

Enter Record Name Label and Format

- Record Name Volunteer Name
- Data Type Text

The screenshot shows the 'Optional Features' section of the Salesforce object definition page. It contains several sections: 'Optional Features' with checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'; 'Object Classification' with a note about Enterprise vs. Light Application objects and checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'; 'Deployment Status' with radio buttons for 'In Development' and 'Deployed'; and 'Search Status' with a checkbox for 'Allow Search'. At the bottom right, there is an 'Activate Windows' watermark.

2. Click on Allow reports and Track Field History, Allow Activities
3. Allow search Save.

Create Execution Details Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.

1. Enter the label name : Execution Detail
2. Plural label name : Execution Details

The screenshot shows the 'Execution Detail' Custom Object Definition Edit form. At the top, there are buttons for 'Save', 'Save & New', and 'Cancel'. Below this is the 'Custom Object Information' section. It contains a warning: 'The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.' There are three input fields: 'Label' with the value 'Execution Detail' (Example: Account), 'Plural Label' with the value 'Execution Details' (Example: Accounts), and 'Object Name' with the value 'Execution_Detail' (Example: Account). There is also a checkbox for 'Starts with vowel sound' which is currently unchecked.

3. Enter Record Name Label and Format
 - Record Name : Execution Detail Name
 - Data Type Text

The screenshot shows the 'Optional Features' and 'Object Classification' sections of the Custom Object Definition form. The 'Optional Features' section has checkboxes for 'Allow Reports' (checked), 'Allow Activities' (checked), 'Track Field History' (checked), 'Allow in Chatter Groups' (unchecked), and 'Enable Licensing' (unchecked). The 'Object Classification' section has a note: 'When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)' There are checkboxes for 'Allow Sharing' (checked), 'Allow Bulk API Access' (checked), and 'Allow Streaming API Access' (checked). The 'Deployment Status' section has radio buttons for 'In Development' (unchecked) and 'Deployed' (checked). The 'Search Status' section has a checkbox for 'Allow Search' (checked). At the bottom right, there is a message: 'Activate Windows Go to Settings to activate Windows.'

2. Click on Allow reports and Track Field History, Allow Activities
3. Allow search >> Save.


Milestone-03

Tabs


Creating a Custom Tab

To create a Tab:

1. Go to setup page >> type Tabs in Quick Find bar >> click on tabs >> New (under custom object tab)




1. Select Object(Venue) >> Select the tab style >> Next (Add to profiles page) keep it as default >> Next (Add to Custom App) uncheck the include tab .



2. Make sure that the Append tab to users' existing personal customizations is checked.
3. Click save

To create a Tab: Drop-Off Points

1. Go to setup page >> type Tabs in Quick Find bar >> click on tabs >> New (under custom object tab)




Select Object(Drop_Off Point) >> Select the tab style >> Next (Add to profiles page) keep it as default >> Next (Add to Custom App) uncheck the include tab.




1. Make sure that the Append tab to users' existing personal customizations is checked.
2. Click save

To create a Tab: Task

1. Go to setup page >> type Tabs in Quick Find bar >> click on tabs >> New (under custom object tabs)




1. Select Object(Task) >> Select the tab style >> Next (Add to profiles page) keep it as default >> Next (Add to Custom App) uncheck the include tab.




2. Make sure that the Append tab to users' existing personal customizations is checked.
3. Click save

To create a Tab: Volunteer

1. Go to setup page >> type Tabs in Quick Find bar >> click on tabs >> New (under custom object tab)




1. Select Object(**Volunteer**) >> Select the tab style >> Next (Add to profiles page) keep it as default >> Next (Add to Custom App) uncheck the include tab .



2. Make sure that the Append tab to users' existing personal customizations is checked.
3. Click save

To create a Tab: Execution Details

Go to setup page >> type Tabs in Quick Find bar >> click on tabs >> New (under custom object tab)



1. Select Object(**Execution Details**) >> Select the tab style >> Next (Add to profiles page) keep it as default >> Next (Add to Custom App) uncheck the include tab.



2. Make sure that the Append tab to users' existing personal customizations is checked.
3. Click save


Milestone-04

The Lightning App


Create a Lightning App

To create a lightning app page:

1. Go to setup page >> search "app manager" in quick find >> select "app manager" >> click on New lightning App.




2. Fill the app name in app details and branding as follow
App Name: FoodConnect
Developer Name: This will auto populated
Image: optional (if you want to give any image you can otherwise not mandatory) Primary color hex value: keep this default.
3. Then click Next>> (App option page)Set Navigation Style as Standard Navigation >> Next.




4. (Utility Items) keep it as default >> Next.

5. To Add Navigation Items:



Search for the item in the (Home, Venue, Drop-Off Point, Task, Volunteer, Execution Details, Reports) from the search bar and move it using the arrow button >> Next >> Next.

6. To Add User Profiles:




Search profiles (System administrator) in the search bar >> click on the arrow button >> save & finish.

Milestone-05:


Creation of Relationship fields in objects

Creation of Lookup Relationship Field on Volunteer Object :

1. Go to setup >> click on Object Manager >> type object name (Volunteer) in the search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New
3. Select Lookup relationship




4. Select the related object "Drop-Off point" and click next.



5. Field label : Auto generated
6. Next >> Next >> Save.

Creation of Master Detail Relationship Field on Execution Details Object :

8. Go to setup >> click on Object Manager >> type object name(Execution Details) in the search bar>> click on the object.
9. Now click on "Fields & Relationships" >> New




10. Select Master Detail relationship



11. Select the related object "Volunteer" and click next.

12. Field Name : Volunteer




13. Field label : Auto generated

14. Next >> Next >> Save.

Creation of Master Detail Relationship Field on Execution Details Object :

15. Go to setup >> click on Object Manager >> type object name(Execution Details) in the search bar>> click on the object.
16. Now click on "Fields & Relationships" >> New



17. Select Master Detail relationship
18. Select the related object "Task" and click next.
19. Field Name : Task
20. Field label : Auto generated

The screenshot shows the 'Field Information' form. The 'Field Label' and 'Field Name' fields are both set to 'Task'. The 'Data Type' is set to 'Master-Detail'. The 'Description' and 'Help Text' fields are empty. The 'Data Type' field is set to 'Master-Detail'.


21. Next >> Next >> Save.

Creation of Lookup Relationship Field on Drop-Off Point Object :

22. Go to setup >> click on Object Manager >> type object name(Drop-Off Point) in the search bar >> click on the object.
23. Now click on "Fields & Relationships" >> New



24. Select Lookup relationship
25. Select the related object "Venue" and click next.
26. Field Name : Venue
27. Field label : Venue



28. Next >> Next >> Save.

Creation of Lookup Relationship Field on Task Object :

29. Go to setup>> click on Object Manager >> type object name(Task) in the search bar >> click on the object.
30. Now click on "Fields & Relationships" >> New




31. Select Lookup relationship
32. Select the related object "Venue" and click next.
33. Field Name : Sponsored By
34. Field label : Auto generated

The screenshot shows the 'Field Information' form. It has three main sections: 'Field Label', 'Field Name', and 'Description'. The 'Field Label' is 'Sponsored By' and the 'Field Name' is 'Sponsored_By'. The 'Data Type' is 'Lookup'. The 'Description' field is empty.

35. Next >> Next >> Save.

Creation of Lookup Relationship Field on Task Object :

36. Go to setup>> click on Object Manager >> type object name(Task) in the search bar >> click on the object.
37. Now click on "Fields & Relationships" >> New



38. Select Lookup relationship
39. Select the related object "Drop-Off point" and click next.
40. Field Name : Drop-Off point
41. Field label : Auto generated

The screenshot shows the 'Field Information' form. It has fields for 'Field Label' (containing 'Drop-Off Point'), 'Field Name' (containing 'Drop_Off_Point'), and 'Description' (empty). To the right of the 'Field Label' field, there are labels 'Data Type' and 'Lookup'.

42. Next >> Next >> Save.

Creation of fields for the Venue object

1. Go to setup>> click on Object Manager >> type object name(Venue) in search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New
3. Select Data type as a "Email" and Click on Next

The screenshot shows a 'Data Type' selection window. It has a title bar 'Data Type' and a subtitle 'Select one of the data types below.' There are seven radio button options: 'None Selected', 'Auto Number', 'Checkbox', 'Currency', 'Date', 'Date/Time', and 'Email'. The 'Email' option is selected. To the right of each option is a brief description. For 'Email', it says: 'Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.' There is an 'Activate Windows' watermark in the bottom right corner.


4. Fill the Above as following:
 - Field Label : Contact Email
 - Field Name : Contact Email
 - Click on required check box

The screenshot shows a 'Step 2. Enter the details' window. It has a title bar 'Step 2. Enter the details' and a subtitle 'Step 2 of 3'. There are four buttons in the top right: 'Previous', 'Save', 'Next', and 'Cancel'. The form has four input fields: 'Field Label' with the value 'Contact Email', 'Field Name' with the value 'Contact_Email', 'Description' (empty), and 'Help Text' (empty). Below the input fields are three checkboxes: 'Required' (checked), 'Unique' (unchecked), and 'External ID' (unchecked). The 'Required' checkbox has a tooltip that says 'Always require a value in this field in order to save a record'. The 'Unique' checkbox has a tooltip that says 'Do not allow duplicate values'. The 'External ID' checkbox has a tooltip that says 'Set this field as the unique record identifier from an external system'.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

5. Go to setup >> click on Object Manager >> type object name(Venue) in search bar >> click on the object.
6. Now click on "Fields & Relationships" >> New



7. Select Data type as a "Phone" and Click on Next
8. Fill the Above as following:
 - Field Label : Contact Phone
 - Field Name : Contact Phone

The screenshot shows the 'Field Information' form. It has the following fields:

- Field Label: Contact Phone
- Field Name: Contact_Phone
- Description: (empty)
- Help Text: (empty)

The 'Data Type' is set to 'Phone'.

- Click on required check box

The screenshot shows the 'General Options' section. It has a 'Required' checkbox which is checked, and the text 'Always require a value in this field in order to save a record' is displayed. There is also a 'Default Value' field and a 'Show Formula Editor' button.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

1. Go to setup >> click on Object Manager >> type object name(Venue) in search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Geolocation" and Click on Next
4. Fill the Above as following:
 - Field Label : Location
 - Field Name : Location

The 'Field Information' form is shown. It has three main sections: Field Label, Field Name, and Description. The Field Label is 'Location', the Field Name is 'Location', and the Data Type is 'Geolocation'. The Description field contains the text 'Enter the Geolocation of your Venue'.


- Description : Enter the Geolocation of your Venue
- Decimal Places : 4

The 'Geolocation Options' form is shown. It has two radio buttons: 'Degrees, Minutes, Seconds' (selected) and 'Decimal'. Below them is a 'Decimal Places' field with the value '4'. At the bottom, there are 'Save' and 'Cancel' buttons. On the right side, there is a link that says 'Activate Go to Settings'.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

9. Go to setup >> click on Object Manager >> type object name(Venue) in search bar >> click on the object.
10. Now click on "Fields & Relationships" >> New



11. Select Data type as a "Long Text Area" and Click on Next
12. Fill the Above as following:

- Field Label : Venue Location
- Field Name : Venue_Location

The screenshot shows the 'Field Information' form. The fields are filled as follows:

Field Label	Field Name	Description	Data Type
Venue Location	Venue_Location		Long Text Area

- Click on Next >> Next >> Save and new.

Creation of fields for the Drop-Off point object

Go to setup >> click on Object Manager >> type object name(Drop-Off point) in search bar >> click on the object.

2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Geolocation" and Click on Next

4. Fill the Above as following:

- Field Label : Location 2
- Field Name : gets auto generated
- Description : Enter the Geolocation of the Drop off Point

Field Information

Field Label Location 2

Field Name Location_2

Description Enter the Geolocation of the Drop off Point

Data Type Geolocation

- Geolocation Options : select Decimal
- Decimal Places : 4

Geolocation Options

☐ Degrees, Minutes, Seconds ☒ Decimal


Decimal Places 4

Save Cancel

- Click on Next >> Next >> Save and new.

To create another fields in an object:

1. Go to setup >> click on Object Manager >> type object name(Drop-Off point) in search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Formula" and Click on Next
4. Fill the Above as following:
 - Field Label : distance calculation
 - Field Name : distance_calculation

The screenshot shows the 'Field Information' form. It has two input fields: 'Field Label' with the value 'distance calculation' and 'Field Name' with the value 'distance_calculation'. There is a 'Description' field which is empty. A red arrow points to the 'Field Label' input field.

- Formula Return Type : Number
- Formula Options : DISTANCE(Location_2__c , Venue__r.Location__c , 'km')


The screenshot shows the 'Formula Options' form. It has a 'Formula Return Type' dropdown set to 'Number' and a 'Decimal Places' dropdown set to '2'. Below these, there's a text area for the formula: 'distance calculation (Number) = DISTANCE(Location_2__c , Venue__r.Location__c , 'km')'. There are buttons for 'Simple Formula' and 'Advanced Formula', and a 'Check Syntax' button. A 'Quick Tips' box is visible on the right.

The screenshot shows the 'Check Syntax' result. It displays a green message: 'No syntax errors in merge fields or functions. (Compiled size: 570 characters)'. There are buttons for 'Save', 'Quick Save', and 'Cancel' at the bottom.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

5. Go to setup >> click on Object Manager >> type object name(Drop-Off point) in search bar >> click on the object.
6. Now click on "Fields & Relationships" >> New



7. Select Data type as a "Picklist" and Click on Next
8. Fill the Above as following:
 - Field Label : State
 - Field Name : State
 - Enter values, with each value separated by a new line :

Andhra Pradesh

Arunachal Pradesh

Assam

Bihar

Chhattisgarh

Goa

Gujarat

Haryana

Himachal Pradesh

Jharkhand

Karnataka

Kerala

Maharashtra

Madhya Pradesh

Manipur

Meghalaya

Mizoram

Nagaland

Odisha

Punjab

Rajasthan

Sikkim
Tamil Nadu
Tripura
Telangana
Uttar Pradesh
Uttarakhand
West Bengal
Andaman & Nicobar (UT)
Chandigarh (UT)
Dadra & Nagar Haveli and Daman & Diu (UT)
Delhi [National Capital Territory (NCT)]
Jammu & Kashmir (UT)
Ladakh (UT)
Lakshadweep (UT)
Puducherry (UT)

Field Label: State

Values:

- ☐ Use global picklist value set
- ☒ Enter values, with each value separated by a new line

Andhra Pradesh
Arunachal Pradesh
Assam
Bihar
Chhattisgarh
Goa

☐ Display values alphabetically, not in the order entered

☐ Use first value as default value

☒ Restrict picklist to the values defined in the value set

Field Name: State

Description:

- Click on required check box


Required ☒ Always require a value in this field in order to save a record

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

- Click on Next >> Next >> Save and new.

To create another fields in an object:

9. Go to setup >> click on Object Manager >> type object name(Drop_Off Point) in search bar >> click on the object.
10. Now click on "Fields & Relationships" >> New



11. Select Data type as a "Number" and Click on Next
12. Fill the Above as following:


- Field Label : Distance
- Field Name : Distance

- Length : 14
- Decimal Places : 4
- Click on required check box

- Click on Next >> Next >> Save and new.

To create fields in an object:

- Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
- Now click on "Fields & Relationships" >> New



- Select Data type as a "Number" and Click on Next
- Fill the Above as following:

- Field Label : Distance
- Field Name : Distance

The screenshot shows the 'Field Information' form. It has a header 'Field Information' with a red 'Required' indicator. The form contains the following fields:

- 'Field Label' with the value 'Distance'
- 'Field Name' with the value 'Distance'
- 'Data Type' with the value 'Number'
- 'Description' with an empty text area
- 'Required' checkbox, which is checked

- Length : 14
- Decimal Places : 4
- Click on required check box

The screenshot shows the 'General Options' and 'Number Options' sections of the field configuration form. The 'General Options' section includes the following options:

- 'Required': ☒ Always require a value in this field in order to save a record
- 'Unique': ☐ Do not allow duplicate values
- 'External ID': ☐ Set this field as the unique record identifier from an external system
- 'AI Prediction': ☐ Use this field to store AI prediction scores
- 'Default Value': [Show Formula Editor](#)

The 'Number Options' section includes the following options:


- 'Length': 14
- 'Decimal Places': 4

- Click on Next >> Next >> Save and new.

Creation of fields for the Task object

Go to setup>> click on Object Manager >> type object name(Task) in search bar >> click on the object.

2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Auto Number" and Click on Next

4. Fill the Below as following:


- Field Label : Task ID
- Display Format : TASK-{0}
- Starting Number : 1
- Field Name : gets auto generated

The screenshot shows the 'New Custom Field' form for the 'Task' object. The form is titled 'Step 2. Enter the details' and has a 'Previous', 'Next', and 'Cancel' button bar. The form fields are: 'Field Label' (Task ID), 'Display Format' (TASK-{0}), 'Starting Number' (1), 'Field Name' (Task_ID), 'Description', and 'Help Text'. There is a checkbox for 'Generate Auto Number for existing records' which is unchecked. The 'Field Label' and 'Field Name' fields have a red 'i' icon next to them. The 'Display Format' field has an 'Example: A-{0000} What Is This?' link next to it. The 'Field Name' field has a red 'i' icon next to it. The 'Description' and 'Help Text' fields are empty. The 'External ID' checkbox is unchecked and has a tooltip that says 'Set this field as the unique record identifier from an external system'. There is an 'Activate Windows' watermark in the bottom right corner.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

1. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New




3. Select Data type as a "Date" and Click on Next
4. Fill the Above as following:

- Field Label : Date
- Field Name : Date
- Click on required check box

- Click on Next >> Next >> Save and new.

To create another fields in an object:

5. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
6. Now click on "Fields & Relationships" >> New



7. Select Data type as a "Picklist (Multi-Select)" and Click on Next
8. Fill the Above as following:

- Field Label : Food Category
- Field Name : Food Category
- Enter values, with each value separated by a new line :

Veg

Non-Veg

Salad


Snack

- Click on required check box

- Click on Next >> Next >> Save and new.

To create another fields in an object:

9. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
10. Now click on "Fields & Relationships" >> New



11. Select Data type as a "Number" and Click on Next
12. Fill the Above as following:

- Field Label : Number of People Served
- Field Name : Number_of_People_Served

A screenshot of the 'Field Information' form in Salesforce. The form has four sections: 'Field Label' with the value 'Number of People Served', 'Field Name' with the value 'Number_of_People_Served', 'Data Type' with the value 'Number', 'Description' with an empty text area, and 'Help Text' with an empty text area and an information icon.


- Click on required check box

A screenshot of the 'General Options' form in Salesforce. The form has four sections: 'Required' with a checked checkbox and the text 'Always require a value in this field in order to save a record', 'Unique' with an unchecked checkbox and the text 'Do not allow duplicate values', 'External ID' with an unchecked checkbox and the text 'Set this field as the unique record identifier from an external system', and 'AI Prediction' with an unchecked checkbox and the text 'Use this field to store AI prediction scores'.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

13. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
14. Now click on "Fields & Relationships">> New



15. Select Data type as a "Text" and Click on Next

16. Fill the Above as following:


- Field Label : Name of the Person
- Field Name : Name_of_the_Person

The screenshot shows the 'Field Information' form. It has three main sections: Field Label, Field Name, and Description. The Field Label is 'Name of the Person' and the Field Name is 'Name_of_the_Person'. The Data Type is 'Text'.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

17. Go to setup>> click on Object Manager >> type object name(Task) in search bar >> click on the object.
18. Now click on "Fields & Relationships" >> New



19. Select Data type as a "Phone" and Click on Next
20. Fill the Above as following:


- Field Label : Phone
- Field Name : Phone

The screenshot shows the 'Field Information' form. It has three input fields: 'Field Label' with the value 'Phone', 'Field Name' with the value 'Phone', and 'Description' which is empty. To the right of the input fields, the 'Data Type' is set to 'Phone'.

- Click on Next >> Next>> Save and new.

To create another fields in an object:

21. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.
22. Now click on "Fields & Relationships" >> New



23. Select Data type as a "Picklist" and Click on Next
24. Fill the Above as following:

- Field Label : Rating
- Field Name : Rating
- Enter values, with each value separated by a new line :

1
2
3
4
5


A screenshot of the 'Step 2. Enter the details' dialog box in Salesforce. The 'Field Label' is 'Rating'. The 'Values' section has two options: 'Use global picklist value set' (unselected) and 'Enter values, with each value separated by a new line' (selected). A text area below contains the numbers 1 through 5, each on a new line. There are 'Previous', 'Next', and 'Cancel' buttons at the top right.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

25. Go to setup >> click on Object Manager >> type object name(Task) in search bar >> click on the object.

26. Now click on "Fields & Relationships" >> New



27. Select Data type as a "Long Text Area" and Click on Next

28. Fill the Above as following:

- Field Label : Feedback
- Field Name : Feedback


The screenshot shows the 'Field Information' form. It has three input fields: 'Field Label' (containing 'Feedback'), 'Field Name' (containing 'Feedback'), and 'Description' (empty). To the right of these fields, the 'Data Type' is set to 'Long Text Area'. There is a 'Required' checkbox (indicated by a red icon) which is currently unchecked.

- Click on Next >> Next >> Save and new.

Creation of fields for the Volunteer object

1. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.

2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Auto Number" and Click on Next

4. Fill the Above as following:

- Field Label : Volunteer ID
- Field Name : gets auto generated

A screenshot of the 'Field Information' form for the 'Volunteer ID' field. The form has a title bar 'Field Information' and a close button. It contains the following fields: 'Field Label' with the value 'Volunteer ID', 'Field Name' with the value 'Volunteer_ID', 'Data Type' with the value 'Auto Number', 'Description' (empty), and 'Help Text' (empty). There is a 'Next' button at the bottom right.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

1. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.
2. Now click on "Fields & Relationships" >> New
3. Select Data type as a "Picklist" and Click on Next
4. Fill the Above as following:
 - Field Label : Gender
 - Field Name : Gender
 - Enter values, with each value separated by a new line :
Female
Male

Volunteer
New Custom Field

Help for this Page ?

Step 2. Enter the details Step 2 of 4

Previous Next Cancel

Field Label Gender

Values

☐ Use global picklist value set

☒ Enter values, with each value separated by a new line


Female
Male

Activate Windows

- Click on Next >> Next >> Save and new.

To create another fields in an object:

5. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.
6. Now click on "Fields & Relationships" >> New



7. Select Data type as a "Date" and Click on Next
8. Fill the Above as following:
 - Field Label : Available On
 - Field Name : Available On

A screenshot of the 'Field Information' section in Salesforce. It contains three input fields: 'Field Label' with the value 'Available On', 'Field Name' with the value 'Available_On', and 'Description' which is empty. To the right, the 'Data Type' is set to 'Date'.


- Click on required check box

A screenshot of the 'General Options' section in Salesforce. It contains two sections: 'Required' with a checked checkbox and the text 'Always require a value in this field in order to save a record', and 'Default Value' with the text 'Show Formula Editor' and an empty input field below it.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

9. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.
10. Now click on "Fields & Relationships" >> New



11. Select Data type as a "Number" and Click on Next
12. Fill the Above as following:

- Field Label : Age
- Field Name : Age

The screenshot shows the 'Field Information' form. It has three input fields: 'Field Label' (containing 'Age'), 'Field Name' (containing 'Age'), and 'Description' (empty). To the right of these fields, the 'Data Type' is set to 'Number'.

- Click on required check box


The screenshot shows the 'General Options' form. It has four options with checkboxes: 'Required' (checked), 'Unique' (unchecked), 'External ID' (unchecked), and 'AI Prediction' (unchecked). The text for each option is: 'Always require a value in this field in order to save a record', 'Do not allow duplicate values', 'Set this field as the unique record identifier from an external system', and 'Use this field to store AI prediction scores'.

- Click on Next >> Next>> Save and new.

To create another fields in an object:

13. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.

14. Now click on "Fields & Relationships" >> New



15. Select Data type as a "Email" and Click on Next

16. Fill the Above as following:

- Field Label : Email
- Field Name : Email

The screenshot shows the 'Field Information' form. It has three input fields: 'Field Label' with the value 'Email', 'Field Name' with the value 'Email', and 'Description' which is empty. To the right of the 'Field Name' field, the 'Data Type' is set to 'Email'.

- Click on required check box


The screenshot shows the 'General Options' form. It has three checkboxes: 'Required' (checked), 'Unique' (unchecked), and 'External ID' (unchecked). Below these is a 'Default Value' field with a 'Show Formula Editor' button.

- Click on Next>> Next >> Save and new.

To create another fields in an object:

17. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.

18. Now click on "Fields & Relationships" >> New



19. Select Data type as a "Number" and Click on Next

20. Fill the Above as following:

- Field Label : Contact Number
- Field Name : Contact_Number

The screenshot shows the 'Field Information' form. It has fields for 'Field Label' (Contact Number), 'Field Name' (Contact_Number), and 'Description'. The 'Data Type' is set to 'Number'. There is a 'Required' checkbox which is checked.


- Click on required check box

The screenshot shows the 'General Options' section. It has checkboxes for 'Required', 'Unique', 'External ID', and 'AI Prediction'. The 'Required' checkbox is checked, and the text 'Always require a value in this field in order to save a record' is displayed. The other checkboxes are unchecked.

- Click on Next >> Next >> Save and new.

To create another fields in an object:

21. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.
22. Now click on "Fields & Relationships" >> New



23. Select Data type as a "Long Text Area " and Click on Next
24. Fill the Above as following:

- Field Label : Address
- Field Name : Address


A screenshot of the 'Field Information' form. It has three input fields: 'Field Label' with the value 'Address', 'Field Name' with the value 'Address', and 'Description' which is empty. To the right of the 'Field Label' and 'Field Name' fields, the text 'Data Type Long Text Area' is displayed. A red error icon and the text 'Required' are visible in the top right corner of the form.

- Click on Next >> Next >> Save and new.

To create another field in an object:

25. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.

26. Now click on "Fields & Relationships" >> New



27. Select Data type as a "Date" and Click on Next

28. Fill the Above as following:


- Field Label : Date of Birth
- Field Name : Date_of_Birth

The screenshot shows the 'Field Information' form. The 'Field Label' is 'Date of Birth' and the 'Field Name' is 'Date_of_Birth'. The 'Data Type' is 'Date'. The 'Description' field is empty.

- Click on Next >> Next >> Save and new.

To create another field in an object:

5. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.
6. Now click on "Fields & Relationships" >> New



7. Select Data type as a "Text" and Click on Next
8. Fill the Above as following:

- Field Label : Owner Name
- Field Name : Owner_Name

A screenshot of the 'Field Information' form in Salesforce. The form has three main sections: 'Field Label' with the value 'Owner Name', 'Field Name' with the value 'Owner_Name', and 'Data Type' with the value 'Text'. There is also a 'Description' field which is currently empty.

- Length Size: 20


A screenshot of the 'Text Options' form in Salesforce. The form has a single section labeled 'Length' with a value of '20' entered in the input field.

- Click on Next >> Next >> Save

Creation of fields for the Execution Details object

1. Go to setup >> click on Object Manager >> type object name(Volunteer) in search bar >> click on the object.

2. Now click on "Fields & Relationships" >> New



3. Select Data type as a "Auto Number" and Click on Next

4. Fill the Above as following:

- Field Label : Execution ID
- Field Name : gets auto generated


The screenshot shows the 'Field Information' form. It has three input fields: 'Field Label' with the value 'Execution ID', 'Field Name' with the value 'Execution_ID', and 'Description' which is empty. To the right of the 'Field Label' and 'Field Name' fields, the text 'Data Type Auto Number' is displayed.

- Click on Next >> Next >> Save and new.


Milestone-06:

Create Flow to create a record in Venue object

1. Go to setup >> type Flow in quick find box >> Click on the Flow and Select the New Flow.
2. Select the Screen flow. Click on create.




3. Click on the '+' icon in between start and end, and click on screen element.



3. Under the Screen Properties:


Label : Venue Details

API Name :Venue_Details




5. Now Lets add components in this flow. Click on Text Component and name it as:

- Label : Venue Name
- API Name : Venue_Name




6. Click on Email Component and name it as:

- Label : Email
- API Name : Contact_Email




7. Click on Phone Component and name it as:

- Label : Phone
- API Name : Contact_Phone




8. Click on Text Component and name it as:

- Label : Location
- API Name : Location




9. Click on Number Component and name it as:

- Label : Latitude
- API Name : Latitude




10. Click on Number Component and name it as:


- Label : longitude
- API Name : longitude



Next click on Done. This would like below.



12. Click on the '+' icon in between Venue details and end, and click on create record element.



13. Now label it as

- Label : Create Venue Record
- API Name : Create_Venue_Record
- Set field values: Manually

Field: # Location (Latitude) ×

Value: # Venue Details > Latitude ×

Field: # Location (Longitude) ×

Value: # Venue Details > longitude ×

+ Add Field

☐ Manually assign variables

Check for Matching Records

Activate Windows
Go to Settings to activate Windows

Disabled

15. Click on Save :

Flow Label :Venue Form

Flow API Name :Venue_Form

Save the flow

* Flow Label

Venue Form

* Flow API Name ⓘ

Venue_Form

Description

Show Advanced


Cancel Save

Milestone-07


Trigger

Create a Trigger


1. Log into the trailhead account, navigate to the gear icon in the top right corner.
2. Click on developer console and you will be navigated to a new console window.



3. Click on the File menu in the toolbar, and click on new >> Trigger.
4. Enter the trigger name and the object to be triggered.




5. Enter Name : DropOffTrigger
 - sObject: Drop-Off Point
6. Click on Submit.




Trigger Code

Code:

```
trigger DropOffTrigger on Drop_Off_point__c (before insert) {  
    for(Drop_Off_point__c Drop : Trigger.new){  
        Drop.Distance__c = Drop.distance_calculation__c;  
    }  
}
```




- Click on file then select save option.




Milestone-08

Profiles

1. Go to setup page >> type Profiles in Quick Find bar >> click on Profiles >> click on 'S'
2. Click on Clone beside Standard Platform User.




1. Under Clone Profile:
 - a. Profile Name : NGOs Profile
2. Then click on Save



Milestone-09

Creation of Users

1. Go to setup page >> type users in Quick Find bar >> click on users>> New user.
2. In General Information give details as: (Note : create users as per your wish NGO's)



- First Name : Iksha Foundation
- Last Name : Iksha_Foundation
- Alias : iiksh
- Email : thotadhanasree8@gmail.com
- Username : iksha234@sb.com
- Nickname : Auto Populated
- User License : Salesforce Platform
- Profile : NGOs Profile
- Active : Check
- ClickSave

The 'User Edit' form is shown with the following details:

General Information		User License	
First Name	Iksha Foundation	Role	<None Specified>
Last Name	Iksha_Foundation	User License	Salesforce Platform
Alias	iiksh	Profile	NGOs Profile
Email	thotadhanasree8@gmail.com	Active	☒
Username	iksha234@sb.com	Marketing User	☐
Nickname	User1749113177451928039	Offline User	☐
Title		Knowledge User	☐
Company		Flow User	☐
Department		Service Cloud User	☐
Division		Site.com Contributor User	☐

Creation of User2:

- First Name : NSS
- Last Name : NSS
- Alias : nnss
- Email : thotadhanasree8@gmail.com
- Username : nss234d@sb.com
- Nickname : Auto Populated
- User License : Salesforce Platform
- Profile : NGOs Profile
- Active : Check
- Click Save

The screenshot displays the 'User Edit' form in Salesforce. At the top, there are buttons for 'Save', 'Save & New', and 'Cancel'. Below these is the 'General Information' section, which is highlighted with a light blue header. A red icon and the text 'Required Information' are visible in the top right corner of this section. The form contains two columns of fields. The left column includes: 'First Name' (NSS), 'Last Name' (NSS), 'Alias' (nnss), 'Email' (thotadhanasree8@gmail.com), 'Username' (nss234d@sb.com), 'Nickname' (User1749113301999521966 with an info icon), 'Title' (empty), and 'Company' (empty). The right column includes: 'Role' (<None Specified>), 'User License' (Salesforce Platform), 'Profile' (NGOs Profile with an info icon), 'Active' (checked checkbox), 'Marketing User' (unchecked checkbox), 'Offline User' (unchecked checkbox), 'Knowledge User' (unchecked checkbox), and 'Flow User' (unchecked checkbox).

General Information	
First Name	NSS
Last Name	NSS
Alias	nnss
Email	thotadhanasree8@gmail.com
Username	nss234d@sb.com
Nickname	User1749113301999521966 ⓘ
Title	
Company	
Role	<None Specified>
User License	Salesforce Platform
Profile	NGOs Profile ⓘ
Active	☒
Marketing User	☐
Offline User	☐
Knowledge User	☐
Flow User	☐

Creation of User3:

- First Name : Street_Cause
- Last Name : StreetCause
- Alias : sstre
- Email : thotadhanasree8@gmail.com
- Username : street234@sb.com
- Nickname : Auto Populated
- User License : Salesforce Platform
- Profile : NGOs Profile
- Active : Check
- Click Save

The screenshot shows the 'User Edit' page in Salesforce. The user being edited is 'Street_Cause StreetCause'. The page has a header with 'User Edit' and 'Street_Cause StreetCause', and a 'Help for this Page' link. Below the header are buttons for 'Save', 'Save & New', and 'Cancel'. The main section is titled 'General Information' and contains two columns of fields. The left column includes 'First Name' (Street_Cause), 'Last Name' (StreetCause), 'Alias' (sstre), 'Email' (thotadhanasree8@gmail.com), 'Username' (street234@sb.com), 'Nickname' (User1749113448928875808), 'Title', 'Company', and 'Department'. The right column includes 'Role' (<None Specified>), 'User License' (Salesforce Platform), 'Profile' (NGOs Profile), 'Active' (checked), 'Marketing User' (unchecked), 'Offline User' (unchecked), 'Knowledge User' (unchecked), 'Flow User' (unchecked), and 'Service Cloud User' (unchecked). A red bar at the top right of the form indicates 'Required Information'.

User Edit	
Street_Cause StreetCause	
Help for this Page	
Save Save & New Cancel	
General Information	
First Name	Street_Cause
Last Name	StreetCause
Alias	sstre
Email	thotadhanasree8@gmail.com
Username	street234@sb.com
Nickname	User1749113448928875808
Title	
Company	
Department	
Role	<None Specified>
User License	Salesforce Platform
Profile	NGOs Profile
Active	☒
Marketing User	☐
Offline User	☐
Knowledge User	☐
Flow User	☐
Service Cloud User	☐

Milestone-10

Creation of Public Group 1

1. Go to setup page >> type Public Groups in Quick Find bar >> click on Public Groups >> click on New.
2. Under Group Information:
 - Label : Iksha
 - Group Name : Iksha
 - Grant Access Using Hierarchies : Check
3. In Search, Select Users.
4. In Selected Members Add Iksha Foundation and System Administrator

SETUP
Public Groups

Group Membership
Group: Iksha [Help for this Page](#)

Group Information Save Cancel

Edit Public Group Required Information

Label

Group Name

Grant Access Using Hierarchies ☒

Description

Search: for: Find

Available Members

- Group: NSS
- Group: StreetCause

Selected Members

- Dhanasree Thota
- Iksha Foundation Iksha_Foundation

Add

Activate Windows
Go to Settings to activate Windows.

Creation of Public Group 2

1. Go to setup page >> type Public Groups in Quick Find bar >> click on Public Groups >> click on New.
2. Under Group Information:
Label : NSS
Group Name : NSS
Grant Access Using Hierarchies : Check
3. In Search, Select Users.
4. In Selected Members Add NSS NSS and System Administrator

The screenshot shows the 'Public Groups' setup page. At the top, there is a 'SETUP' button and the title 'Public Groups'. Below this, the 'Group Membership' section is visible, with 'Group: NSS' selected. The 'Group Information' section contains fields for 'Label' (NSS), 'Group Name' (NSS), and 'Grant Access Using Hierarchies' (checked). A 'Description' field is also present. Below the information section, there is a search bar with 'Public Groups' selected and a 'Find' button. The 'Available Members' list on the left includes 'Group: Iksha' and 'Group: StreetCause'. The 'Selected Members' list on the right includes 'Dhanasree Thota' and 'NSS NSS'. An 'Add' button is located between the two lists. A watermark 'Activate Windows' is visible in the bottom right corner.

SETUP
Public Groups

Group Membership
Group: NSS

Group Information

Save Cancel

Edit Public Group

Label NSS

Group Name NSS

Grant Access Using Hierarchies ☒

Description

Search: Public Groups for: Find

Available Members

Group: Iksha
Group: StreetCause

Selected Members

Dhanasree Thota
NSS NSS

Add

Activate Windows
Go to Settings to activate Windows.

Creation of Public Group 3

1. Go to setup page >> type Public Groups in Quick Find bar >> click on Public Groups >> click on New.
2. Under Group Information:
 - Label : StreetCause
 - Group Name : StreetCause
 - Grant Access Using Hierarchies : Check
3. In Search, Select Users.
4. In Selected Members Add Street_CauseStreetCauseand System Administrator

SETUP
Public Groups

Group Membership
Group: StreetCause

Group Information Save Cancel

Edit Public Group Required Information

Label

Group Name

Grant Access Using Hierarchies ☒

Description

Search: for: Find

Available Members
Group: Iksha
Group: NSS

Selected Members
Dhanasree Thota
Street_Cause StreetCause

Add

Activate Windows
Go to Settings to activate Windows

1. After Saving this would look like this.

Public Groups Help for this Page

A public group is a set of users. It can contain individual users, other groups, the users in a particular role or territory, or the users in a role or territory plus all of the users below that role or territory in the hierarchy.

View: All Edit Create New View

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other All



Action	Label ↑	Group Name	Created By	Created Date
Edit Del	Iksha	Iksha	Thota_Dhanasree	6/5/2025, 1:55 AM
Edit Del	NSS	NSS	Thota_Dhanasree	6/5/2025, 1:58 AM
Edit Del	StreetCause	StreetCause	Thota_Dhanasree	6/5/2025, 1:59 AM

Milestone-11

Report Types

Creation of Report Types

1. Go to setup page >> type Report Types in Quick Find bar >> click on Report Types >> click on Continue >> Click on New Custom Report Type.



2. In Define the Custom Report Type:
 - Primary Object : Select Venues
 - Report Type Label : Venue with DropOff with Volunteer
 - Report Type Name : Venue_with_DropOff_with_Volunteer
 - Description : Venue with DropOff with Volunteer

*Primary Object

Venues

Details

*Display Label

Venue with DropOff with Volunteer

*API Name

Venue_with_DropOff_with_Volunteer

*Description

Venue with DropOff with Volunteer

- Store in Category : Select Other Reports
- Deployment Status : Deployed

3. Click on Next

*Store in Category

Other Reports

Set Availability

An in-development report type is visible only to users with the Manage Custom Report Types permission. A deployed report type is available to all users.

Status

☐ In Development

☒ Deployed

Activate Windows

Go to Settings to activate Windows

Cancel Next

4. Near Click to relate another Object Select Drop-Off Points.
5. And also select "A" records may or may not have related "B" records.
6. Now again Near Click to relate another Object Select Volunteers.
7. Now click on Save.

Select related objects to define which records are included in reports using this report type.

A Venues

Primary Object

B Drop-Off Points

A to B Relationship:

☐ Each "A" record must have at least one related "B" record.

☒ "A" records may or may not have related "B" records.

C Volunteers

B to C Relationship:

☐ Each "B" record must have at least one related "C" record.

☒ "B" records may or may not have related "C" records.

(Click to relate another object)

Activate Windows


Go to Settings to activate Windows

Cancel Save

Milestone-12

Creation of Report on Venue with DropOff with Volunteer


1. Go to the app(FoodConnect)




2. click on the reports tab

3. Click on New Folder.

- Folder Label : Custom Reports
- Folder Unique Name : CustomReports



3. Open Custom Reports and click on New Report
4. Select Report Type : Venue with DropOff with Volunteer
5. Then click on Start Report.



6. In GROUP ROWS : Add Volunteer Name
7. In Columns : Add Venue Name, Drop-Off point Name, Distance.
8. Now click on Save & Run.

REPORT venue and Drop Off point Venue with DropOff with Volunteer

Previewing a limited number of records. Run the report to see everything.


Volunteer Name	Venue Name	Drop-Off Point Name	Distance
Almas (1)	Almas	Goa	-
Subtotal			0.0000
Dhanu (1)	Dhanasree	HYD	-
Subtotal			0.0000
Manasa (1)	Manasa	Chennai	-
Subtotal			0.0000
Mounika (1)	Mounika	tirupati	-
Subtotal			0.0000
Ramya (1)	Ramya	Tirupati	-
Subtotal			0.0000
Total (5)			0.0000

Row Counts ☒ Detail Rows ☒ Subtotals ☒ Grand Total ☒



8. Give Label as :
9. Report Name : venue and Drop Off point
10. Report Unique Name : Auto Populated
11. Click on Select Folder and select Custom Report, then click on Save.

Creation of Report on Volunteers with Execution Details and Tasks

1. Go to the app(FoodConnect) >> click on the reports tab



1. Click on Custom Reports Folder and click on New Report
2. Select Report Type : Volunteers with Execution Details and Tasks.
3. Then click on Start Report.



1. Then click on Start Report.
2. In GROUP ROWS : Volunteer ID
3. In Columns : Add Volunteer : Volunteer Name, Task : Task Name, Execution Detail : Execution Detail Name, Volunteer: Owner Name, Task: Date, Task : Rating.
4. Now click on Save & Run.

5. Give Label as :

- Report Name : Volunteer Task
- Report Unique Name : Auto Populated

6. Click on Select Folder and select Custom Report, then click on Save.

REPORT Volunteer Task

Volunteers with Execution Details and Tasks

Previewing a limited number of records. Run the report to see everything.

Volunteer: ID	Volunteer: Volunteer Name	Task: Task Name	Execution Detail: Execution Detail Name	Volunteer: Owner Name	Task: Date	Task: Rating
a03gK000002uL9c (1)	Dhanu	Work	Dhanasree	Dhanasree Thota	6/3/2025	-
Subtotal						
a03gK000002wc3l (1)	Ramya	work2	Ramyashree	Dhanasree Thota	6/4/2025	-
Subtotal						
a03gK000002wcrn (1)	Alimas	Work5	Alimas	Dhanasree Thota	6/3/2025	-
Subtotal						
a03gK000002wcuz (1)	Manasa	work3	Manasa	Dhanasree Thota	6/3/2025	-
Subtotal						
a03gK000002wdr3 (1)	Mounika	Work4	Mounika	Dhanasree Thota	6/3/2025	-
Subtotal						
Total (5)						

Columns: Volunteer: Volunteer Name, Task: Task Name, Execution Detail: Execution Det, Volunteer: Owner Name, Task: Date, Task: Rating


Save & Run

Milestone-13

Dashboards


Adding venue and Drop Off point Report to the Dashboard:

1. Go to the app(FoodConnect) >> click on the Dashboards tab.



2. Click on New Folder.

- Folder Label : Custom Dashboards
- Folder Unique Name : Auto Populated

A screenshot of the 'Create folder' form. It has two input fields: 'Folder Label' and 'Folder Unique Name'. Both fields contain the text 'Custom Dashboards'. Red arrows point to each of these fields. At the bottom right of the form, there are two buttons: 'Cancel' and 'Save'. A red arrow points to the 'Save' button.

3. Open Custom Dashboards and click on New Dashboards
 4. Name : Organization Details
 5. Click on Widget and select Chart or Table
 6. In Select Report : Select venue and Drop Off point Report.
 7. Then click on select
- In Add Component:
 - Display As : Select Lightning Table
 - Component Theme : Select Dark (Optional)

Edit Widget

Report

venue and Drop Off point

☐ Use chart settings from report

Display As

Groups

Add group...

Preview

venue and Drop Off point

Venue Name ↑	Drop-Off Point Name	Distance
Allmas	Goa	123.0000
Dhanasree	HYD	123.0000
Manasa	Chennai	123.0000
Mounika	tirupati	234.0000
Ramya	Tirupati	-

View Report (venue and Drop Off point)

Cancel

Update


75

Adding Volunteer Task Report to the Dashboard:

1. Click on Widget and select Chart or Table
2. In Select Report : Select Volunteer Task Report.
3. Then click on select
4. In Add Component:


Display As : Select Line Chart

Component Theme : Select Dark (Optional)



Adding a Picture to the Dashboard (Optional):

1. Click on Widget and select Image. Then click on Browse Files.
2. Then Select the Picture you want to upload in this Dashboard.
3. Then click on Save As :
 - Name : Task Execution Details
 - Click on Select Folder and select Custom Dashboards
4. Click on Select Folder and then Save.




Milestone-14


Sharing Rules

Creation of sharing rules:

1. Go to setup >> type Sharing Settings in quick find box >> Click on the Sharing Settings.
2. Scroll down and find Drop-Off point Sharing Rules.



3. Click on new near Drop-Off point Sharing Rules and Name it as:
 - Label : Rule 1
 - Rule Name : Rule_1



4. Select your rule type : Select Based on criteria.
5. Select which records to be shared:
 - Field : Operator : Value = Distance : less than : 15
6. Select the users to share with : Near Share With
 - Public Groups : Iksha
7. Click on Save.

Step 1: Select your rule type Required Information

Criteria	Field	Operator	Value	
	Distance	less than	15	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		

[Add Filter Logic...](#)

追加オプション ☒ Include records owned by users who can't have an assigned role [i](#)

Share with Group: Iksha

Access Level Read/Write [v](#)

Created By Dhanasree Thota, 6/5/2025, 2:53 AM

Modified By Dhanasree Thota, 6/5/2025, 2:57 AM

Save Cancel

Activate Windows
Go to Settings to activate Windows.

7. Click on new near Drop-Off point Sharing Rules and Name it as:

- Label : Rule 2
- Rule Name : Rule_2

SETUP **Sharing Settings**

Setup
Drop-Off Point Sharing Rule [Help for this Page](#)

Use sharing rules to make automatic exceptions to your organization-wide sharing settings for defined sets of users.

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.

You can use sharing rules only to grant wider access to data, not to restrict access.

Label Rule 2

Rule Name Rule_2 [i](#)

Description

9. Select your rule type : Select Based on criteria.

10. Select which records to be shared:

- Field : Operator : Value = Distance : greater than : 15
- Field : Operator : Value = Distance : less or equal : 30

11. Select the users to share with : Near Share With

- Public Groups : NSS

12. Click on Save.

Step 1: Select your rule type Required Information

Criteria	Field	Operator	Value	
	Distance	greater than	15	AND
	Distance	less or equal	30	AND
	--None--	--None--		AND
	--None--	--None--		AND
	--None--	--None--		

[Add Filter Logic...](#)

Additional Options ☒ Include records owned by users who can't have an assigned role [i](#)

Share with Group: NSS

Access Level Read/Write [v](#)

Created By Dhanasree Thota, 6/5/2025, 2:55 AM

Modified By Dhanasree Thota, 6/5/2025, 2:56 AM


Save Cancel

Activate Windows
Go to Settings to activate Windows.


Milestone-15


Home Page

1. Go to setup >> type Lightning App Builder in quick find box >> Click on the Lightning App Builder and Select the New.
2. Select Home Page and give Label as HOME Page.



3. Select Standard Home Page.
4. Near Components search for Flow and Drag and Drop in Right Side Section..
5. On the right hand side:
 - Flow : Venue Flow
6. Near Components search for Dashboard, then Drag and Drop it in first Section.





7. Click on Save and Activation, then click on App Default, then Add Assignments.
8. Add FoodConnect App and then Save.
9. FoodConnect Home Page would Look Like this.

Search...

★

+

🔒

?

⚙️

🔔

👤

FoodConnect

Home

Venues

Drop-Off Points

Tasks

Volunteers

Execution Details

Reports

Dashboards

Dashboard

Task Execution Details

Open

Refresh

Subscribe

As of Jun 10, 2025, 5:24 AM Viewing as Dhanasree Thota

venue and Drop Off point

Venue Nam...	Drop-Off Point N...	Dista...
Allmas	Goa	123.000
Dhanasree	HYD	123.000
Manasa	Chennai	123.000
Mounika	tirupati	234.000
Ramya	Tirupati	-

View Report (venue and Drop Off point)

Volunteer Task

View Report (Volunteer Task)

Venue Form

Venue Name

Email

you@example.com

Phone

Location

Latitude

Longitude

Activate Windows

Go to Settings to activate Windows.

Next

Home Tab

Search...

★

+

🔒

?

⚙️

🔔

👤

FoodConnect

Home

Venues

Drop-Off Points

Tasks

Volunteers

Execution Details

Reports

Dashboards

Venues

Recently Viewed

New

Import

Change Owner

Assign Label

5 items • Updated a few seconds ago

Search this list...

⚙️

📊

🔄

✎

🗑️

🔍

	☐ Venue Name	
1	☐ Dhanasree	▼
2	☐ Allmas	▼
3	☐ Ramya	▼
4	☐ Manasa	▼
5	☐ Mounika	▼

Venue Tab

Search...

★

+

🔒

?

⚙️

🔔

👤

FoodConnect

Home

Venues

Drop-Off Points

Tasks

Volunteers

Execution Details

Reports

Dashboards

Drop-Off Points

Recently Viewed

New

Import

Change Owner

Assign Label

5 items • Updated a few seconds ago

Search this list...

⚙️

📊

🔄

✎

🗑️

🔍

	☐ Drop-Off Point Name	
1	☐ HYD	▼
2	☐ Chennai	▼
3	☐ tirupati	▼
4	☐ Goa	▼
5	☐ Tirupati	▼

Drop-Off PointTab

82

The screenshot shows the 'Tasks' tab in the FoodConnect application. The top navigation bar includes the FoodConnect logo, a search bar, and various utility icons. The main header contains tabs for Home, Venues, Drop-Off Points, Tasks (selected), Volunteers, Execution Details, Reports, and Dashboards. The 'Tasks' section features a 'Recently Viewed' header with a dropdown and a list of 5 items. The list is titled 'Task Name' and contains 5 entries: 1. Work, 2. work2, 3. work3, 4. Work4, and 5. Work5. Each entry has a checkbox and a dropdown arrow. Action buttons at the top right include New, Import, Change Owner, and Assign Label. A search bar for the list is also present.

	Task Name	
1	Work	
2	work2	
3	work3	
4	Work4	
5	Work5	

Tasks Tab

The screenshot shows the 'Volunteers' tab in the FoodConnect application. The top navigation bar is identical to the previous screenshot. The main header contains tabs for Home, Venues, Drop-Off Points, Tasks, Volunteers (selected), Execution Details, Reports, and Dashboards. The 'Volunteers' section features a 'Recently Viewed' header with a dropdown and a list of 5 items. The list is titled 'Volunteer Name' and contains 5 entries: 1. Dhanu, 2. Ramya, 3. Manasa, 4. Mounika, and 5. Allmas. Each entry has a checkbox and a dropdown arrow. Action buttons at the top right include New, Import, Change Owner, and Assign Label. A search bar for the list is also present.

	Volunteer Name	
1	Dhanu	
2	Ramya	
3	Manasa	
4	Mounika	
5	Allmas	

Volunteers Tab

The screenshot shows the 'Execution Details' tab in the FoodConnect application. The top navigation bar is identical to the previous screenshots. The main header contains tabs for Home, Venues, Drop-Off Points, Tasks, Volunteers, Execution Details (selected), Reports, and Dashboards. The 'Execution Details' section features a 'Recently Viewed' header with a dropdown and a list of 5 items. The list is titled 'Execution Detail Name' and contains 5 entries: 1. Mounika, 2. Allmas, 3. Manasa, 4. Ramyashree, and 5. Dhanasree. Each entry has a checkbox and a dropdown arrow. Action buttons at the top right include New, Import, and Assign Label. A search bar for the list is also present.

	Execution Detail Name	
1	Mounika	
2	Allmas	
3	Manasa	
4	Ramyashree	
5	Dhanasree	



FoodConnect
Home
Venues
Drop-Off Points
Tasks
Volunteers
Execution Details
Reports
Dashboards

Reports
Recent
3 items

New Report
New Folder

REPORTS	Report Name	Description	Folder	Created By	Created On	Subscribed
Recent	Sample Flow Report: Screen Flows	Which flows run, what's the status of each interview, and how long do users take to complete the screens?	Public Reports	Automated Process	5/26/2025, 10:34 PM	
Created by Me						
Private Reports	Volunteer Task		Custom Reports	Dhanasree Thota	6/5/2025, 2:21 AM	
Public Reports	venue and Drop Off point		Custom Reports	Dhanasree Thota	6/5/2025, 2:14 AM	
All Reports						

Reports Tab



FoodConnect
Home
Venues
Drop-Off Points
Tasks
Volunteers
Execution Details
Reports
Dashboards

Dashboards
Recent
2 items

New Dashboard
New Folder

DASHBOARDS	Dashboard Name	Description	Folder	Created By	Created On	Subscribed
Recent	Task Execution Details		Custom Dashboards	Dhanasree Thota	6/5/2025, 2:45 AM	
Created by Me	Organization Details		Private Dashboards	Dhanasree Thota	6/5/2025, 2:27 AM	
Private Dashboards						
All Dashboards						
FOLDERS						
All Folders						

Dashboards Tab

Milestone-16

Conclusion

By leveraging the Salesforce platform, the project successfully established a streamlined and transparent system for managing surplus food donations. Through efficient coordination with volunteers and timely delivery to beneficiaries, the project effectively addressed food insecurity while maximizing the utilization of available resources.

Github link:

<https://github.com/thotadhanasree8/To-Supply-Leftover-Food-to-Poor-LTVIP2025TMID29707>

Demo Video Link:

https://drive.google.com/file/d/1FWphECv0HUKTq3dlLC5EWrlby4kEbIz6/view?usp=drive_link