Tutorial 1

NAME: Thota Koteswara Rao

REG NO:RA2511030010281

SECTION:X1

SUBJECT:Advance Programming practice

SUBJECT CODE:21CSC203P

1.

```
public class StudentInfo {
   public static void main(String[] args) {
      String name = "John Doe";
      String registerNumber = "CSE12345";
      String department = "Computer Science";
      int yearOfStudy = 2;
      String collegeName = "ABC College of Engineering";
      System.out.println("===== Student Information =====");
      System.out.printf("%-15s: %s%n", "Name", name);
      System.out.printf("%-15s: %s%n", "Register Number", registerNumber);
      System.out.printf("%-15s: %s%n", "Department", department);
      System.out.printf("%-15s: %d%n", "Year of Study", yearOfStudy);
      System.out.printf("%-15s: %s%n", "College Name", collegeName);
   }
}
```

2.

```
public class SupermarketCashier {
   public static void main(String[] args) {
      int price1 = 120;
      int price2 = 80;
```

```
        int total = price1 + price2;
        int difference = price1 - price2;
        int product = price1 * price2;
        int quotient = price1 / price2;
        int remainder = price1 % price2;
        System.out.println("===== Supermarket Bill Calculation =====");
        System.out.println("Price of Product 1 : " + price1);
        System.out.println("Price of Product 2 : " + price2);
        System.out.println("----------------------------------------");
        System.out.println("Total      : " + total);
        System.out.println("Difference  : " + difference);
        System.out.println("Product    : " + product);
        System.out.println("Quotient   : " + quotient);
        System.out.println("Remainder  : " + remainder);
    }
}
```

3.

```
public class PlaygroundArea {
    public static void main(String[] args) {
        int length = 50;
        int breadth = 30;
```

```
        int area = length * breadth;
        System.out.println("===== Playground Area Calculation =====");
        System.out.println("Length   : " + length + " meters");
        System.out.println("Breadth  : " + breadth + " meters");
        System.out.println("Area     : " + area + " square meters");
    }
}
```

4.a

```
public class SwapWithTemp {
    public static void main(String[] args) {
        int roll1 = 101;
        int roll2 = 202;
       System.out.println("Before Swap: Roll1 = " + roll1 + ", Roll2 = " + roll2);
        int temp = roll1;
        roll1 = roll2;
        roll2 = temp;
       System.out.println("After Swap (Temp): Roll1 = " + roll1 + ", Roll2 = " +
roll2);
    }
}
```

4.b

```
public class SwapWithoutTemp {
```

```
  public static void main(String[] args) {
      int roll1 = 101;
      int roll2 = 202;
     System.out.println("Before Swap: Roll1 = " + roll1 + ", Roll2 = " + roll2);
      roll1 = roll1 + roll2;
      roll2 = roll1 - roll2;
      roll1 = roll1 - roll2;
     System.out.println("After Swap (No Temp): Roll1 = " + roll1 + ", Roll2 = " +
roll2);
  }
}
```

5.

```
public class HighestScore {
  public static void main(String[] args) {
      int score1 = 85;
      int score2 = 92;
      int score3 = 78;
      int highest = score1;
      if (score2 > highest) {
         highest = score2;
      }
      if (score3 > highest) {
```

```
    highest = score3;
        }
       System.out.println("Scores: " + score1 + ", " + score2 + ", " + score3);
        System.out.println("Highest Score: " + highest);
    }
}
```

6.

```
public class SeatNumberCheck {
    public static void main(String[] args) {
        int seatNumber = 27;


        if (seatNumber % 2 == 0) {
            System.out.println("Seat Number " + seatNumber + " is EVEN.
Go to Even Counter.");
        } else {
            System.out.println("Seat Number " + seatNumber + " is ODD.
Go to Odd Counter.");
        }
    }
}
```

7.

```
import java.util.Scanner;
```

```
public class PassOrFail {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);
      System.out.print("Enter marks: ");
      int marks = sc.nextInt();
      if (marks >= 50) {
         System.out.println("Result: Pass");
      } else {
         System.out.println("Result: Fail");
      }
      sc.close();
   }
}
```

8.

```
public class EmployeeSalary {
   public static void main(String[] args) {
      double basicSalary = 25000;
      double allowance = 5000;
      double totalSalary = basicSalary + allowance;
```

```
        System.out.println("Basic Salary : " + basicSalary);
        System.out.println("Allowance    : " + allowance);
        System.out.println("Total Salary : " + totalSalary);
    }
}
```