

Student 37 **Thota Pravallika** 192525189RA

4 / 20 submitted

Q1. Arrays

CODE

```
#include<stdio.h>
int main(){
    int a[12],i,total=0;
    float avg,eff;
    for(i=0;i<12;i++)
    {
        printf("month%d=",i+1);
        scanf("%d",&a[i]);
        if(a[i]==-1)
            break;
        if(a[i]<0)
            continue;
        total+=a[i];
        if(a[i]>5000)
            printf("10%% incentive\n");
        else if (a[i]<4000)
            printf("inspection\n");
    }
    avg=(float)total/i;
    eff=avg*100/5000;
    printf("\n annual production=%d",total);
    printf("\n average production=%.2f",avg);
    printf("\n efficiency=%.2f%%",eff);
    return 0;
}
```

INPUT

```
5100
4800
5300
3900
5000
5200
4900
5500
4100
5300
6000
4700
```

OUTPUT

```
(no output)
```

Q2. Arrays

CODE

```
#include<stdio.h>
int main(){
    int q[20],d[20],i,s=0;
    for(i=0;i<20;i++){
        scanf("%d%d",&q[i],&d[i]);

        if(q[i]==-1)break;
        if(q[i]==0) continue;

        s+=q[i];
        if(q[i]≥90&& d[i]≤2)
            printf("excellent\n");
        else if(q[i]≥75&& d[i]≤5)
            printf("good\n");
        else if(q[i]≥60)
            printf("average\n");
        else
            printf("needs improvement\n");
    }
    printf("average=%.2f\n", (float)s/i);
    return 0;
}
```

INPUT

```
95 2
80 4
65 6
55 3
90 2
78 5
60 7
40 8
85 4
92 2
88 5
75 5
61 6
58 3
99 1
70 5
83 4
91 2
66 6
50 8
```

OUTPUT

(no output)

Q6. Arrays

CODE

```
#include<stdio.h>
int main(){
    int d[30],i;
    float p;
    for(i=0;i<30;i++)
    {
        scanf("%d",&d[i]);
        if(d[i]==-1)
            break;
        if(d[i]==0)
            continue;
        p=d[i]*100.0/10000;
        printf("accepted=%d\n",10000-d[i]);
        if(p<1)
            printf("grade A\n");
        else if(p<=3)
            printf("grade B\n");
        else if(p<=5)
            printf("grade C\n");
        else
            printf("rejected batch\n");
    }
    return 0;
}
```

INPUT

50
150
400
700
-1

OUTPUT

(no output)

Q7. Arrays**CODE**

```
#include<stdio.h>
int main(){
    int s[5],u[5],i,r,e;
    for(i=0;i<5;i++)
    {
        scanf("%d%d",&s[i],&u[i]);
        if(s[i]==-1)
            break;
        if(s[i]==0)
            continue;
        r=s[i]-u[i];
        e=0;
        if(u[i]>s[i])
            e=(u[i]-s[i])*4;
        printf("remaining=%d\n",r);
        printf("extra=%d\n",e);
        if(u[i]>0.95*s[i])
            printf("warning\n");
    }
    return 0;
}
```

INPUT

```
100 90
500 520
2000 1950
0 0
-1 0
```

OUTPUT

(no output)