

# Cucumber Report

07-Apr-2025, 5:03:23 pm

Start : Apr 07, 5:02:52.172 pm

End : Apr 07, 5:03:22.542 pm

Duration : 30.370 s

Features


Scenarios

Steps

PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 0


PASSED - 13  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	9.134 s	1	1	0	0	4	4	0	0
<u>I want to login to the application</u>	13.386 s	2	1	1	0	6	5	1	0
<u>Click the item and add it to the cart</u>	7.824 s	1	1	0	0	4	4	0	0

#	Feature Name	Scenario Name
1	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Wishlist	1	1	0	0	1	1	0	0
@Login	2	1	1	0	1	0	1	0
@DigitalDownloads	3	2	1	0	2	1	1	0
@Purchase	1	1	0	0	1	1	0	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Add a product to the wishlist</u>	1	1	0	0	9.134 s
2	<u>I want to login to the application</u>	2	1	1	0	13.386 s
3	<u>Click the item and add it to the cart</u>	1	1	0	0	7.824 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	4	4	0	0	9.132 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	2	1	0	7.723 s
3		<u>Login with valid and invalid credentials</u>	3	3	0	0	5.655 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	4	0	0	7.824 s

## Add a product to the wishlist



<b>PASSED</b>	DURATION - 9.134 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 5:02:52.172 pm // 5:03:01.306 pm /					

## User adds an item to the wishlist after logging in using Excel credentials



<div>PASSED</div> <div>DURATION - 9.132 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:02:52.174 pm // 5:03:01.306 pm /</div>			
<div>Add a product to the wishlist</div>			
<div>@Wishlist</div>			

#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	3.918 s
2	When user logs in with credentials from "TestData" sheet and row 1	PASSED	0.587 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	PASSED	3.360 s
4	Then the product "3rd Album" should be present in the wishlist	PASSED	0.039 s

## I want to login to the application



<b>FAILED</b>	DURATION - 13.386 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 5:03:01.321 pm // 5:03:14.707 pm /					

## Login with valid and invalid credentials

<b>FAILED</b>	DURATION - 7.723 s		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 5:03:01.321 pm // 5:03:09.044 pm /				
I want to login to the application				
@Login @DigitalDownloads				

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	6.197 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123"	PASSED	0.595 s
3	Then the user should see the "Login passed"  java.lang.AssertionError: Login validation failed expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at com.definitions.LoginStepDefinitions.the_user_should_see_the_message(LoginStepDefinitions.java:93) at ?.the user should see the "Login passed"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/DemoLogin.feature:8) * Not displayable characters are replaced by '?'. 	FAILED	0.024 s



### Login with valid and invalid credentials

<b>PASSED</b>	DURATION - 5.655 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:03:09.052 pm // 5:03:14.707 pm /				
I want to login to the application				
@Login @DigitalDownloads				



#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	3.811 s
2	When user logs in with "demo@example.com" and "demo@123"	PASSED	0.582 s
3	Then the user should see the "Login failed"	PASSED	0.365 s



## Click the item and add it to the cart

<b>PASSED</b>	<b>DURATION - 7.824 s</b>	Scenarios		Steps	
/ 5:03:14.718 pm // 5:03:22.542 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## User login and purchase 3rd Album using DataTable

<div>PASSED</div> <div>DURATION - 7.824 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:03:14.718 pm // 5:03:22.542 pm /</div>			
<div>Click the item and add it to the cart</div>			
<div>@Purchase @DigitalDownloads</div>			

#	Step / Hook Details		Status	Duration
1	Given User launches the browser and navigates to Demo Web Shop		PASSED	4.005 s
2	When User logs in using credentials		PASSED	0.619 s
	email	password		
	2k21dhar@gmail.com	Dhar@123		
3	And User navigates to Digital Downloads and purchases "3rd Album"		PASSED	2.324 s
4	Then The product "3rd Album" should be present in the cart		PASSED	0.018 s