

Cucumber Report

08-Apr-2025, 7:39:54 am

Start : Apr 08, 7:39:28.784 am

End : Apr 08, 7:39:53.413 am

Duration : 24.629 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	6.207 s	1	0	1	0	6	1	1	4
<u>I want to login to the application</u>	10.007 s	2	2	0	0	6	6	0	0
<u>Click the item and add it to the cart</u>	8.388 s	1	1	0	0	4	4	0	0

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Wishlist	1	0	1	0	1	0	1	0
@Login	2	2	0	0	1	1	0	0
@DigitalDownloads	3	3	0	0	2	2	0	0
@Purchase	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	6.207 s
2	<u>I want to login to the application</u>	2	2	0	0	10.007 s
3	<u>Click the item and add it to the cart</u>	1	1	0	0	8.388 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	6	1	1	4	6.203 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	3	0	0	5.365 s
3		<u>Login with valid and invalid credentials</u>	3	3	0	0	4.630 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	4	0	0	8.388 s

Add a product to the wishlist



FAILED	DURATION - 6.207 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 7:39:28.784 am // 7:39:34.991 am /					

User adds an item to the wishlist after logging in using Excel credentials



<div><div>FAILED</div><div>DURATION - 6.203 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 7:39:28.788 am // 7:39:34.991 am /				
Add a product to the wishlist				
@Wishlist				

#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	2.584 s
2	When user logs in with credentials from "TestData" sheet and row 1 java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Sheet.getRow(int)" because "com.utils.ExcelUtils.sheet" is null at com.utils.ExcelUtils.getCellData(ExcelUtils.java:21) at com.definitions.WishlistDefinitions.user_logs_in_with_credentials_from_sheet_and_row(WishlistDefinitions.java:87) at ?.user logs in with credentials from "TestData" sheet and row 1(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:6) * Not displayable characters are replaced by '?'.	FAILED	1.069 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	SKIPPED	0.000 s
4	Then the product "3rd Album" should be present in the wishlist	SKIPPED	0.000 s
5	And click Email a friend	SKIPPED	0.000 s
6	And click send email button	SKIPPED	0.000 s

I want to login to the application



<div>PASSED</div>	<div>DURATION - 10.007 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:35.004 am // 7:39:45.011 am /</div>					

Login with valid and invalid credentials

<div>PASSED</div>	<div>DURATION - 5.365 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:39:35.008 am // 7:39:40.373 am /</div>				
<div>I want to login to the application</div>				
<div>@Login @DigitalDownloads</div>				

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	2.686 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123"	PASSED	0.739 s
3	Then the user should see the "Login passed"	PASSED	1.006 s



Login with valid and invalid credentials

<div>PASSED</div> <div>DURATION - 4.630 s</div>		Steps	
/ 7:39:40.381 am // 7:39:45.011 am /		Total - 3	
I want to login to the application		Pass - 3	
@Login @DigitalDownloads		Fail - 0	
		Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	2.502 s
2	When user logs in with "demo@example.com" and "demo@123"	PASSED	0.719 s

#	Step / Hook Details	Status	Duration
3	Then the user should see the "Login failed"	PASSED	0.431 s

Click the item and add it to the cart

PASSED	DURATION - 8.388 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:39:45.025 am // 7:39:53.413 am /					

User login and purchase 3rd Album using DataTable

PASSED	DURATION - 8.388 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 
/ 7:39:45.025 am // 7:39:53.413 am /			
Click the item and add it to the cart			
@Purchase @DigitalDownloads			

#	Step / Hook Details		Status	Duration
1	Given User launches the browser and navigates to Demo Web Shop		PASSED	3.642 s
2	When User logs in using credentials		PASSED	1.562 s
	email	password		
	2k21dhar@gmail.com	Dhar@123		
3	And User navigates to Digital Downloads and purchases "3rd Album"		PASSED	2.193 s
4	Then The product "3rd Album" should be present in the cart		PASSED	0.030 s