

Cucumber Report

07-Apr-2025, 12:37:02 pm

Start : Apr 07, 12:36:29.323 pm

End : Apr 07, 12:37:01.073 pm

Duration : 31.750 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	6.314 s	1	0	1	0	5	1	1	3
<u>I want to login to the application</u>	17.019 s	2	2	0	0	6	6	0	0
<u>Click the item and add it to the cart</u>	8.370 s	1	1	0	0	4	4	0	0

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Wishlist	1	0	1	0	1	0	1	0
@Login	2	2	0	0	1	1	0	0
@DigitalDownloads	3	3	0	0	2	2	0	0
@Purchase	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	6.314 s
2	<u>I want to login to the application</u>	2	2	0	0	17.019 s
3	<u>Click the item and add it to the cart</u>	1	1	0	0	8.370 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	5	1	1	3	6.312 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	3	0	0	7.915 s
3		<u>Login with valid and invalid credentials</u>	3	3	0	0	9.104 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	4	0	0	8.370 s

Add a product to the wishlist



FAILED	DURATION - 6.314 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 12:36:29.323 pm // 12:36:35.637 pm /					

User adds an item to the wishlist after logging in using Excel credentials



<div><div>FAILED</div><div>DURATION - 6.312 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 12:36:29.325 pm // 12:36:35.637 pm /				
Add a product to the wishlist				
@Wishlist				

#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	4.049 s
2	When user logs in with credentials from "LoginData" sheet and row 1 java.lang.NullPointerException: Cannot invoke "org.apache.poi.ss.usermodel.Row.getCell(int)" because "row" is null at com.utils.ExcelUtils.getCellData(ExcelUtils.java:47) at com.definitions.WishlistDefinitions.user_logs_in_with_credentials_from_sheet_and_row(WishlistDefinitions.java:28) at ?.user logs in with credentials from "LoginData" sheet and row 1(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.690 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	SKIPPED	0.008 s
4	Then the product "3rd Album" should be present in the wishlist	SKIPPED	0.000 s
5	And user logs out	SKIPPED	0.000 s

I want to login to the application



PASSED	<i>DURATION - 17.019 s</i>	Scenarios		Steps	
<i>/ 12:36:35.653 pm // 12:36:52.672 pm /</i>		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid and invalid credentials

<div>PASSED</div>	<div>DURATION - 7.915 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:36:35.653 pm // 12:36:43.568 pm /				
I want to login to the application				
@Login @DigitalDownloads				

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	5.277 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123"	PASSED	0.701 s
3	Then the user should see the "Login passed"	PASSED	0.873 s



Login with valid and invalid credentials

<div>PASSED</div>	<div>DURATION - 9.104 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:36:43.568 pm // 12:36:52.672 pm /				
I want to login to the application				
@Login @DigitalDownloads				



#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	6.480 s
2	When user logs in with "demo@example.com" and "demo@123"	PASSED	1.019 s

#	Step / Hook Details	Status	Duration
3	Then the user should see the "Login failed"	PASSED	0.509 s

Click the item and add it to the cart

PASSED	DURATION - 8.370 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:36:52.703 pm // 12:37:01.073 pm /					

User login and purchase 3rd Album using DataTable

PASSED	DURATION - 8.370 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0 
/ 12:36:52.703 pm // 12:37:01.073 pm /			
Click the item and add it to the cart			
@Purchase @DigitalDownloads			

#	Step / Hook Details		Status	Duration
1	Given User launches the browser and navigates to Demo Web Shop		PASSED	4.069 s
2	When User logs in using credentials		PASSED	0.728 s
	email	password		
	2k21dhar@gmail.com	Dhar@123		
3	And User navigates to Digital Downloads and purchases "3rd Album"		PASSED	2.339 s
4	Then The product "3rd Album" should be present in the cart		PASSED	0.043 s