

Cucumber Report

08-Apr-2025, 12:04:57 am

Start : Apr 08, 12:04:55.920 am

End : Apr 08, 12:04:56.451 am

Duration : 0.531 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 3
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	0.040 s	1	0	1	0	4	0	1	3
<u>I want to login to the application</u>	0.439 s	1	0	1	0	3	0	1	2
<u>Click the item and add it to the cart</u>	0.009 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>
3	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Wishlist	1	0	1	0	1	0	1	0
@Login	1	0	1	0	1	0	1	0
@DigitalDownloads	2	0	2	0	2	0	2	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	0.040 s
2	<u>I want to login to the application</u>	1	0	1	0	0.439 s
3	<u>Click the item and add it to the cart</u>	1	0	1	0	0.009 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	4	0	1	3	0.037 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	0	1	2	0.437 s
3	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	0	1	3	0.009 s

Add a product to the wishlist



FAILED	DURATION - 0.040 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:04:55.920 am // 12:04:55.960 am /					

User adds an item to the wishlist after logging in using Excel credentials



<div>FAILED</div> <div>DURATION - 0.037 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 12:04:55.923 am // 12:04:55.960 am /</div>				
<div>Add a product to the wishlist</div>				
<div>@Wishlist</div>				

#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "com.utils.HelperClass.prop" is null at com.utils.HelperClass.openPage(HelperClass.java:73) at com.definitions.WishlistDefinitions.user_launches_the_browser_and_navigates_to_demo_web_shop(WishlistDefinitions.java:20) at ?.user launches the browser and navigates to Demo Web Shop(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:5) * Not displayable characters are replaced by '?'. 	FAILED	0.022 s
2	When user logs in with credentials from "TestData" sheet and row 1	SKIPPED	0.001 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	SKIPPED	0.000 s
4	Then the product "3rd Album" should be present in the wishlist	SKIPPED	0.000 s

I want to login to the application



FAILED	DURATION - 0.439 s	Scenarios		Steps	
/ 12:04:55.986 am // 12:04:56.425 am /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

Login with valid and invalid credentials



FAILED	DURATION - 0.437 s		Steps	
/ 12:04:55.988 am // 12:04:56.425 am /			Total - 3	
I want to login to the application			Pass - 0	
@Login @DigitalDownloads			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "com.utils.HelperClass.prop" is null at com.utils.HelperClass.openPage(HelperClass.java:73) at com.definitions.LoginStepDefinitions.user_is_on_homepage(LoginStepDefinitions.java:80) at ?.user is in the Demo Web Shop application(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/DemoLogin.feature:6) * Not displayable characters are replaced by '?'.	FAILED	0.434 s
2	When user logs in with "<email>" and "<password>"	SKIPPED	0.000 s
3	Then the user should see the "<LoginStatus>"	SKIPPED	0.000 s

Click the item and add it to the cart

FAILED	DURATION - 0.009 s	Scenarios		Steps	
/ 12:04:56.442 am // 12:04:56.451 am /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

User login and purchase 3rd Album using DataTable

FAILED	DURATION - 0.009 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 12:04:56.442 am // 12:04:56.451 am /				
Click the item and add it to the cart				
@Purchase @DigitalDownloads				

#	Step / Hook Details	Status	Duration	
1	Given User launches the browser and navigates to Demo Web Shop	FAILED	0.003 s	
	<div>java.lang.NullPointerException: Cannot invoke "java.util.Properties.getProperty(String)" because "com.utils.HelperClass.prop" is null at com.utils.HelperClass.openPage(HelperClass.java:73) at com.definitions.PurchaseAlbumStepDefinitions. user_launches_browser_and_navigates_to_demo_web_shop(PurchaseAlbumStepDefinitions.java:22) at ?.User launches the browser and navigates to Demo Web Shop(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/PurchaseAlbum.feature:22) * Not displayable characters are replaced by '?'. </div>			
2	When User logs in using credentials	SKIPPED	0.003 s	
	<table><tr><td>email</td><td>password</td></tr><tr><td>2k21dhar@gmail.com</td><td>Dhar@123</td></tr></table>			email
email	password			
2k21dhar@gmail.com	Dhar@123			
3	And User navigates to Digital Downloads and purchases "3rd Album"	SKIPPED	0.000 s	
4	Then The product "3rd Album" should be present in the cart	SKIPPED	0.000 s	