

# Cucumber Report

07-Apr-2025, 5:16:08 pm

Start : Apr 07, 5:15:48.397 pm

End : Apr 07, 5:16:08.269 pm

Duration : 19.872 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 0


PASSED - 6  
FAILED - 4  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	11.982 s	1	0	1	0	4	3	1	0
<u>I want to login to the application</u>	5.552 s	2	0	2	0	6	2	2	2
<u>Click the item and add it to the cart</u>	2.311 s	1	0	1	0	4	1	1	2

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>
3		<u>Login with valid and invalid credentials</u>
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Wishlist	1	0	1	0	1	0	1	0
@Login	2	0	2	0	1	0	1	0
@DigitalDownloads	3	0	3	0	2	0	2	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	11.982 s
2	<u>I want to login to the application</u>	2	0	2	0	5.552 s
3	<u>Click the item and add it to the cart</u>	1	0	1	0	2.311 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	4	3	1	0	11.980 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	1	1	1	2.334 s
3		<u>Login with valid and invalid credentials</u>	3	1	1	1	3.202 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	1	1	2	2.311 s

## Add a product to the wishlist



<b>FAILED</b>	DURATION - 11.982 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 5:15:48.397 pm // 5:16:00.379 pm /					

## User adds an item to the wishlist after logging in using Excel credentials



<div>FAILED</div> <div>DURATION - 11.980 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:48.399 pm // 5:16:00.379 pm /</div>				
<div>Add a product to the wishlist</div>				
<div>@Wishlist</div>				

#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	4.185 s
2	When user logs in with credentials from "TestData" sheet and row 1	PASSED	0.572 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	PASSED	2.928 s
4	Then the product "3rd Album" should be present in the wishlist	FAILED	3.153 s
	<pre>java.lang.AssertionError     at com.definitions.WishlistDefinitions.the_product_should_be_present_in_the_wishlist(WishlistDefinitions.java:47)     at ?.the product "3rd Album" should be present in the wishlist(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:8)     * Not displayable characters are replaced by '?'. </pre>		

## I want to login to the application

<b>FAILED</b>	<b>DURATION - 5.552 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 6 Pass - 2 Fail - 2 Skip - 2	
/ 5:16:00.395 pm // 5:16:05.947 pm /					

### Login with valid and invalid credentials

<b>FAILED</b>	<b>DURATION - 2.334 s</b>		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 5:16:00.395 pm // 5:16:02.729 pm /				
I want to login to the application				
@Login @DigitalDownloads				

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	1.382 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123"	FAILED	0.010 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d154d31fdf3bf64d32826c5a9ce55ce, findElement {value=ico-login, using=class name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62247}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62247/devtoo..., se.cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d154d31fdf3bf64d32826c5a9ce55ce</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)  at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:72) at com.actions.LoginActions.clickLoginLink(LoginActions.java:15) at com.actions.LoginActions.performLogin(LoginActions.java:31) at com.definitions.LoginStepDefinitions.user_logs_in(LoginStepDefinitions.java:86) at ?.user logs in with "2k21dhar@gmail.com" and "Dhar@123"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/ src/test/resources/DemoLogin.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then the user should see the "Login passed"	SKIPPED	0.000 s

### Login with valid and invalid credentials

<b>FAILED</b> DURATION - 3.202 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 5:16:02.745 pm // 5:16:05.947 pm /			
I want to login to the application			
@Login @DigitalDownloads			



#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	2.310 s
2	When user logs in with "demo@example.com" and "demo@123" <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0087dd08ef7cce3bba3bc10c20115810, findElement {value=ico-login, using=class name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62266}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62266/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	0087dd08ef7cce3bba3bc10c20115810 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:72) at com.actions.LoginActions.clickLoginLink(LoginActions.java:15) at com.actions.LoginActions.performLogin(LoginActions.java:31) at com.definitions.LoginStepDefinitions.user_logs_in(LoginStepDefinitions.java:86) at ?.user logs in with "demo@example.com" and "demo@123"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/DemoLogin.feature:7) * Not displayable characters are replaced by '?'.		
3	Then the user should see the "Login failed"	SKIPPED	0.001 s

### Click the item and add it to the cart

FAILED	DURATION - 2.311 s	Scenarios		Steps	
/ 5:16:05.958 pm // 5:16:08.269 pm /		Total - 1	1	Total - 4	4
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

### User login and purchase 3rd Album using DataTable

<div>FAILED</div> <div>DURATION - 2.311 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 5:16:05.958 pm // 5:16:08.269 pm /				
Click the item and add it to the cart				
@Purchase @DigitalDownloads				

#	Step / Hook Details	Status	Duration				
1	Given User launches the browser and navigates to Demo Web Shop	PASSED	1.438 s				
2	<div>When User logs in using credentials</div> <table><tr><td>email</td><td>password</td></tr><tr><td>2k21dhar@gmail.com</td><td>Dhar@123</td></tr></table> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f1cdde5ca58af5e25ad3a18568e34c4, findElement {value=ico-login, using=class name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62290}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62290/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f1cdde5ca58af5e25ad3a18568e34c4 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:72)</div>	email	password	2k21dhar@gmail.com	Dhar@123	FAILED	0.010 s
email	password						
2k21dhar@gmail.com	Dhar@123						

#	Step / Hook Details	Status	Duration
	<pre>at com.actions.LoginActions.clickLoginLink(LoginActions.java:15) at com.actions.LoginActions.performLogin(LoginActions.java:31) at com.definitions.PurchaseAlbumStepDefinitions.user_logs_in_using_credentials(PurchaseAlbumStepDefinitions.java:46) at ?.User logs in using credentials(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/ PurchaseAlbum.feature:23) * Not displayable characters are replaced by '?'. </pre>		
3	And User navigates to Digital Downloads and purchases "3rd Album"	SKIPPED	0.001 s
4	Then The product "3rd Album" should be present in the cart	SKIPPED	0.000 s