

Cucumber Report

07-Apr-2025, 3:56:53 pm

Start : Apr 07, 3:56:19.308 pm

End : Apr 07, 3:56:52.513 pm

Duration : 33.205 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 1
FAILED - 3
SKIPPED - 0


PASSED - 9
FAILED - 2
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	20.490 s	1	0	1	0	5	4	1	0
<u>I want to login to the application</u>	11.444 s	2	1	1	0	6	5	1	0
<u>Click the item and add it to the cart</u>	1.237 s	1	0	1	0	4	0	0	4

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>
3	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Wishlist	1	0	1	0	1	0	1	0
@Login	2	1	1	0	1	0	1	0
@DigitalDownloads	3	1	2	0	2	0	2	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	20.490 s
2	<u>I want to login to the application</u>	2	1	1	0	11.444 s
3	<u>Click the item and add it to the cart</u>	1	0	1	0	1.237 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	5	4	1	0	20.488 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	3	0	0	5.936 s
3		<u>Login with valid and invalid credentials</u>	3	2	1	0	5.508 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	0	0	4	1.237 s

Add a product to the wishlist

FAILED	DURATION - 20.490 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 3:56:19.308 pm // 3:56:39.798 pm /					



User adds an item to the wishlist after logging in using Excel credentials

FAILED	DURATION - 20.488 s		Steps Total - 5 Pass - 4 Fail - 1 Skip - 0	
/ 3:56:19.310 pm // 3:56:39.798 pm /				
Add a product to the wishlist				
@Wishlist				



#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	4.338 s
2	When user logs in with credentials from "TestData" sheet and row 1	PASSED	0.424 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist	PASSED	3.904 s
4	Then the product "3rd Album" should be present in the wishlist	PASSED	0.042 s
5	And user logs out org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //a[@class='ico-logout'] (tried for 10 second(s) with 500 milliseconds interval) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56902}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56902/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7dcb0fe6ce65e76e63d38cd859311964 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at com.pages.WishlistPage.logout(WishlistPage.java:171)	FAILED	10.516 s

#	Step / Hook Details	Status	Duration
	at com.actions.WishlistActions.logout(WishlistActions.java:41) at com.definitions.WishlistDefinitions.user_logs_out(WishlistDefinitions.java:106) at ?.user logs out(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:9) * Not displayable characters are replaced by '?'.		

I want to login to the application

FAILED	DURATION - 11.444 s	Scenarios		Steps	
/ 3:56:39.814 pm // 3:56:51.258 pm /		Total - 2		Total - 6	
		Pass - 1		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Login with valid and invalid credentials

<div>PASSED</div> <div>DURATION - 5.936 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:56:39.814 pm // 3:56:45.750 pm /</div>			
<div>I want to login to the application</div>			
<div>@Login @DigitalDownloads</div>			

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	3.745 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123"	PASSED	0.596 s
3	Then the user should see the "Login passed"	PASSED	0.696 s

Login with valid and invalid credentials



<div>FAILED</div> <div>DURATION - 5.508 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>3.96</td></tr><tr><td>2</td><td>0.57</td></tr><tr><td>3</td><td>0.02</td></tr></tbody></table></div>	Step	Duration (s)	1	3.96	2	0.57	3	0.02	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)											
1	3.96											
2	0.57											
3	0.02											
/ 3:56:45.750 pm // 3:56:51.258 pm /												
I want to login to the application												
@Login @DigitalDownloads												

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	3.960 s
2	When user logs in with "demo@example.com" and "demo@123"	PASSED	0.565 s
3	Then the user should see the "Login failed"	FAILED	0.022 s
	<pre>java.lang.AssertionError: Login validation failed! expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1590) at org.testng.Assert.assertTrue(Assert.java:57) at com.definitions.LoginStepDefinitions.the_user_should_see_the_message(LoginStepDefinitions.java:55) at ?.the user should see the "Login failed"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/DemoLogin.feature:8) * Not displayable characters are replaced by '?'. </pre>		

Click the item and add it to the cart

<div>FAILED</div> <div>DURATION - 1.237 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div><div></div><div>4</div></div>
/ 3:56:51.276 pm // 3:56:52.513 pm /					

User login and purchase 3rd Album using DataTable

<div>FAILED</div> <div>DURATION - 1.237 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:56:51.276 pm // 3:56:52.513 pm /</div>				
<div>Click the item and add it to the cart</div>				
<div>@Purchase @DigitalDownloads</div>				

#	Step / Hook Details	Status	Duration				
	<div>BEFORE - com.utils.Hooks.setUp()</div> <div>org.openqa.selenium.WebDriverException: unknown error: JavaScript code failed from unknown command: 'Runtime.evaluate' wasn't found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40f7630f2364d5415d90f02817b7b512, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57001}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57001/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40f7630f2364d5415d90f02817b7b512 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1061) at com.utils.HelperClass.setUpDriver(HelperClass.java:69) at com.utils.Hooks.setUp(Hooks.java:10)</div>	FAILED	1.110 s				
1	Given User launches the browser and navigates to Demo Web Shop	SKIPPED	0.000 s				
2	When User logs in using credentials	SKIPPED	0.016 s				
	<table><tr><td>email</td><td>password</td></tr><tr><td>2k21dhar@gmail.com</td><td>Dhar@123</td></tr></table>	email	password	2k21dhar@gmail.com	Dhar@123		
email	password						
2k21dhar@gmail.com	Dhar@123						

#	Step / Hook Details	Status	Duration
3	And User navigates to Digital Downloads and purchases "3rd Album"	SKIPPED	0.000 s
4	Then The product "3rd Album" should be present in the cart	SKIPPED	0.000 s