

Cucumber Report

08-Apr-2025, 9:31:21 am

Start : Apr 08, 9:30:41.683 am

End : Apr 08, 9:31:19.919 am

Duration : 38.236 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 5
FAILED - 4
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Add a product to the wishlist</u>	30.170 s	1	0	1	0	6	2	1	3
<u>I want to login to the application</u>	5.554 s	2	0	2	0	6	2	2	2
<u>Click the item and add it to the cart</u>	2.447 s	1	0	1	0	4	1	1	2

#	Feature Name	Scenario Name
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>
3		<u>Login with valid and invalid credentials</u>
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Wishlist	1	0	1	0	1	0	1	0
@Login	2	0	2	0	1	0	1	0
@DigitalDownloads	3	0	3	0	2	0	2	0
@Purchase	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	1	0	1	0	30.170 s
2	<u>I want to login to the application</u>	2	0	2	0	5.554 s
3	<u>Click the item and add it to the cart</u>	1	0	1	0	2.447 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Add a product to the wishlist</u>	<u>User adds an item to the wishlist after logging in using Excel credentials</u>	6	2	1	3	30.167 s
2	<u>I want to login to the application</u>	<u>Login with valid and invalid credentials</u>	3	1	1	1	2.814 s
3		<u>Login with valid and invalid credentials</u>	3	1	1	1	2.709 s
4	<u>Click the item and add it to the cart</u>	<u>User login and purchase 3rd Album using DataTable</u>	4	1	1	2	2.447 s

Add a product to the wishlist

FAILED	DURATION - 30.170 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 9:30:41.683 am // 9:31:11.853 am /					



User adds an item to the wishlist after logging in using Excel credentials

<div>FAILED</div> <div>DURATION - 30.167 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 9:30:41.686 am // 9:31:11.853 am /</div>				
<div>Add a product to the wishlist</div>				
<div>@Wishlist</div>				



#	Step / Hook Details	Status	Duration
1	Given user launches the browser and navigates to Demo Web Shop	PASSED	1.883 s
2	When user logs in with credentials from "TestData" sheet and row 1	PASSED	2.227 s
3	And user navigates to Digital Downloads and adds "3rd Album" to the wishlist org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd2cffe70dd44924abda87c67cb3a5ec, findElement {using=link text, value=Digital downloads}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51333}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51333/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd2cffe70dd44924abda87c67cb3a5ec at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)	FAILED	0.041 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.WishlistPage.clickDigitalDownloads(WishlistPage.java:29) at com.actions.WishlistActions.navigateToDigitalDownloads(WishlistActions.java:62) at com.definitions.WishlistDefinitions.user_navigates_to_digital_downloads_and_adds_to_the_wishlist(WishlistDefinitions.java:51) at ?.user navigates to Digital Downloads and adds "3rd Album" to the wishlist(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/AddToWishlist.feature:7) * Not displayable characters are replaced by '?'. </pre>		
4	Then the product "3rd Album" should be present in the wishlist	SKIPPED	0.000 s
5	And click Email a friend	SKIPPED	0.000 s
6	And click send email button	SKIPPED	0.004 s

I want to login to the application

FAILED	DURATION - 5.554 s	Scenarios		Steps	
/ 9:31:11.900 am // 9:31:17.454 am /		Total - 2		Total - 6	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	



Login with valid and invalid credentials

<div>FAILED</div> <div>DURATION - 2.814 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:31:11.905 am // 9:31:14.719 am /				
I want to login to the application				
@Login @DigitalDownloads				

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	1.423 s
2	When user logs in with "2k21dhar@gmail.com" and "Dhar@123" org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [02ba355d795b33dbfdb26595e8fdecae, findElement {using=class name, value=ico-login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51356}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51356/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 02ba355d795b33dbfdb26595e8fdecae at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:23) at com.actions.LoginActions.clickLoginLink(LoginActions.java:16) at com.actions.LoginActions.performLogin(LoginActions.java:32) at comdefinitions.LoginStepDefinitions.user_logs_in(LoginStepDefinitions.java:26)	FAILED	0.046 s

#	Step / Hook Details	Status	Duration
	at ?.user logs in with "2k21dhar@gmail.com" and "Dhar@123"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/DemoLogin.feature:7) * Not displayable characters are replaced by '?'.		
3	Then the user should see the "Login passed"	SKIPPED	0.004 s

Login with valid and invalid credentials

FAILED DURATION - 2.709 s / 9:31:14.745 am // 9:31:17.454 am / I want to login to the application @Login @DigitalDownloads		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given user is in the Demo Web Shop application	PASSED	1.406 s
2	When user logs in with "demo@example.com" and "demo@123" org.openqa.selenium.NoSuchElementException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9de9caf6e384a9dc18c7399707a5ec75, findElement {using=class name, value=ico-login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51376/devtoo..., se.cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9de9caf6e384a9dc18c7399707a5ec75 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	0.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:23) at com.actions.LoginActions.clickLoginLink(LoginActions.java:16) at com.actions.LoginActions.performLogin(LoginActions.java:32) at com.definitions.LoginStepDefinitions.user_logs_in(LoginStepDefinitions.java:26) at ?.user logs in with "demo@example.com" and "demo@123"(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/ src/test/resources/DemoLogin.feature:7) * Not displayable characters are replaced by '?'. </pre>		
3	Then the user should see the "Login failed"	SKIPPED	0.000 s

Click the item and add it to the cart

FAILED	DURATION - 2.447 s	Scenarios		Steps	
/ 9:31:17.472 am // 9:31:19.919 am /		Total - 1		Total - 4	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

User login and purchase 3rd Album using DataTable

<div>FAILED</div> <div>DURATION - 2.447 s</div>		<div><table><thead><tr><th>Scenario</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>1</td><td>0</td></tr></tbody></table></div>	Scenario	Pass	Fail	Skip	1	0	1	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> <div><div>4</div></div>
Scenario	Pass		Fail	Skip							
1	0		1	0							
<div>/ 9:31:17.472 am // 9:31:19.919 am /</div>											
<div>Click the item and add it to the cart</div>											
<div>@Purchase @DigitalDownloads</div>											

#	Step / Hook Details	Status	Duration
1	Given User launches the browser and navigates to Demo Web Shop	PASSED	1.280 s
2	When User logs in using credentials	FAILED	0.027 s

#	Step / Hook Details	Status	Duration				
	<table><tr><td>email</td><td>password</td></tr><tr><td>2k21dhar@gmail.com</td><td>Dhar@123</td></tr></table> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=134.0.6998.179) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [000e7e20907542bbb49d9f0d6bf1171e, findElement {using=class name, value=ico-login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.179, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\thous\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51398}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51398/devtoo..., se:cdpVersion: 134.0.6998.179, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 000e7e20907542bbb49d9f0d6bf1171e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at com.pages.LoginPage.clickLoginLink(LoginPage.java:23) at com.actions.LoginActions.clickLoginLink(LoginActions.java:16) at com.actions.LoginActions.performLogin(LoginActions.java:32) at com.definitions.PurchaseAlbumStepDefinitions.user_logs_in_using_credentials(PurchaseAlbumStepDefinitions.java:46) at ?.User logs in using credentials(file:///C:/Users/thous/git/DemoWebShopProject/com.DemoWebShopProject/src/test/resources/PurchaseAlbum.feature:24) * Not displayable characters are replaced by '?'. </p>	email	password	2k21dhar@gmail.com	Dhar@123		
email	password						
2k21dhar@gmail.com	Dhar@123						
3	And User navigates to Digital Downloads and purchases "3rd Album"	SKIPPED	0.000 s				
4	Then The product "3rd Album" should be present in the cart	SKIPPED	0.000 s				