

2026-2027 Nesne Yönelimli Programlama Dersi
Java Programlama Dili

Method Overloading



Method Overloading



Method Overloading

Main.java

```
public class Main {

    public static void skorHesapla(String name,int score) {
        System.out.println(name + " isimli oyuncunun puanı: " + score);
    }
    public static void main(String[] args) {
        skorHesapla("Murat",3000);



    }
}
```

Problems | Javadoc | Declaration | Console

<terminated> Main (3) [Java Application] C:\Program Files\Java\jre1.8.0_151\bin\javaw.exe (18 May 2018 12:43:12)

```
Murat isimli oyuncunun puanı: 3000
```

Method Overloading

Main.java

```
public class Main {

    public static void skorHesapla(String name,int score) {
        System.out.println(name + " isimli oyuncunun puanı: " + score);
    }
    public static void skorHesapla(int score) {
        System.out.println("İsimsiz oyuncunun puanı: " + score);
    }
    public static void main(String[] args) {
        skorHesapla("Murat",3000);
        skorHesapla(1000);

    }
}
```

Problems | Javadoc | Declaration | Console

```
<terminated> Main (3) [Java Application] C:\Program Files\Java\jre1.8.0_151\bin\javaw.exe (18 May 2018 12:43:53)
Murat isimli oyuncunun puanı: 3000
İsimsiz oyuncunun puanı: 1000
```

Array

```java
public class Main {
    public static void main(String[] args) {
      int[] arr1 = {10, 20, 30, 40, 50};
      int[] arr2 = new int[5];

      arr2[0]=1;
      arr2[1]=2;
      arr2[2]=3;
      arr2[3]=4;
      arr2[4]=5;

      System.out.println("Arr2'nin birinci elemanı: " + arr2[0]);
      System.out.println("Arr1'nin ikinci elemanı: " + arr1[1]);


    }
}
```

```
Arr2'nin birinci elemanı: 1
Arr1'nin ikinci elemanı: 20
```

ArrayList

```java
import java.util.ArrayList;

public class Main {
    public static void main(String[] args) {
      ArrayList<String> marvel = new ArrayList<String>();

      marvel.add("Iron Man");
      marvel.add("Dr. Strange");
      marvel.add("Thor");
      marvel.add("Captain America");
      marvel.add("Hulk");

      for (int i=0; i<marvel.size(); i++){
        System.out.println("Marvel members: "+marvel.get(i));
      }


    }
}
```

```
Marvel members: Iron Man
Marvel members: Dr. Strange
Marvel members: Thor
Marvel members: Captain America
Marvel members: Hulk
```

ArrayList

```java
import java.util.ArrayList;

public class Main {
    public static void main(String[] args) {
      ArrayList<String> marvel = new ArrayList<String>();

      marvel.add("Iron Man");
      marvel.add("Dr. Strange");
      marvel.add("Thor");
      marvel.add("Captain America");
      marvel.add("Hulk");

      marvel.remove("Hulk");
      marvel.remove(2);

      for (int i=0; i<marvel.size(); i++){
        System.out.println("Marvel members: "+marvel.get(i));
      }


    }
}
```

```
Marvel members: Iron Man
Marvel members: Dr. Strange
Marvel members: Captain America
```

Inheritance (Kalıtım)

Main.java × | Manager.java × | Employee.java × | +

Main.java

```java

public class Main {
    public static void main(String[] args) {
      /*Employee employee = new Employee("Damla Mengüş","Yazılım",5000);
      employee.showInfos();*/

      Manager manager = new Manager("Damla Mengüş","Yazılım",5000, 100);
      manager.showInfos();
      manager.raiseSlary(500);

    }
}
```

Inheritance (Kalıtım)

Main.java | Manager.java | Employee.java

Employee.java

```java
public class Employee {

  private String name;
  private String department;
  private int salary;

  public Employee(String name, String department, int salary) {
    this.name = name;
    this.department = department;
    this.salary = salary;
  }

  public void showInfos(){
    System.out.println("BİLGİLER: ");
    System.out.println("İsim: " + this.name);
    System.out.println("Departman: "+ this.department);
    System.out.println("Maaş: "+ this.salary);
  }
}

```

Inheritance (Kalıtım)

Main.java | Manager.java | Employee.java

Manager.java

```java
public class Manager extends Employee {
  private int num_of_employees;

  public Manager(String name, String department, int salary, int num_of_employees){

  super(name, department, salary);
  this.num_of_employees = num_of_employees;

}
  public void riseSalary(int amount){
    System.out.println ("Çalışanlara" + amount + "tl zam verildi.");
  }

  }
```

Override

Main.java | Manager.java | Employee.java

Manager.java

```java
public class Manager extends Employee {
  private int num_of_employees;

  public Manager(String name, String department, int salary, int num_of_employees){

  super(name, department, salary);
  this.num_of_employees = num_of_employees;

}
  public void riseSalary(int amount){
    System.out.println ("Çalışanlara" + amount + "tl zam verildi.");
  }

 /* @Override
  public void showInfos(){
    System.out.println("Name: " + getName());
    System.out.println("Department: " + getDepartment());
    System.out.println("Salary: " + getSalary());
    System.out.println("Sorumlu kişi sayısı: " + this.num_of_employees);
  }*/

  @Override
  public void showInfos(){
    super.shoInfos();
    System.out.println("Sorumlu kişi sayısı: " + this.num_of_employees);
  }
}
```