

W1D5 – Lab Assignment 5 / Homework

Implement code for the following JavaScript functions, and be sure to use "use strict";

1. Define a function `max()` that takes two numbers as arguments and returns the largest of them. Use the if-then-else construct available in Javascript.
2. Define a function `maxOfThree()` that takes three numbers as arguments and returns the largest of them.
3. Write a function `isVowel()` that takes a character (i.e. a string of length 1) and returns true if it is a vowel, false otherwise.
4. Define a function `sum()` and a function `multiply()` that sums and multiplies (respectively) all the numbers in the given array of numbers. For example, `sum([1,2,3,4])` should return 10, and `multiply([1,2,3,4])` should return 24. Note/Hint: Do these using Imperative programming approach (i.e. for...loop or while...loop)
5. Define a function `reverse(str)` that computes the reversal of a string. For example, `reverse("jag testar")` should return the string "ratset gaj".
6. Write a function `findLongestWordLength()` that takes an array of words and returns the length of the longest one.
7. Write a function `filterLongWords()` that takes an array of words and an integer `i` and returns a new array containing only those words that were longer than `i` characters.
8. Write a function named, `computeSumOfSquares`, that takes as input, an array of numbers and calculates and returns the sum of the squares of each number in the input array. E.g. `computeSumOfSquares([1,2,3])` should be computed as $1^2 + 2^2 + 3^2 = 14$. Note: Write your Javascript code without using Imperative programming. i.e. Do NOT use any explicit looping construct; instead use functional programming style/approach.
9. Write a function named, `printOddNumbersOnly`, that takes as input, an array of numbers and it finds and prints only the numbers which are odd.
10. Write a function named, `computeSumOfSquaresOfEvensOnly`, that takes as input, an array of integral numbers and calculates and returns the sum of the squares of only the even numbers in the input array. E.g. `computeSumOfSquaresOfEvensOnly ([1,2,3,4,5])` should be computed as $2^2 + 4^2 = 20$.
11. Using the `Array.reduce(...)` function, re-implement your functions, `sum(...)` and `multiply(...)` (defined in Problem 4 above) without using Imperative programming. i.e. Do NOT use any explicit looping construct; instead use functional programming style/approach.
12. Write a function named `printFibo`, that takes as input, a given length, `n`, and any two starting numbers `a` and `b`, and it prints-out the Fibonacci sequence, e.g. (0, 1, 1, 2, 3, 5, 8, 13, 21, 34,...) of the given length, beginning with `a` and `b`. (e.g. `printFibo(n=1, a=0, b=1)`, prints-out: "0", as output; `printFibo(n=2, a=0, b=1)`, prints-out: "0, 1", as output; `printFibo(n=3, a=0, b=1)`, prints-out: "0, 1, 1", as output; `printFibo(n=6, a=0, b=1)`, prints-out: "0, 1, 1, 2, 3, 5", as output; and `printFibo(n=10, a=0, b=1)`, prints-out: "0, 1, 1, 2, 3, 5, 8, 13, 21, 34", as output).

Please submit your code as a single zip file attachment to Sakai and also push it to your GitHub repository.

//-- Enjoy! --//