Generated by Scopus AI, Sat Oct 10 2026

Inflatable composite carbon fiber mast for lunar communication

Limitations and Improvement Strategies for Inflatable Composite Carbon Fiber Masts with Integrated Communication Hardware and Flexible Solar Panels for Lunar Data Transmission

Quick Reference

Key Findings Table

Limitation Area	Key Limitation	Improvement Strategy	Supporting Citations
Structural Integrity	Bending-torsional coupling, end delamination, puncture risk	VACNTs, shape memory polymers, light-curing resins, multi-layered shields, origami-based deployment	1 2 3 4 5
Environmental Durability	Thermal cycling, vacuum, radiation, dust abrasion	Basalt fiber reinforcement, advanced coatings, self-healing polymers, graphene nanocomposites	6 7 8 9
Anchoring & Drilling	Instability in loose regolith, high reaction force	Bioinspired anchors, ISRU regolith-based anchors, multi-objective optimization	10 11 12
Hardware Integration	Dust contamination, mechanical misalignment, cabling complexity	Wireless modular avionics, multi-band antennas, dust mitigation (EDS, piezoelectric actuators), modular design	13 14 15

Direct Answer

The limitations of your solution include risks of structural failure due to bending-torsional coupling, puncture or degradation of inflatable membranes in the harsh lunar environment, unpredictable deployment from origami-based folding methods, and challenges with maintaining rigidization under dynamic thermal cycling. The anchoring system could struggle with achieving secure penetration and stability in loose lunar regolith, and integration of communication hardware with flexible solar panels may be susceptible to dust contamination and mechanical misalignment. To improve the design, it is recommended to incorporate advanced rigidization techniques (e.g., using VACNTs and shape memory polymers), enhanced protective coatings and self-healing membranes for dust and puncture resistance, optimized origami-based deployment strategies ensuring predictable inflation, and bioinspired low force drilling/anchoring systems with ISRU-produced regolith-based materials. Additionally, leveraging wireless modular avionics and multi-band antennas with dust mitigation strategies (e.g., electrodynamic dust shields) will help to increase the overall reliability and efficiency of data transmission on the lunar surface [3] [7] [10] [14].

Study Scope

- **Time Period:** Recent advances (last 10 years) in lunar surface technology, composite materials, and deployable structures.

- **Disciplines:** Aerospace engineering, materials science, robotics, communications, planetary science.
- **Methods:** Meta-analysis of empirical studies, simulation models (DEM, MPM-CDEM), experimental validation, system-level integration reviews.

Assumptions & Limitations

- Assumes lunar regolith properties are consistent with simulant data.
- Long-term durability of advanced coatings and rigidization methods under lunar conditions is not fully validated.
- Origami-based deployment models require further real-world testing.
- Integration of ISRU and biomimetic anchors is at a technology readiness level below full operational deployment.

Suggested Further Research

- Long-duration testing of rigidization techniques under lunar thermal cycling.
- Experimental validation of origami-based deployment and folding methods.
- System-level integration studies combining communication, power, and structural health monitoring.
- Development and testing of ISRU-enabled anchor fabrication and regolith-based composites.

1. Introduction

Background and Motivation

The concept of a compact inflatable composite carbon fiber mast with integrated communication hardware and flexible solar panels addresses the critical need for robust, scalable, and efficient lunar surface communication infrastructure. As lunar exploration intensifies, reliable data transmission between the Moon and Earth, as well as between surface assets, becomes essential for mission success. Inflatable composite masts offer advantages in mass, volume, and deployability, while flexible solar panels provide sustainable power. However, the harsh lunar environment and operational demands pose significant challenges to the structural integrity, durability, and integration of these systems [16] [17].

2. Theoretical Frameworks

Structural Limitations of Inflatable Composite Carbon Fiber Masts

Key Structural Challenges and Failure Modes

- **Bending-torsional coupling:** Eccentricity between centroid and shear center leads to unpredictable deformation under lunar gravity and wind loads [1].
- **End delamination:** Reduces load capacity; mitigated by wrapped ends and interlaminar reinforcement [18].

- **Local buckling and catastrophic failure:** Punctures or leaks in inflatable membranes can cause rapid structural collapse [19].
- **Material failure modes:** Includes global instability, rib crippling, and brittle shear fracture, requiring robust design and material selection [20].
- **Deployment unpredictability:** Classic folding methods (e.g., z-folding) can result in erratic inflation; origami-based approaches offer improved control [16].

Advanced Rigidization and Reinforcement Techniques

- **Vertically aligned carbon nanotubes (VACNTs):** Enhance interlaminar strength, reduce delamination, and improve damage tolerance [2].
- **Shape memory polymers (SMPs):** Provide tight packing, rapid deployment, and post-inflation rigidization [3].
- **Light-curing resins:** Enable controlled rigidization post-deployment, achieving mechanical properties comparable to thermally cured epoxies [21].
- **Buckling-densified CNT arrays:** Suppress delamination and enhance damage tolerance [22].

Puncture Resistance and Secondary Structural Elements

- **Multi-layered shields:** Stuffed Whipple shields and chainmail-based fabrics minimize micrometeoroid damage [4].
- **Self-healing membranes:** Gas retention layers with self-healing properties mitigate leakage from punctures [23].
- **Flexible fabric materials:** Absorb impact energy, providing effective crushing properties [24].

Origami-Based Folding and Deployment Methods

- **Waterbomb and Yoshimura origami:** Enable high folding ratios, bistability, and tunable stiffness for adaptable deployment [5] [25].
- **Crease stiffness programming:** Ensures predictable and stable inflation [26].
- **Smart grid-reinforced membrane origami:** Achieves reliable unfolding and locking through thermal actuation [27].
- **Folding optimization:** Symmetrical parallel z-type folding and controlled inflation parameters mitigate attitude oscillation [28].

Synthesis

Structural integrity is challenged by complex failure modes, unpredictable deployment, and environmental hazards. Advanced rigidization, reinforcement, and origami-based deployment strategies are essential for reliable mast performance on the lunar surface.

3. Methods & Data Transparency

- **Simulation Tools:** Discrete element methods (DEM), material point methods (MPM-CDEM), and origami-based simulation models provide predictive insights into deployment dynamics and material failures [28] [29].
- **Experimental Validation:** Ground testing of restraint layers, impact resistance, and folding durability informs design optimization [3] [30].
- **Meta-Analysis:** Aggregates findings from empirical studies on lunar regolith, composite materials, and dust mitigation technologies.

4. Critical Analysis of Findings

Environmental Impact on Material Performance

Thermal, Vacuum, and Radiation Effects

- **Basalt fiber fabrics:** Maintain structural integrity under extreme thermal cycling and UV exposure, outperforming glass fibers and providing cost-effective reinforcement [6].
- **Carbon fiber composites:** Exhibit increased tensile strength at cryogenic temperatures but degrade under combined temperature and moisture conditions [31] [32].
- **Vacuum and thermal cycling:** Induce microvoid formation and interfacial sliding, leading to mechanical property degradation [33].

Lunar Dust Adhesion and Abrasion

- **Dust properties:** Highly abrasive, electrically charged, and adheres strongly to surfaces, impairing mechanical and electrical components [34].
- **Coating materials:** Ti-hBN, graphene-based nanocomposites, and self-healing polymers reduce dust adhesion and abrasion [7] [35].
- **Surface treatments:** Engineered surface textures and hydrophobic/hydrophilic coatings mitigate dust accumulation [36] [37].

Performance of Flexible Solar Panels

- **Thermal cycling:** Causes microcracking, resin embrittlement, and fiber-matrix debonding, reducing mechanical and electrical performance [38] [39].
- **Dust contamination:** Severely degrades optical and photovoltaic surfaces, necessitating protective coatings and active dust mitigation [40] [41].

Self-Healing and Advanced Coatings

- **PDMS-based coatings:** Combine micro-nano roughness, high conductivity, and thermally induced self-healing for low dust adhesion and high abrasion resistance [7].

- **Graphene nanocomposites:** Enhance mechanical and electrical stability under repeated thermal cycles [9].
- **Hybrid coatings:** Provide superhydrophobicity, mechanical robustness, and abrasion resistance [42] [43].

Comparative Analysis: Basalt vs. Carbon Fiber

Property	Basalt Fiber	Carbon Fiber
Cost	Lower	Higher
Density	Lower	Lower
Chemical Resistance	High	Moderate
Thermal Stability	Excellent	Good
Mechanical Strength	Moderate-High	High
Toughness	Moderate	High
Environmental Sustainability	High	Moderate
Fire Resistance	Excellent	Good

Hybrid composites (basalt/carbon) can optimize mechanical properties and density for lunar mast skins [44].

Synthesis

Material performance is heavily influenced by lunar environmental factors. Basalt fiber and advanced coatings offer improved durability, while self-healing and graphene nanocomposites address dust and thermal cycling challenges.

Lunar Lander Anchoring and Low Reaction Force Drilling Technologies

Current Anchoring and Drilling Solutions

- **Terrestrial anchors:** Require adaptation for lunar regolith; empirical models needed for pull-out force prediction [45] [46].
- **Low reaction force drills:** Percussive digging systems reduce downforce requirements, enabling lighter landers [47].
- **Bioinspired designs:** Claw-deploying anchors, helical anchors, and passive scoops reduce excavation resistance and torque [10] [48].

Bioinspired and Biomimetic Anchoring Designs

- **Claw deployment:** Achieves multi-peak anchoring resistance through sequential engagement, optimized for regolith microstructure [10].
- **Helical anchors:** Provide resistance to uplift and lateral forces, scalable for lunar gravity [48].
- **Multi-point configurations:** Offer superior holding capacity and stability under reduced gravity [49].

Integration of In-Situ Resource Utilization (ISRU)

- **Regolith-based anchors:** Geopolymers and lunar concrete achieve compressive strengths suitable for anchor fabrication, reducing Earth-supplied mass [11] [50].
- **Additive manufacturing:** Enables onsite production of anchor components with tailored mechanical properties [51].
- **Fiber reinforcement:** Enhances mechanical performance and durability of regolith-based materials [52].

Optimization and Scaling

- **Multi-objective optimization:** Balances construction cost, power consumption, drilling effectiveness, and efficiency for anchor design [12].
- **Simulation models:** Predict penetration resistance and mechanical parameters for varying regolith compositions [29].

Synthesis

Anchoring and drilling technologies must adapt to lunar regolith properties. Bioinspired designs and ISRU integration offer scalable, low-mass, and stable solutions for supporting inflatable masts.

Integration and Optimization of Communication Hardware and Solar Panels

Design Improvements for Hardware Integration

- **LAMPS system:** High strength-to-weight ratio, flexible solar panels, and dust-tolerant mechanisms enhance reliability [17].
- **Modular, segmented deployment:** Facilitates scalable integration and rapid deployment [53].
- **Structural health management:** Flexible capacitive sensing and self-healing materials enable autonomous damage detection and repair [54].

Wireless Modular Avionics and Power Transmission

- **Wireless systems:** Eliminate cabling complexity, improve deployment reliability, and enable flexible control [13].
- **Microwave power transmission:** Scalable rectenna arrays provide efficient cable-free power delivery [55].
- **Ballistically deployed sensor nodes:** Enhance network reliability and coverage [56].

Structural Stabilization Methods

- **Multilayer jamming (MLJ):** Enhances stiffness and stabilizes structures against collapse [57].
- **Cable-stayed designs:** Improve load-carrying capacity and dimensional accuracy [57].
- **Rigid-soft coupling actuators:** Integrate rigid elements for improved load capacity and stability [58].

Multi-Band Antenna Designs and Modulation Techniques

- **Dual/multi-band antennas:** Provide broad coverage and good gain for robust communication [15].
- **Modulation techniques:** Chirp-rate shift keying and wideband frequency-shift keying improve reliability under physical constraints [59].
- **Phased arrays:** Dynamically optimize signal directionality and coverage [60].

Dust Mitigation Mechanisms for Flexible Solar Panels

- **Electrodynamic Dust Shields (EDS):** Achieve >90% dust removal efficiency, maintain performance under substrate curvature [14].
- **Piezoelectric actuators:** Induce ultrasonic vibrations for dust removal [61].
- **Passive coatings:** Hydrophobic and low surface energy materials reduce dust adhesion [62].
- **Combined approaches:** Active and passive methods provide multi-faceted dust mitigation [14] [61] [62] [63].

Synthesis

Integration of communication hardware and solar panels requires modular, scalable, and dust-tolerant designs. Wireless systems, advanced antennas, and robust dust mitigation strategies are critical for operational efficiency and reliability.

5. Real-world Implications

- **Mass and Volume Efficiency:** Inflatable composite masts and flexible solar panels reduce launch mass and volume, enabling cost-effective lunar missions.
- **Operational Reliability:** Advanced rigidization, dust mitigation, and wireless systems enhance system reliability and reduce maintenance needs.
- **Sustainability:** ISRU-enabled anchor fabrication and regolith-based composites minimize reliance on Earth-supplied materials, supporting sustainable lunar operations.
- **Scalability:** Modular designs and origami-based deployment facilitate rapid expansion of lunar communication infrastructure.

6. Future Research Directions

- **Long-duration Testing:** Rigidization techniques and advanced coatings require extended testing under lunar thermal cycling and dust exposure.
- **Origami Deployment Validation:** Real-world experiments to validate origami-based folding and inflation methods.
- **Integrated System Assessments:** Comprehensive studies combining communication, power, and structural health monitoring on inflatable masts.
- **ISRU and Biomimetic Anchors:** Development and testing of regolith-based anchor fabrication and bioinspired designs for scalable lunar deployment.
- **Dust Mitigation Lifetime:** Evaluation of operational lifetime and durability of dust mitigation systems under lunar environmental stressors.

Limitations and Recommendations for Improvement

Summary of Key Limitations

- **Structural:** Bending-torsional coupling, end delamination, puncture risk, unpredictable deployment.
- **Environmental:** Thermal cycling, vacuum, radiation, dust abrasion, material degradation.
- **Anchoring:** Instability in loose regolith, high reaction force, limited empirical data.
- **Integration:** Dust contamination, mechanical misalignment, cabling complexity, limited system-level validation.

Improvement Strategies and Future Directions

- **Materials:** Incorporate VACNTs, SMPs, basalt fiber reinforcement, and advanced self-healing coatings.
- **Structural Design:** Optimize origami-based deployment, multi-layered shields, and MLJ reinforcement.
- **Anchoring:** Develop bioinspired claw-deploying anchors, integrate ISRU regolith-based materials, and employ multi-objective optimization.
- **Dust Mitigation:** Combine EDS, piezoelectric actuators, and passive coatings for flexible solar panels.
- **Hardware Integration:** Leverage wireless modular avionics, multi-band antennas, and modular design for scalable, reliable communication infrastructure.

Conclusion

Summary and Outlook

The proposed inflatable composite carbon fiber mast system with integrated communication hardware and flexible solar panels offers a promising solution for lunar data transmission. However, structural, environmental, anchoring, and integration challenges must be addressed to ensure reliability and efficiency. Advanced rigidization, dust mitigation, ISRU-enabled anchors, and wireless modular systems are key

improvements. Continued research and system-level integration will be essential for optimizing lunar communication infrastructure and supporting sustainable exploration [17] [54].

References

1. Deformation behavior of CFRP bistable open-section cylindrical boom for lunar deployable structure Kajihara, S., Yamashita, S., Sunaga, Y., (...), Iwahori, Y. Thin-Walled Structures, 2025 https://www.scopus.com/pages/publications/105010146159?origin=scopusAI

2. Vertically aligned carbon nanotubes as interlaminar reinforcement in carbon fiber composite laminates Conway, H., Gouldstone, C. AIAA Scitech 2019 Forum, 2019 https://www.scopus.com/pages/publications/85083943400?origin=scopusAI

3. Applications of inflatable rigidizable structures Scarborough, S.E., Cadogan, D.P. International SAMPE Symposium and Exhibition (Proceedings), 2006 https://www.scopus.com/pages/publications/34748903395?origin=scopusAI

4. Protection of lunar structures from micrometeoroid strikes: Behaviour of composite and metallic-based multi-layer panels Rakib, M.A., Smith, S.T., Tafsirojjaman, T. International Journal of Impact Engineering, 2026 https://www.scopus.com/pages/publications/105035017944?origin=scopusAI

5. Origami-inspired deployable spatial structures with terrain adaptability Wang, Y., Wang, X., Qu, H., (...), Guo, S. Engineering Structures, 2025 https://www.scopus.com/pages/publications/105018094230?origin=scopusAI

6. Durability of Basalt Fiber Fabric Under Simulated Lunar Extreme Thermal and UV Conditions: A Comparative Study with Natural Basalt Rock Qin, J., Cai, M., Wang, Y., (...), Xu, W. Polymers, 2026 https://www.scopus.com/pages/publications/105047160562?origin=scopusAI

7. A self-healing, conductive coating with hierarchical micro-nano structure for passive lunar dust mitigation Zhu, Y., Yue, J., Jin, Z., (...), Zhang, J. Progress in Organic Coatings, 2026 https://www.scopus.com/pages/publications/105040759806?origin=scopusAI

8. Influence of PUD surface treatment on mechanical properties of basalt bulked yarn woven composites Yu, L., Cui, Z., Yang, J., (...), Yang, Y. ICCM International Conferences on Composite Materials, 2015 https://www.scopus.com/pages/publications/85053143053?origin=scopusAI

9. Performance evaluation of GNP-modified epoxy/carbon fiber composites after cryogenic thermal cycling for hydrogen storage applications Ubaid, J., Andrew, J.J., Cantwell, W.J., (...), Umer, R. International Journal of Hydrogen Energy, 2025 https://www.scopus.com/pages/publications/105011165700?origin=scopusAI

10. Numerical investigation of anchoring dynamics for stable attachment to rubble-pile asteroids Zhou, S., Yan, S., Zhang, H., (...), Wang, C. Acta Astronautica, 2026 https://www.scopus.com/pages/publications/105046569104?origin=scopusAI

11. Mechanical properties of short-age CQU-1 lunar regolith simulant geopolymer for in-Situ resource utilization Lu, W., Shi, Y., Xue, X., Li, H. Construction and Building Materials, 2025 https://www.scopus.com/pages/publications/105012843422?origin=scopusAI

12. Multi-objective design optimization of clam-inspired drilling into the lunar regolith Zhang, L., Wang, L., Sun, Q., (...), Chen, Q. Acta Geotechnica, 2024 https://www.scopus.com/pages/publications/85178303085?origin=scopusAI

13. Wireless avionics and human interfaces for inflatable spacecraft Alena, R., Ellis, S.R., Hieronymus, J., Maclise, D. IEEE Aerospace Conference Proceedings, 2008 https://www.scopus.com/pages/publications/49349111686?origin=scopusAI

14. Flexible electrodynamic dust shields for lunar missions Isidori Pacelli, F., Scifoni, L., Schaible, M.J., (...), Romero-Calvo, Á. Acta Astronautica, 2026 https://www.scopus.com/pages/publications/105034268069?

origin=scopusAI

15. X/Ka Dual band Dual Circularly Polarized Reflector Antenna System for Deep Space Satellite TT&C and Data Transmission Applications Reddy, B.S., Puram, V.S., Kraanthi, V.S., (...), Kumar, S.V. 2024 IEEE Microwaves, Antennas, and Propagation Conference, MAPCON 2024, 2024 https://www.scopus.com/pages/publications/105001861507?origin=scopusAI

16. Review of inflatable booms for deployable space structures: Packing and rigidization Schenk, M., Viquerat, A.D., Seffen, K.A., Guest, S.D. Journal of Spacecraft and Rockets, 2014 https://www.scopus.com/pages/publications/84903591637?origin=scopusAI

17. Lunar Array, Mast, and Power System (LAMPS) for Deployable Lunar Power Provision Williams, H., Crum, R., Ness, R.V., (...), Hell, K. AIAA SciTech Forum and Exposition, 2023, 2023 https://www.scopus.com/pages/publications/85199113275?origin=scopusAI

18. Multi-failure analysis of composite Isogrid stiffened cylinders Li, M., Fan, H. Composites Part A: Applied Science and Manufacturing, 2018 https://www.scopus.com/pages/publications/85041422739?origin=scopusAI

19. Analyses of lunar membrane structures for potential failure scenarios Day, J., Richter, P. Engineering, Construction, and Operations in Space V, 1996 https://www.scopus.com/pages/publications/84904819830?origin=scopusAI

20. On longitudinal compressive failure of carbon-fibre-reinforced polymer: From unidirectional to woven, and from virgin to recycled Pinho, S.T., Gutkin, R., Pimenta, S., (...), Obinson, P.R. Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2012 https://www.scopus.com/pages/publications/84859914994?origin=scopusAI

21. Light curing resins for rigidizing inflatable space structures Hoyt, A.E., Harrah, L.A., Sprouse, M.R., (...), Cadogan, D.P. International SAMPE Symposium and Exhibition (Proceedings), 2004 https://www.scopus.com/pages/publications/23844522299?origin=scopusAI

22. Fabrication of hybrid nanoreinforced aerospace-grade advanced composites with buckling-densified aligned carbon nanotube interlaminar reinforcement Ni, X., Wardle, B.L. AIAA Scitech 2020 Forum, 2020 https://www.scopus.com/pages/publications/85091927078?origin=scopusAI

23. Self-healing technology for gas retention structures and space suit systems Ferl, J., Ware, J., Cadogan, D., Yavorsky, J. SAE Technical Papers, 2007 https://www.scopus.com/pages/publications/85072441694?origin=scopusAI

24. Protection of inflatable modules of orbital stations against impacts of particles of space debris Buslov, E.P., Komarov, I.S., Selivanov, V.V., (...), Feldstein, V.A. Acta Astronautica, 2019 https://www.scopus.com/pages/publications/85065799558?origin=scopusAI

25. Stiffness modelling and dynamics analysis of a deployable tubular structure inspired by Yoshimura origami Chang, B., Cui, J., Mo, S., (...), Gao, Y. Thin-Walled Structures, 2026 https://www.scopus.com/pages/publications/105015620892?origin=scopusAI

26. 3D Printed Meter-Scale Soft Origami Robots Capable of Load-Bearing Actuation Via Crease Stiffness Modulation Yu, S.Y., Ahn, S.-J., Lee, W., (...), Cho, K.-J. Advanced Science, 2026 https://www.scopus.com/pages/publications/105048112454?origin=scopusAI

27. Self-Unfolding Properties of Smart Grid-Reinforced Membrane Origami Hu, H., Xia, Z., Tao, Q., (...), Song, L. Journal of Composites Science, 2024 https://www.scopus.com/pages/publications/85185652992?origin=scopusAI

28. Folding optimization design and deployment analysis for film drag balloon Yang, K., Jiao, N., Zhang, R. Hangkong Xuebao/Acta Aeronautica et Astronautica Sinica, 2025 https://www.scopus.com/pages/publications/85218155334?origin=scopusAI

29. Penetration and resistance characteristics of lunar regolith simulant drilling using a coupled MPM–CDEM approach Li, J., Wang, L., Feng, C., (...), Zhang, Y. Journal of Rock Mechanics and Geotechnical Engineering, 2025 https://www.scopus.com/pages/publications/105014284975?origin=scopusAI

30. Rigidization capacity and folding behavior of variable stiffness composite skin for inflatable lunar habitats Wang, Q., Feng, P., Wu, B., (...), Jansen, K. Composites Part A: Applied Science and Manufacturing, 2025 https://www.scopus.com/pages/publications/105011185190?origin=scopusAI

31. Temperature-dependent mechanical properties and material modifications of carbon fiber composites for optimized structures in high-end industrial applications Kim, Y.-H., Kumar, S., Li, X., (...), Shin, D.-H. Composites Part B: Engineering, 2025 https://www.scopus.com/pages/publications/105004380954?origin=scopusAI

32. Effect of temperature and moisture composite environments on the mechanical properties and mechanisms of woven carbon fiber composites Chen, J., Yang, G., Xiao, S., (...), Jiang, L. Polymer Composites, 2024 https://www.scopus.com/pages/publications/85182811464?origin=scopusAI

33. Effect of vacuum thermal cyclic exposures on unidirectional carbon fiber/epoxy composites for low earth orbit space applications Park, S.Y., Choi, H.S., Choi, W.J., Kwon, H. Composites Part B: Engineering, 2012 https://www.scopus.com/pages/publications/84856499377?origin=scopusAI

34. Dust Mitigation Strategies Enabling Moon Exploration Missions Saccone, G., Favaloro, N. Aerotecnica Missili and Spazio, 2025 https://www.scopus.com/pages/publications/105030533496?origin=scopusAI

35. Erosion behavior of Ti-hBN multifunctional coatings in a custom-made planetary test rig at extreme lunar temperatures Sukumaran, A.K., Rengifo, S., Aguiar, B., (...), Agarwal, A. Tribology International, 2025 https://www.scopus.com/pages/publications/85207792955?origin=scopusAI

36. Overview of emerging hybrid and composite materials for space applications Ince, J.C., Peerzada, M., Mathews, L.D., (...), Salim, N.V. Advanced Composites and Hybrid Materials, 2023 https://www.scopus.com/pages/publications/85163363285?origin=scopusAI

37. Evaluating the Roles of Surface Energy and Roughness in Lunar Dust Adhesion Using Aluminium as a Testbed Sookram, A., Holmes, S., Bateman, S., (...), Le, T. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105040802756?origin=scopusAI

38. Experimental and multiscale modeling investigations of cryo-thermal cycling effects on the mechanical behaviors of carbon fiber reinforced epoxy composites Guo, F.-L., Zhou, Z.-L., Wu, T., (...), Hong, Y. Composites Part B: Engineering, 2022 https://www.scopus.com/pages/publications/85120039331?origin=scopusAI

39. Numerical analysis and FBG experimental verification of transient heat and thermal-mechanical response of electrically conductive composite Zhang, F., Hu, Z., Pan, Z., (...), Wan, Y. Composite Structures, 2021 https://www.scopus.com/pages/publications/85110662651?origin=scopusAI

40. Effects of the lunar environment on space vehicle surfaces Pirich, R., Weir, J., Leyble, D., (...), DiGiuseppe, M. 2010 Long Island Systems, Applications and Technology Conference, LISAT 10, 2010 https://www.scopus.com/pages/publications/77954519863?origin=scopusAI

41. Investigating the Use of Electrodynamic Dust Shielding to Improve the Robustness of a Lunar Rover Drivetrain to Regolith Hall, H.V., Mortier-Spole, O., Nguyen, V., (...), Robertson, W. Lecture Notes in Electrical Engineering, 2024 https://www.scopus.com/pages/publications/85209573123?origin=scopusAI

42. Development of Self-Cleaning and Antidust Acrylic/SiO₂ Nanocomposite Coatings for Solar Panel Applications Kumar, A.M., Al-Ghannam, A., Ogunlakin, N.O., (...), Al-Ahmed, A. ACS Applied Energy Materials, 2026 https://www.scopus.com/pages/publications/105038412542?origin=scopusAI

43. Development of durable self-cleaning coatings using organic-inorganic hybrid sol-gel method Kumar, D., Wu, X., Fu, Q., (...), Chen, Z. Applied Surface Science, 2015

https://www.scopus.com/pages/publications/84929333416?origin=scopusAI

44. The Effects of Introducing Carbon Fiber on the Properties of Basalt Fiber Reinforced Epoxy Composites Lu, Y., Yang, A., He, P., (...), Zhang, S. Polymer Composites, 2026 https://www.scopus.com/pages/publications/105018644251?origin=scopusAI

45. Launched Lunar Anchors Benavides, N., Carpenter, K., Bandyopadhyay, S., (...), Hockman, B. AIAA Science and Technology Forum and Exposition, AIAA SciTech Forum 2025, 2025 https://www.scopus.com/pages/publications/105001363597?origin=scopusAI

46. Experimental study of lunar regolith anchoring forces Chang, B.C., Bernold, L.E., Lee, T.S. Proceedings of the 12th International Conference on Engineering, Science, Construction, and Operations in Challenging Environments - Earth and Space 2010, 2010 https://www.scopus.com/pages/publications/78649265171?origin=scopusAI

47. Percussive digging systems for planetary research Craft, J., Wilson, J., Chu, P., (...), Davis, K. IEEE Aerospace and Electronic Systems Magazine, 2010 https://www.scopus.com/pages/publications/78649244016?origin=scopusAI

48. Helical anchors for combined anchoring and soil testing in lunar operations Klosky, J.L., Sture, S., Ko, H.-Y., Barnes, F. Space 1998, 1998 https://www.scopus.com/pages/publications/84904725242?origin=scopusAI

49. DESIGN, MODELING, AND VALIDATION OF STRUCTURAL ANCHORING SYSTEMS FOR MODULAR HABITATS ON MARS: PERFORMANCE ANALYSIS IN SIMULATED REGOLITH AND REDUCED GRAVITY CONDITIONS Ramirez, J.B.H., Narcio, A.R., Shekhar, S., (...), Falcón, L.G. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105040797618?origin=scopusAI

50. Innovative development of geopolymer-based lunar high strength concrete for sustainable extra-terrestrial construction using large-scale regolith simulants Shao, R., Wu, C., Li, J. Construction and Building Materials, 2024 https://www.scopus.com/pages/publications/85206153589?origin=scopusAI

51. Additive construction for a sustained lunar presence: A systematic review of materials, processes, and environmental challenges Hamid, W., Ahmad, R. Acta Astronautica, 2027 https://www.scopus.com/pages/publications/105050329577?origin=scopusAI

52. FFLD Everyday Hardware Fabrication to Support Lunar Activities: Advancing Sustainable Lunar Exploration Through Fused Fiber Layer Deposition 3D Printing Using Lunar Regolith Lipinska, M.B., Imhof, A.B., Waclavicek, R., (...), Makaya, A. Proceedings of the International Astronautical Congress, IAC, 2025 https://www.scopus.com/pages/publications/105041067013?origin=scopusAI

53. DESIGN OF INFLATABLE MULTI-PURPOSE TOWER FOR SUPPORT OF ROBOTIC AND CREWED LUNAR SURFACE OPERATIONS Testi, C., Bailey, K., Shah, K., (...), Bannova, O. Proceedings of the International Astronautical Congress, IAC, 2024 https://www.scopus.com/pages/publications/85219613108?origin=scopusAI

54. Structural health management technologies for inflatable/deployable structures: Integrating sensing and self-healing Brandon, E.J., Vozoff, M., Kolawa, E.A., (...), Champaigne, K. Acta Astronautica, 2011 https://www.scopus.com/pages/publications/79551541574?origin=scopusAI

55. Design and Performance Evaluation of a Scalable Rectenna for Microwave Wireless Charging of Modular Lunar Robots Sejal Jain, A., Santra, S., Sato, H., (...), Yoshida, K. 2025 International Conference on Space Robotics, iSpaRo 2025, 2025 https://www.scopus.com/pages/publications/105036372060?origin=scopusAI

56. HexSense: Self-Oriented Ballistically Deployed Wireless Sensor Nodes for Lunar Exploration Liu, F., Paige, C., Ekblaw, A., Paradiso, J.A. AIAA Aviation Forum and ASCEND, 2024, 2024 https://www.scopus.com/pages/publications/85203668509?origin=scopusAI

57. Multilayer jamming-reinforced inflatable systems for rapidly deployable lightweight construction Wang, Q., Feng, P., Wu, B., (...), Bao, C. Materials and Design, 2026
https://www.scopus.com/pages/publications/105044592864?origin=scopusAI

58. Rigid-soft coupling bending actuators for high-performance pneumatic grippers Xiao, W., Pan, M., Xie, C., Hu, D. International Journal of Mechanical Sciences, 2026
https://www.scopus.com/pages/publications/105043834698?origin=scopusAI

59. Chirp-Rate Shift Keying Modulation for Mechanical Antenna Based on Rotating Dipoles Liu, Y., Liu, Q., Gong, S., (...), Xu, R. IEEE Transactions on Antennas and Propagation, 2023
https://www.scopus.com/pages/publications/85148475741?origin=scopusAI

60. Antenna Design for 5 GHz Wireless Router Based on Phased Array Technology Wang, J. Smart Innovation, Systems and Technologies, 2025 https://www.scopus.com/pages/publications/105019527819?origin=scopusAI

61. Lunar dust mitigation for solar cells via ultrasonic vibrations Rittenhouse, J.J., Boeringa, Z.L., Han, D., Stutts, D.S. Acta Astronautica, 2025 https://www.scopus.com/pages/publications/85212545220?origin=scopusAI

62. Design, development and characterisation of innovative candidate materials for lunar dust mitigation based on advanced chemical methods Di Stefano, G., Saccone, G., Favaloro, N., (...), De Rosa, C. Acta Astronautica, 2026 https://www.scopus.com/pages/publications/105034848623?origin=scopusAI

63. Performance of electrodynamic dust shields with functional surface coatings for lunar dust mitigation Scifoni, L., Isidori Pacelli, F., Schaible, M.J., (...), Romero-Calvo, Á. Acta Astronautica, 2026
https://www.scopus.com/pages/publications/105016098721?origin=scopusAI