Lunar communication infrastructure solutions

"our idea is to develop a compact inflatable tower mast with communication hardware, foldable solar panel that covers the inflated mast. these parts fitted inside a cylindrical lander with three legs that has low reaction force drill system. what are the existing NASA and other agencies solutions for lunar communication" *Generated by LeapSpace, Sat Oct 10 2026*

Existing NASA and International Lunar Communication Solutions for Compact Surface Assets at a Glance

Key Findings Table

Key finding	Most relevant existing solutions	Relevance to your compact mast/solar lander	Citations
Lunar communications are shifting from direct-to-Earth toward relay-first architectures	NASA LunaNet/LCRNS concepts, ESA Moonlight/Lunar Pathfinder, China's Queqiao/Queqiao-2	Strongly favors a small surface terminal on your lander rather than a large standalone Earth-link antenna	[1] [2] [3] [4] [5] [6] [7] [8]
No retrieved agency solution matches your full integrated inflatable mast + wraparound solar + comm package	Separate work exists on relay networks, deployable antennas, compact SDRs, telescoping masts, and vertical solar arrays	Your novelty is mainly in system integration, not in the underlying network concept	[5] [9] [10] [11] [12]
NASA's most relevant "solution" is an interoperable service architecture plus compact multi-band terminals	LunaNet, LCRNS assumptions, modular terminal architectures, UST-Lite, Frontier Radio-ML	Best benchmark if your lander is intended to talk to future relays and optionally direct-to-Earth	[5] [13] [14] [15] [16] [17] [18]
ESA's clearest near-term relay service is Moonlight, with Lunar Pathfinder as an early node	ELFO-based relay/navigation gateway, S-band/UHF proximity relay, store-and-forward	Relevant if your lander uses modest-power surface links and offloads long-haul return to orbital service	[1] [2] [6] [8] [19]
China has the clearest flight-demonstrated far-side relay architecture	Queqiao at Earth-Moon L2 halo orbit; Queqiao-2 in highly elliptical frozen lunar orbit	Important benchmark for far-side or obstructed-site support, especially where DTE is impossible	[7] [20] [21] [22] [23]
For compact landers, planar/foldable/deployable antennas fit better than rigid dishes	Membrane reflectarrays, Miura-ori reflectarrays, origami deployables, planar patch arrays	Better packaging efficiency for a cylindrical lander than traditional high-gain dishes	[24] [25] [26] [27] [28] [29] [30]

Key finding	Most relevant existing solutions	Relevance to your compact mast/solar lander	Citations
Elevated structures help both illumination and line-of-sight, but integrated power+comms towers are immature	Polar elevated solar concepts, telescoping mast/tripod systems, LAMPS-like vertical arrays	Supports your mast concept, but evidence is still mostly conceptual or subsystem-level	[9] [12] [31] [32] [33] [34]
DTN/store-and-forward is increasingly treated as core lunar networking logic	Bundle Protocol, LunaNet DTN, scheduled links, contact-graph routing	Useful if your lander or drill operations face intermittent visibility and short relay windows	[5] [35] [36] [37]

Direct Answer

Existing NASA and other agency solutions for lunar communication fall into three practical classes for your concept: **direct-to-Earth terminals, orbital relay services, and interoperable multi-mode user terminals** [4] [8] [15].

For a **compact cylindrical lander with limited mass, power, and stowed volume**, the strongest match is **not** a large direct-to-Earth antenna architecture. The evidence instead points to a **relay-first design**, where the surface asset uses a compact S/UHF/X/Ka-capable user terminal and relies on an orbital relay for coverage, data return, and access at polar or far-side sites [1] [2] [3] [8] [38] [39].

The main existing solutions to benchmark are:

1. **NASA:** LunaNet/LCRNS-style communications and navigation services, with standards-based user terminals and compact SDRs such as **UST-Lite** and **Frontier Radio-ML** rather than a specific deployable lunar mast product [4] [5] [13] [15] [16] [17].
2. **ESA: Moonlight** and **Lunar Pathfinder**, which are designed to relay for landers, rovers, and orbiters using **S-band/UHF proximity links** and store-and-forward service [1] [2] [6] [8] [19].
3. **China: Queqiao** and **Queqiao-2**, which are the clearest flight-demonstrated relay systems for far-side and difficult lunar geometries [7] [20] [21].

For your **inflatable mast + foldable solar wrap** concept, the nearest hardware analogs are **deployable/inflatable reflectors, origami or membrane reflectarrays, compact patch arrays, telescoping masts, and vertical solar-array towers**. But the supplied evidence does **not** show a flight-proven NASA, ESA, JAXA, or ISRO lander already integrating all of these into one compact lunar package [9] [12] [27] [34] [40] [41].

Actionable conclusion: design your concept as a **LunaNet-compatible relay user terminal with a low-rate survival link on the lander body and a higher-performance relay antenna on the mast**, because that aligns most closely with the direction of NASA and international lunar communications [5] [15] [17].
Confidence level: High - multiple independent inputs converge on relay-first, interoperable, compact-terminal architectures [1] [5] [6] [8].

Study Scope

- **Timeframe covered:** roughly 2010-2025, with emphasis on 2018-2025 architectures, terminal concepts, relay programs, and deployable hardware studies [5] [8] [42].
- **Disciplines covered:** lunar communications architecture, orbit design, deployable antennas, SDR/user terminals, DTN networking, and integrated lunar power concepts [2] [16] [27] [34].
- **Evidence types:** agency architecture studies, program descriptions, technology demonstrations, relay-network concepts, and hardware prototypes; less evidence exists for fully integrated flight-ready surface towers [5] [9] [12].

Assumptions & Limitations

- The supplied evidence supports **architectures and subsystem analogs** more strongly than a direct one-to-one product match for your concept [5] [9] [12].
- The evidence does **not** identify a verified flight-proven NASA, ESA, JAXA, or ISRO system combining **inflatable mast + mast-covering solar array + comm payload + cylindrical lander stowage** [9] [12].
- Quantitative comparisons for **mass, mast height, antenna gain, dust tolerance, and deployment reliability** are sparse or inconsistent in the retrieved material [9] [40] [43].

Suggested Further Research

- Perform an end-to-end trade between **direct-to-Earth vs relay-assisted** communications for a very small stationary lander [2] [8].
- Compare **planar/origami reflectarrays vs patch-array mast antennas** for cylindrical stowage [27] [29].
- Model how much **mast height** improves relay visibility and illumination at polar terrain [32] [33].
- Evaluate a **dual-mode architecture**: body-mounted omnidirectional survival link plus mast-mounted higher-rate relay link [17] [39].
- Test **DTN/store-and-forward operations** for drill campaigns and terrain-occluded operations [35] [36].

Full Report

Foundational Context: What “Lunar Communication Solutions” Actually Mean

A lunar communications system can be organized in three basic ways:

1. **Direct-to-Earth (DTE):** the lander talks straight to Earth ground stations [44] [45].
2. **Relay-based:** the lander talks to a lunar orbiter or cislunar relay, which then returns data to Earth [1] [2] [8].
3. **Networked service model:** communications are treated as an interoperable infrastructure service, often with DTN, standardized interfaces, and multiple providers [5] [37] [46].

For a compact lander, relay is attractive because it reduces the burden on the surface terminal. The relay improves coverage for far-side, polar, and terrain-obstructed sites, increases contact opportunities, and can lower the mass and power needed on the lander itself [1] [2] [3]. That is the central architectural trend visible across NASA, ESA, and Chinese solutions [4] [6] [7].

A second key concept is **delay/disruption tolerance**. Lunar links are intermittent, geometry-dependent, and often scheduled, so DTN and store-carry-forward logic are becoming part of the architecture rather than an add-on [5] [35] [36] [37].

Confidence level: High - these architectural patterns are repeated across multiple independent sections of the evidence [1] [5] [8].

1. Lunar Communication Architectures

1.1 Relay network concepts and why they matter for small landers

The retrieved studies consistently describe lunar relay systems that support **surface-to-orbit, surface-to-surface, and Earth-Moon links**, ranging from single relays to constellations and L2/frozen-orbit assets [1] [5] [47] [48] [49]. The practical advantage is that relays reduce dependence on direct-to-Earth links by improving access to far-side and obstructed sites, increasing contact time and data return, and lowering surface-terminal mass/power requirements [1] [2] [3].

Taken together, these findings suggest that a compact lander like yours should probably treat the comms mast as a **local geometry enhancer and relay-access terminal**, not as a substitute for an orbital communications infrastructure [1] [2] [32].

1.2 Orbit classes used for lunar relay

No single relay orbit dominates all use cases. Instead, orbit choice is mission-dependent [2] [49] [50] [51].

- **Frozen/ELFO:** Lunar Pathfinder used frozen/ELFO geometry for strong south-pole and far-side coverage, and one study quantified **more than 10 hours per pass** of simultaneous far-side and south-pole coverage [2] [50].
- **NRHO:** appears in Gateway/DSG studies, but the excerpts provided do not quantify specific contact-time gains for small surface users [51] [52].
- **Earth-Moon L2 halo/Lissajous:** used for far-side relay concepts and demonstrated in Queqiao operations [7] [49] [53].
- **Polar relay variants:** used in several concepts for surface support, especially where polar access matters [49] [54].

For your concept, this implies the mast/antenna design should not be optimized around one assumed relay geometry too early. The likely surface user terminal should be adaptable to whichever service orbit the mission buys into [13] [46].

1.3 Store-and-forward and DTN networking

DTN is presented as the candidate networking approach for cislunar heterogeneous networks, especially where there are long delays and scheduled or intermittent links [36]. Contact-graph routing and scheduled links are explicitly cited as architectural features [35]. LunaNet also uses DTN Bundle Protocol as a basis for interoperable data services [5] [37].

For a small lander with a drill system, this matters operationally: communications can be discontinuous while the lander remains scientifically useful if it can buffer, schedule, and forward data through relay windows [35] [36].

Confidence level: High - the relay-first and DTN-enabled conclusions are directly supported across architecture and standards material [1] [5] [37].

2. Standards, Interoperability, and Agency Programs

2.1 NASA: LunaNet and LCRNS

NASA's lunar comm/nav direction is described as a **staged architecture**: early Artemis phases depend more on terrestrial/ground tracking, then expand to relay satellites in lunar orbit, and eventually evolve toward GNSS-like lunar services [4]. LunaNet frames lunar communications as a **services network** that includes networking, PNT, science services, relay elements, possible surface elements, and Earth ground systems [5] [14].

Interoperability is explicit, not incidental. LunaNet is described as an international standard effort, while SFCG guidance informs frequency allocation and sharing [13] [55]. The architecture assumes a generic **user segment** that can be installed on landers, rovers, spacecraft, or even handheld terminals [39].

This is the most relevant NASA benchmark for your system, because it implies your lander should present itself as a **standards-based surface user terminal**, not as a mission-unique radio node [5] [13].

2.2 ESA: Moonlight and Lunar Pathfinder

Moonlight is described as a **four-satellite ELFO communications and navigation gateway**, with X-band inter-satellite links supporting communications, ranging, and precision time transfer [6]. Lunar Pathfinder is presented as a communications/navigation demonstration and as the first node of that broader architecture, relaying for orbiters, landers, and rovers and connecting to Earth through Goonhilly [2] [3] [19].

Its practical relay service includes **store-and-forward**, a **proximity link**, and **two simultaneous lunar asset channels in S-band and UHF** to support longer uploads, higher data rates, and bulk return [1] [8].

For a compact lander, this is one of the clearest service models: modest surface link, orbital relay, and Earth backhaul handled elsewhere [8].

2.3 China: Queqiao and Queqiao-2

Queqiao is the clearest flight-demonstrated relay architecture in the evidence set. It operated in an **Earth-Moon L2 halo orbit** and provided continuous relay for Chang'e-4 far-side operations [7]. Queqiao-2 was inserted into a **highly elliptical frozen lunar orbit** with a 24-hour period, and related studies describe frozen lunar geometries selected to meet mission coverage and launch-window constraints [20] [21].

The retrieved material also emphasizes relay-payload flexibility: multiple frequencies, modulations, data rates, full digital modulation/demodulation, software reconfiguration, and multi-target handling [22] [23].

This makes China's architecture the strongest benchmark for **far-side or relay-dependent mission logic**, though the provided excerpts do not supply a full frequency table for the relay links [56] [57] [58].

2.4 Commercial and cross-support trend

Commercial provision is not peripheral. NASA's roadmap and PExT-related material emphasize multiple providers and interoperable services, including compatibility with multiple relay offerings and NASA TDRS Ka-band services [5] [46] [59]. This points toward a future in which a small lunar lander buys comms service rather than carrying all network burden itself [8] [59].

Confidence level: High - NASA, ESA, and Chinese materials all point toward service-based, interoperable relay ecosystems [5] [6] [7] [8].

3. Lunar Communication Hardware Relevant to a Compact Cylindrical Lander

3.1 Deployable and inflatable antenna options

The hardware literature repeatedly highlights **deployable, inflatable, and foldable planar antennas** as high-packaging-efficiency alternatives to rigid parabolic reflectors [24] [25] [26]. Inflatable Ka-band reflectarray prototypes reportedly met structural flatness requirements with margin and showed good compact-range RF characteristics, though the snippets do not provide quantitative gain or sidelobe figures [60] [61].

Relevant demonstrations include:

- NASA/JPL **MarCO deployable HGA** [40]
- JPL **OMERA** one-meter reflectarray for 6U CubeSats [41]
- an origami-inspired reflectarray with **8×** stowed-to-deployed area increase [40] [41]
- prior space-tested inflatable antenna heritage from **STS-77** [41]

For very small landers, planar or membrane reflectarrays appear better aligned than dishes because they preserve stowage efficiency [27] [28].

3.2 Compact surface terminals and rover radios

The most relevant compact-terminal examples are:

- **UST-Lite**: compact quad-band SDR targeting **S/Ka proximity** and **X/Ka Earth** links [17]
- **Frontier Radio-ML**: compact **K/Ka-band SDR** for both relay and DTE, with demos using NASA TDRSS and commercial relay services [16] [62]
- **JPL S-band circularly polarized patch/cup antennas** for lunar far-side use [63]
- **PEEKbot X-band planar patch array** for a mini lunar rover: 3 mm thick, 7.6 × 7.6 cm, simulated at 9.45 dB LHCP gain [29]
- NASA GSFC CubeSat SDR work supporting both space relay and DTE networks [64]

The pattern is clear: compact lunar users are being designed around **multi-mode, multi-band SDR terminals**, not single-purpose radios [16] [17] [39].

3.3 Mast and deployment mechanisms

Direct evidence for lunar mast systems is thinner. Retrieved concepts include:

- a **single-leg telescoping mast with tripod** support for a relocatable lunar solar array [9]
- an **8 m collapsible tubular CFRP mast tower** with guy tension trade-offs [9]

- a **tubular boom with oscillator motor and escapement mechanism** for antenna deployment on a lunar lander payload [65]
- spring-hinge and thermal-knife panel deployment in the same payload context [65]

These are useful mechanical analogs, but they do not amount to a mature agency reference design for your integrated tower concept [9] [65].

Confidence level: Medium - there is good subsystem evidence for compact antennas and radios, but weaker integration evidence for flight-like surface masts [9] [17] [27].

4. Integrated Power and Communications Concepts

4.1 Elevated solar structures and mast-mounted power

The evidence supports the logic of elevated arrays. Raising panels to about **2 m above the surface** expands high-illumination zones and shortens shadow times in polar terrain [33]. NASA-style and related concepts include multiple ~10 m towers, telescoping mast/tripod structures, and tall rollout arrays [9] [11] [66].

Vertical solar-array concepts such as **LAMPS-like systems** are specifically identified as mast-and-panel style structures for polar power generation [34]. Ground testing is noted for a vertical deployment system by Honeybee Robotics and mPower, but no communications payload is reported in the retrieved snippets [9].

4.2 Co-design of power, storage, and communications

Battery sizing is strongly driven by long dark periods, with polar sites reducing but not eliminating storage demand [67] [68] [69]. One concept relied on an **EML2 halo relay plus UHF surface links**, showing that elevated or orbital communications support is part of broader station design [70].

Taken together, the findings suggest your mast could create value even without extreme antenna gain: modest elevation may improve both **illumination** and **local line-of-sight to relays** [31] [32] [33].

4.3 Power-beaming alternatives

Wireless power transfer by RF or laser appears repeatedly in the literature, including orbital concepts with PV, batteries, and transmission to surface receivers [71] [72] [73] [74]. However, several studies judge **solar-plus-storage or cable-based approaches** as lower risk or lower mass for many use cases [71] [75] [76].

For your lander, this makes the integrated solar mast more aligned with the evidence than power-beaming dependence [34] [75].

4.4 The main gap

No retrieved paper explicitly describes a lunar outpost architecture that uses an elevated mast to improve line-of-sight communications **while also** hosting PV generation and storage as a single mature system [12] [77] [78]. That gap is important because it is exactly where your concept sits.

Confidence level: Medium - the enabling logic is well supported, but the integrated product analog is missing [12] [31] [32] [34].

5. Design Implications for Your Compact Inflatable Mast Lander

5.1 What existing solutions imply you should copy

The best-supported architecture for your concept is:

- **Body-mounted low-rate survival/housekeeping link** for robust basic contact [39] [64]
- **Mast-mounted higher-performance relay link** to orbital assets [1] [8]
- **Standards-based terminal behavior** compatible with LunaNet-like service environments [5] [13]
- **DTN/store-and-forward capability** for intermittent visibility and drill operations [35] [36]
- **Planar or conformal antenna packaging** rather than a rigid dish [27] [29] [30]

5.2 What existing solutions do not yet solve for you

The evidence does not show an established agency answer for:

- inflatable lunar surface comms mast qualified as an integrated lander subsystem [9]
- wraparound foldable solar skin covering that mast [9] [12]
- end-to-end mass/power/deployment trades for such a system under lunar dust and thermal cycling [9] [43]

5.3 Inferred: best positioning of your concept

Inferred: your concept is best positioned as a **compact relay-access node and local visibility extender**, not as a fully self-sufficient high-rate Earth terminal. This inference follows from the relay-first direction of NASA, ESA, and Chinese architectures plus the move toward compact multi-mode terminals [1] [5] [8] [17].
Confidence level: Low to Medium - this is a synthesis across sources, not a direct statement from one source.

Conclusion

The clearest existing lunar communication solutions are **NASA's LunaNet/LCRNS architecture**, **ESA's Moonlight/Lunar Pathfinder service model**, and **China's Queqiao/Queqiao-2 relay systems** [4] [5] [6] [7] [8]. All point toward a future in which small lunar landers use **compact, standards-based, multi-mode terminals** and offload long-haul communications to relay infrastructure [13] [16] [17] [39].

What does **not** yet appear in the supplied evidence is a mature NASA or international agency system that already combines **inflatable mast deployment, integrated communications hardware, and mast-covering foldable solar panels** in a small cylindrical lunar lander [9] [12]. That makes your concept most distinctive at the **surface hardware integration** level, while the communications-network side should likely be designed to plug into existing and emerging relay ecosystems [5] [46].

Overall confidence level: High - the network-level answer is strongly supported and consistent across sources; **Medium** for hardware-specific benchmarking because integrated lunar surface mast systems are not well evidenced in the retrieved set [1] [5] [8] [9] [12].

References

1. Offord, N., Bywater, S., Cranstoun, C., (...), Thompson, P. (2021) LUNAR COMMS AND NAV INFRASTRUCTURE - FIRST DATA RELAY ORBITER LUNAR PATHFINDER, OPERATIONAL IN 2024, PAVES THE WAY FOR FULL CONSTELLATION BY 2030. *Proceedings of the International Astronautical Congress, IAC*. https://www.scopus.com/pages/publications/85127565704
2. Davies, P., Kozman, R., Schwarz, B., (...), Liucci, F. (2023) LUNAR PATHFINDER-A COMMERCIALLY-DRIVEN LUNAR DATA RELAY SATELLITE, 2 YEARS UNTIL LAUNCH. *Proceedings of the International Astronautical Congress, IAC*. https://www.scopus.com/pages/publications/85188006962
3. Davies, P., Da-Silva-Curiel, A., Hooper, B., (...), Dellandrea, B. (2025) Lunar Pathfinder – Looking Forward to Next Year's Launch of the First Commercial Dedicated Lunar Comsat. *Proceedings of SPIE - The International Society for Optical Engineering*. https://doi.org/10.1117/12.3062472
4. Xia, Y., Gao, Y., Han, W., (...), Ding, L. (2025) Lunar base infrastructure construction: Challenges and future directions. *Automation in Construction*. https://doi.org/10.1016/j.autcon.2025.106251
5. Israel, D.J., Schier, J., Petro, A., (...), Sharma, A. (2021) LunaNet Architecture and Concept of Operations. *16th International Conference on Space Operations*. https://www.scopus.com/pages/publications/105024944772
6. Jain, R., Speretta, S., Dirkx, D., Gill, E. (2024) Inter-satellite tracking methods and applications: A comprehensive survey. *Advances in Space Research*. https://doi.org/10.1016/j.asr.2024.08.022
7. Zhang, L. (2021) Development and Prospect of Chinese Lunar Relay Communication Satellite. *Space: Science and Technology (United States)*. https://doi.org/10.34133/2021/3471608

8. Harlé, N.O., Bywater, S., Cranstoun, C., (...), Sweeting, S.M. (2022) FORWARD(ING) FROM THE MOON - LUNAR PATHFINDER DATA RELAY SATELLITE, PAVING THE WAY FOR COMMUNICATION AND NAVIGATION CONSTELLATION. *IET Conference Proceedings*. https://doi.org/10.1049/icp.2023.1354
9. Kajihara, S., Yamashita, S., Sunaga, Y., (...), Iwahori, Y. (2025) Deformation behavior of CFRP bistable open-section cylindrical boom for lunar deployable structure. *Thin-Walled Structures*. https://doi.org/10.1016/j.tws.2025.113651
10. Mendenhall, J.A., Candell, L.M., Hopman, P.I., (...), Shoup, R.C. (2007) Design of an optical photon counting array receiver system for deep-space communications. *Proceedings of the IEEE*. https://doi.org/10.1109/JPROC.2007.905098
11. Austin, A., Sherwood, B., Elliott, J., (...), Vendiola, V. (2020) Robotic Lunar Surface Operations 2. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2020.06.038
12. Lu, X., Ma, R., Wang, C., Yao, W. (2016) Performance analysis of a lunar based solar thermal power system with regolith thermal storage. *Energy*. https://doi.org/10.1016/j.energy.2016.03.132
13. Audet, Y., Melman, F.T., Molli, S., (...), Ventura-Traveset, J. (2024) Positioning of a lunar surface rover on the south pole using LCNS and DEMs. *Advances in Space Research*. https://doi.org/10.1016/j.asr.2024.06.022
14. Israel, D.J., Mauldin, K.D., Roberts, C.J., (...), Gramling, C.J. (2020) LunaNet: A Flexible and Extensible Lunar Exploration Communications and Navigation Infrastructure. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO47225.2020.9172509
15. Bhasin, K.B., Warner, J.D., Anderson, L.M. (2008) Lunar communication terminals for NASA exploration missions: Needs, operations concepts and architectures. *26th AIAA International Communications Satellite Systems Conference, ICSSC*. https://www.scopus.com/pages/publications/77958462163
16. Angert, M.P., Bubnash, B.M., Cerabona, M.A., (...), Wilkes, J.C. (2023) Frontier Radio-Multi-Lingual-A Next Generation Space Software Defined Radio. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO55745.2023.10115782
17. Michael Kobayashi, M.M., Towfic, Z., Spurgers, C., (...), Kuperman, I. (2023) UST-Lite Direct Waveform Sampling Software-Defined Radio for Spaceflight Applications. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO55745.2023.10115551
18. Grayver, E., Lee, D., McDonald, E., Verville, J.P. (2026) System Design of a Cis-Lunar Communications and Navigation Testset. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO66936.2026.11519856
19. Malphrus, Benjamin K., Freeman, Anthony, Staehle, Robert, (...), Walker, Roger (2021) Interplanetary CubeSat missions. *Cubesat Handbook*. https://doi.org/10.1016/B978-0-12-817884-3.00004-7

20. Gao, S., Zhou, W., Zhang, L., (...), Zhang, H. (2019) Trajectory design and flight results for Chang'e 4-relay satellite. *Zhongguo Kexue Jishu Kexue/Scientia Sinica Technologica*. https://doi.org/10.1360/N092018-00393

21. Zhou, W., Gao, B., Dong, T., (...), Zhang, L. (2024) Matching design of trajectory with Chang e-6 mission and flight pratice of Queqiao-2 satellite. *Zhongguo Kongjian Kexue Jishu/Chinese Space Science and Technology*. https://doi.org/10.16708/j.cnki.1000-758X.2024.0087

22. Zhang, L., Xiong, L., Sun, J., (...), Cao, X. (2024) System design and validation of Queqiao-2 lunar relay communication satellite. *Zhongguo Kongjian Kexue Jishu/Chinese Space Science and Technology*. https://doi.org/10.16708/j.cnki.1000-758X.2024.0071

23. Xu, J., Wang, Q., Li, Y., (...), Wang, Y. (2025) Mission analysis and design of Queqiao-2 communication relay Payload. *Zhongguo Kongjian Kexue Jishu/Chinese Space Science and Technology*. https://doi.org/10.16708/j.cnki.1000.758X.2025.0037

24. Huang, J., Fang, H., Lopez, B., Lou, M. (2003) The development of inflatable array antennas. *AIAA Space 2003 Conference and Exposition*. https://www.scopus.com/pages/publications/84897586344

25. Huang, J. (2017) Emerging array antenna technologies at JPL. *Symposium on Antenna Technology and Applied Electromagnetics, ANTEM 1998 - Conference Proceedings*. https://doi.org/10.1109/ANTEM.1998.7861721

26. Huang, J. (2006) Spacecraft Antenna Research and Development Activities Aimed at Future Missions. *Spaceborne Antennas for Planetary Exploration*. https://doi.org/10.1002/0470052783.ch10

27. Rubio, A.J., Kaddour, A.-S., Pruett, H., (...), Georgakopoulos, S.V. (2023) A Deployable Volume-Efficient Miura-Ori Reflectarray Antenna for Small Satellite Applications. *IEEE Access*. https://doi.org/10.1109/ACCESS.2023.3327057

28. Cooley, M., Tomek, E., Chambers, T., (...), Wilson, S. (2019) RF Design and Development of a Deployable Membrane Reflectarray Antenna for Space. *IEEE International Symposium on Phased Array Systems and Technology*. https://doi.org/10.1109/PAST43306.2019.9020871

29. Hudon-Castillo, Y., Kirk, S., Mayerhofer, M., (...), Luccini, M. (2024) Multi-Layer Microstrip Patch Antenna Array System for the Canadian PEEKbot Lunar Rover. *Proceedings of the International Astronautical Congress, IAC*. https://doi.org/10.52202/078363-0046

30. Georgakopoulos, S.V., Zekios, C.L., Sattar-Kaddour, A., (...), Lang, R.J. (2021) Origami Antennas. *IEEE Open Journal of Antennas and Propagation*. https://doi.org/10.1109/OJAP.2021.3121102

31. Tiffin, D.J., Mahlin, M.K. (2023) Tall Lunar Towers: Systems Analysis of Lunar-Surface-Assembled Power, Communication, and Navigation Infrastructure. *Accelerating Space Commerce, Exploration, and New Discovery Conference, ASCEND 2023*. https://doi.org/10.2514/6.2023-4754

32. Cheung, K.-M., Jun, W.W., Bhamidipati, S., Carter, P. (2024) Ground-Assisted Position Navigation and Timing (PNT) for Moon and Mars. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO58975.2024.10520998

33. Gläser, P., Oberst, J., Neumann, G.A., (...), Robinson, M.S. (2018) Illumination conditions at the lunar poles: Implications for future exploration. *Planetary and Space Science*. https://doi.org/10.1016/j.pss.2017.07.006

34. Williams, H., Crum, R., Ness, R.V., (...), Hell, K. (2023) Lunar Array, Mast, and Power System (LAMPS) for Deployable Lunar Power Provision. *AIAA SciTech Forum and Exposition, 2023*. https://doi.org/10.2514/6.2023-1389

35. Caini, C. (2021) Delay-tolerant networks (DTNs) for satellite communications. *Advances in Delay-Tolerant Networks (DTNs)*. https://doi.org/10.1016/B978-0-08-102793-6.00002-3

36. Wang, Ding, Wang, Ethan, Wang, Ruhai (2024) Delay/Disruption Tolerant Networking Performance Characterization in Cislunar Relay Communication Architecture. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s25010195

37. Burleigh, S., Hooke, A., Leigh Torgerson, L., (...), Weiss, H. (2003) Delay-tolerant networking: An approach to interplanetary internet. *IEEE Communications Magazine*. https://doi.org/10.1109/MCOM.2003.1204759

38. Cervone, A., Topputo, F., Speretta, S., (...), Walker, R. (2022) LUMIO: A CubeSat for observing and characterizing micro-meteoroid impacts on the Lunar far side. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2022.03.032

39. Sirbu, G., Leonardi, M., Stallo, C., (...), Carosi, M. (2023) Evaluation of different satellite navigation methods for the Moon in the future exploration age. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2023.04.017

40. Russo, A., Barakali, B., Kitsu, K.I., (...), You, Y. (2023) Origami-inspired self-deployable reflectarray antenna. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2023.08.007

41. Zhang, Zheng, Sun, Min, Li, Yang (2021) Advances in multistable composite structures and their applications. *Composite Materials*. https://doi.org/10.1016/B978-0-12-820512-9.00002-2

42. Boroson, D.M., Robinson, B.S., Murphy, D.V., (...), Cornwell, D.M. (2014) Overview and results of the lunar laser communication demonstration. *Proceedings of SPIE - The International Society for Optical Engineering*. https://doi.org/10.1117/12.2045508

43. Beccaria, Michele, Massaccesi, Andrea, Lumia, Mauro, (...), Pirinoli, Paola (2025) Ka-Band Reflectarray with Cylindrical Dielectric Unit Cells: Optimized Additive Manufacturing and High-Permittivity Material Characterization. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s25175480

44. Deppenkemper, A., Godden, A. (2023) LUNAR AND DEEP SPACE GROUND STATIONS FOR HIGHER FREQUENCIES. *Ka and Broadband Communications Conference*. https://www.scopus.com/pages/publications/105023506708

45. Currier, S.F., Clason, R.N., Midon, M.M., (...), Anderson, M.L. (2006) NASA Ground Network Support of the lunar reconnaissance orbiter. *SpaceOps 2006 Conference*. https://www.scopus.com/pages/publications/84884802537

46. Verville, J., Eddy, W. (2025) Onboard Processing for LunaNet Data Services. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO63441.2025.11068727

47. Davarian, F., Shihabi, M., Marashi, Y. (2024) Lunar Communications Using Relays. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO58975.2024.10521399

48. Genova, A., Kaplinger, B., Wilde, M., Aldrin, B. (2018) Establishment and design of an earth-moon communications network in lunar polar orbit. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO.2018.8396442

49. Cheung, K.-M., Lee, C. (2018) Lunar relay coverage analysis for rf and optical links. *15th International Conference on Space Operations, 2018*. https://doi.org/10.2514/6.2018-2612

50. Ware, J., Davarian, F. (2022) Lunar Communications Services with Emphasis on Commercialization. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO53065.2022.9843705

51. Delepaut, A., Schönfeldt, M., Giordano, P., (...), Ventura-Traveset, J. (2019) A system study for cislunar radio navigation leveraging the use of realistic Galileo and GPS signals. *Proceedings of the 32nd International Technical Meeting of the Satellite Division of the Institute of Navigation, ION GNSS+ 2019*. https://doi.org/10.33012/2019.17084

52. Giordano, P., Swinden, R., Gramling, C., (...), Ventura-Traveset, J. (2023) LunaNet Position, Navigation, and Timing Services and Signals, Enabling the Future of Lunar Exploration. *Proceedings of the 36th International Technical Meeting of the Satellite Division of the Institute of Navigation, ION GNSS+ 2023*. https://doi.org/10.33012/2023.19345

53. Liu, S., Huang, Y., Li, P., Yang, P. (2022) Determination of the Orbit of Chang'E-4 Relay Satellite Under Sparse Observation. *Journal of Deep Space Exploration*. https://doi.org/10.15982/j.issn.2096-9287.2022.20210071

54. Ortiz, L.A., Younes, B.M., Daugherty-Saunders, S.J., (...), Edberg, D. (2019) Design of a reusable lunar surface access vehicle: A stepping stone for deep space exploration. *AIAA Propulsion and Energy Forum and Exposition, 2019*. https://doi.org/10.2514/6.2019-3884

55. Loonis Quélen, G. (2024) Lunar distress communications: Interoperability, frequencies, and harmful interference, which normative model for the artemis accords?. *Journal of Space Safety Engineering*. https://doi.org/10.1016/j.jsse.2024.07.001

56. Ruiter, M., Prinsloo, D., Boonstra, A.J., (...), Ping, J. (2019) The Netherlands China Low Frequency Explorer mission; the analog receiver system. *Proceedings of the International Astronautical Congress, IAC*. https://www.scopus.com/pages/publications/85079124137

57. Bertels, E., De-Groot, Z., Rotteveel, J., (...), Wang, M. (2019) First in flight results of the NCLE instrument - A low frequency radio receiver exploring the dark ages in Lunar orbit. *Proceedings of the International Astronautical Congress, IAC*. https://www.scopus.com/pages/publications/85079162800

58. Qin, S., Huang, Y., Li, P., (...), Wang, G. (2019) Orbit and tracking data evaluation of Chang'E-4 relay satellite. *Advances in Space Research*. https://doi.org/10.1016/j.asr.2019.05.028

59. Heckler, G.W., Barthelme, N.F., Schemmel, P.J., (...), Hale, A.G. (2024) THE STATUS OF NASA SCAN's EFFORTS TO INTEGRATE COMMERCIAL SATELLITE COMMUNICATION SERVICE PROVIDERS INTO THE NEAR SPACE NETWORK. *Ka and Broadband Communications Conference*. https://www.scopus.com/pages/publications/105023491609

60. Lin, John K.H., Cadogan, David P., Feria, V.Alfonso, Huang, John (2000) Inflatable microstrip reflectarray concept for Ka-band applications. *Collection of Technical Papers - AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*. https://www.scopus.com/pages/publications/0033671265

61. Lin, J.K.H., Cadogan, D.P., Alfonso Feria, V., Huang, J. (2000) An inflatable microstrip reflectarray concept for Ka-Band applications. *41st Structures, Structural Dynamics, and Materials Conference and Exhibit*. https://www.scopus.com/pages/publications/84896050079

62. Angert, M.P., Cerabona, M.A., Wilkes, J.C., (...), Lamp, J.E. (2025) K/Ka-Band Space-Flight Reprogrammable and Flexible Communications - Frontier Radio - Multi-Lingual. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO63441.2025.11068591

63. Gupta, G., Decrossas, E., Chahat, N. (2023) All-Metal Circular Polarized Patch Excited Cup Antennas for Lunar Farside Seismic Suite (FSS). *2nd International Conference on Wireless, Antenna and Microwave Symposium, WAMS 2023*. https://doi.org/10.1109/WAMS57261.2023.10242846

64. Abele, E., Altunç, S., Kegege, O., (...), OHara, J. (2022) S-band Network Analysis and Strategies for LEO Multi-CubeSat Science Missions. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO53065.2022.9843539

65. Lange, C., Biele, J., Ulamec, S., (...), Ziach, C. (2018) MASCOT2 – A small body lander to investigate the interior of 65803 Didymos' moon in the frame of the AIDA/AIM mission. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2018.05.013

66. Xia, Y., Gao, Y., Han, W., (...), Ding, L. (2025) Lunar base infrastructure construction: Challenges and future directions. *Automation in Construction*. https://doi.org/10.1016/j.autcon.2025.106251

67. Sun, W., Wang, Q., Zhang, J., (...), Pei, G. (2025) Comprehensive assessment of photovoltaic designs and power generation potential at the Lunar South Pole. *Energy*. https://doi.org/10.1016/j.energy.2025.137922

68. Kornuta, D., Abbud-Madrid, A., Atkinson, J., (...), Zhu, G. (2019) Commercial lunar propellant architecture: A collaborative study of lunar propellant production. *REACH*. https://doi.org/10.1016/j.reach.2019.100026

69. Lei, Song, Guoqing, Zhang, Yaohui, Wang, (...), Bo, Liu (2025) Strategies and prospects for energy storage in future lunar base. *Advances in Mechanical Engineering*. https://doi.org/10.1177/16878132251362316

70. Hady, G.G., Abigail, C.D., Sebastian, H., (...), Bielicki, B. (2018) ALCIDES: A novel lunar mission concept study for the demonstration of enabling technologies in deep-space exploration and human-robots interaction. *Acta Astronautica*. https://doi.org/10.1016/j.actaastro.2018.06.004

71. McKinney, C.G., Johnson, L. (2025) Space-Based Solar Power - Enabling Lunar Exploration and Beyond. *AIAA Science and Technology Forum and Exposition, AIAA SciTech Forum 2025*. https://doi.org/10.2514/6.2025-0299

72. Gillespie, D., Wilson, A.R., Martin, D., (...), Vasile, M. (2020) Comparative analysis of solar power satellite systems to support a moon base. *Proceedings of the International Astronautical Congress, IAC*. https://www.scopus.com/pages/publications/85100935608

73. Leonard, R.S., Richter, P.J. (1998) Power satellites for lunar development. *Space 1998*. https://doi.org/10.1061/40339(206)56

74. Lopez, F., Mauro, A., Mauro, S., (...), Villa, A. (2023) A Lunar-Orbiting Satellite Constellation for Wireless Energy Supply. *Aerospace*. https://doi.org/10.3390/aerospace10110919

75. Marcinkowski, A., Carrio, L., Hilliard, S., (...), Cichan, T. (2023) Lunar Surface Power Architecture Concepts. *IEEE Aerospace Conference Proceedings*. https://doi.org/10.1109/AERO55745.2023.10115621

76. Kerslake, T.W. (2008) Lunar surface-to-surface power transfer. *AIP Conference Proceedings*. https://doi.org/10.1063/1.2845004

77. Fleith, P., Cowley, A., Canals Pou, A., (...), González-Cinca, R. (2020) In-situ approach for thermal energy storage and thermoelectricity generation on the Moon: Modelling and simulation. *Planetary and Space Science*. https://doi.org/10.1016/j.pss.2019.104789

78. Freeh, J.E. (2008) Analysis of stationary, photovoltaic-based surface power system designs at the lunar south pole. *Space 2008 Conference*. https://doi.org/10.2514/6.2008-7810