LICENSEPROOF · DEPENDENCY LICENSE REPORT

License report for licenseproof

PROJECT LICENSE	SCAN DATE	PACKAGES
`Elastic-2.0`	2026-07-22T07:38:11.748Z	79 (npm: 49 · pypi: 30)
CONFLICTS	**REVIEW**	**UNKNOWN**
0	0	30
TOOL VERSION	**DATA VERSION**	
`0.2.0`	`2026.07.21.2`	

> **No license conflicts. 30 items flagged for manual review.**

Informational license categorization — not legal advice.

Executive summary

This report covers 79 packages resolved from the npm and PyPI dependency trees of licenseproof, whose declared project license is Elastic-2.0.

No license conflicts were found against the project license. 30 could not be confidently identified. The remaining 49 raised no flags.

Among the packages whose license was identified, the most restrictive category present is permissive.

Findings

Packages that raised a flag against the project license, most restrictive first. Clean packages are listed in the full inventory below.

Unknown (30)

UNKNOWN **annotated-doc@0.0.4** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → annotated-doc		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **annotated-types@0.7.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pydantic → annotated-types		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **anyio@4.14.1** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → anyio (+at least 3 other paths)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **anysqlite@0.0.5** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → anysqlite		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **certifi@2026.6.17** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → httpx → certifi (+at least 3 other paths)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **cffi@2.0.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pygit2 → cffi		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **colorama@0.4.6** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → tqdm → colorama (+at least 1 other path)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **h11@0.16.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → httpx → httpcore → h11 (+at least 1 other path)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **hishel@0.1.5** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **httpcore@1.0.9** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → httpx → httpcore (+at least 1 other path)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **httpx@0.28.1** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → httpx (+at least 1 other path)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **idna@3.18** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → anyio → idna (+at least 5 other paths)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **markdown-it-py@4.2.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → rich → markdown-it-py		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **marko@2.2.3** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → marko		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **mdurl@0.1.2** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → rich → markdown-it-py → mdurl		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **msgpack@1.2.1** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → msgpack		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **packaging@26.2** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → packaging		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **prek@0.4.8** pypi direct · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via prek		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **pycparser@3.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pygit2 → cffi → pycparser		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **pydantic@2.13.4** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pydantic		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **pydantic-core@2.46.4** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pydantic → pydantic-core		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **pygit2@1.19.3** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pygit2		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **pygments@2.20.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → rich → pygments		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **rich@15.0.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → rich		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **rooster@0.1.1** pypi direct · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **shellingham@1.5.4** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer → shellingham		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **tqdm@4.68.3** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → tqdm		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **typer@0.26.8** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → typer		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **typing-extensions@4.15.0** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → hishel → anyio → typing-extensions (+at least 7 other paths)		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

UNKNOWN **typing-inspection@0.4.2** pypi transitive · dev dependency

License	UNKNOWN	Category	unknown
Confidence	low	Source	none
Dependency	via rooster → pydantic → typing-inspection		

LicenseProof could not confidently identify this package's license. Unknown does not mean safe — flagged for manual REVIEW.

Scan warnings

- 75 optional/peer dependencies were declared in the lockfile but not installed on disk (excluded from the report).

- Project declares different licenses in package.json (Elastic-2.0) and pyproject.toml (MIT). Using the npm-declared license (Elastic-2.0) for conflict checking. Pass --project-license <SPDX id> to override.

Full inventory

Every scanned package, ordered by status then name. Matches the JSON report ordering.

All 79 packages

PACKAGE	VERSION	ECOSYSTEM	LICENSE	CATEGORY	CONFIDENCE	SOURCE	STATUS
annotated-doc	0.0.4	pypi	UNKNOWN	unknown	low	none	UNKNOWN
annotated-types	0.7.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
anyio	4.14.1	pypi	UNKNOWN	unknown	low	none	UNKNOWN
anysqlite	0.0.5	pypi	UNKNOWN	unknown	low	none	UNKNOWN
certifi	2026.6.17	pypi	UNKNOWN	unknown	low	none	UNKNOWN
cffi	2.0.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
colorama	0.4.6	pypi	UNKNOWN	unknown	low	none	UNKNOWN
h11	0.16.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
hishel	0.1.5	pypi	UNKNOWN	unknown	low	none	UNKNOWN
httpcore	1.0.9	pypi	UNKNOWN	unknown	low	none	UNKNOWN
httpx	0.28.1	pypi	UNKNOWN	unknown	low	none	UNKNOWN
idna	3.18	pypi	UNKNOWN	unknown	low	none	UNKNOWN
markdown-it-py	4.2.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
marko	2.2.3	pypi	UNKNOWN	unknown	low	none	UNKNOWN
mdurl	0.1.2	pypi	UNKNOWN	unknown	low	none	UNKNOWN
msgpack	1.2.1	pypi	UNKNOWN	unknown	low	none	UNKNOWN
packaging	26.2	pypi	UNKNOWN	unknown	low	none	UNKNOWN

PACKAGE	VERSION	ECOSYSTEM	LICENSE	CATEGORY	CONFIDENCE	SOURCE	STATUS
prek	0.4.8	pypi	UNKNOWN	unknown	low	none	UNKNOWN
pycparser	3.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
pydantic	2.13.4	pypi	UNKNOWN	unknown	low	none	UNKNOWN
pydantic-core	2.46.4	pypi	UNKNOWN	unknown	low	none	UNKNOWN
pygit2	1.19.3	pypi	UNKNOWN	unknown	low	none	UNKNOWN
pygments	2.20.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
rich	15.0.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
rooster	0.1.1	pypi	UNKNOWN	unknown	low	none	UNKNOWN
shellingham	1.5.4	pypi	UNKNOWN	unknown	low	none	UNKNOWN
tqdm	4.68.3	pypi	UNKNOWN	unknown	low	none	UNKNOWN
typer	0.26.8	pypi	UNKNOWN	unknown	low	none	UNKNOWN
typing-extensions	4.15.0	pypi	UNKNOWN	unknown	low	none	UNKNOWN
typing-inspection	0.4.2	pypi	UNKNOWN	unknown	low	none	UNKNOWN
@jridgewell/sourcemap-codec	1.5.5	npm	MIT	permissive	high	metadata	CLEAN
@types/estree	1.0.9	npm	MIT	permissive	high	metadata	CLEAN
@types/node	20.19.43	npm	MIT	permissive	high	metadata	CLEAN
@vitest/expect	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
@vitest/mocker	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
@vitest/pretty-format	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
@vitest/runner	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
@vitest/snapshot	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
@vitest/spy	2.1.9	npm	MIT	permissive	high	metadata	CLEAN

PACKAGE	VERSION	ECOSYSTEM	LICENSE	CATEGORY	CONFIDENCE	SOURCE	STATUS
@vitest/utils	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
assertion-error	2.0.1	npm	MIT	permissive	high	metadata	CLEAN
cac	6.7.14	npm	MIT	permissive	high	metadata	CLEAN
chai	5.3.3	npm	MIT	permissive	high	metadata	CLEAN
check-error	2.1.3	npm	MIT	permissive	high	metadata	CLEAN
commander	12.1.0	npm	MIT	permissive	high	metadata	CLEAN
debug	4.4.3	npm	MIT	permissive	high	metadata	CLEAN
deep-eql	5.0.2	npm	MIT	permissive	high	metadata	CLEAN
es-module-lexer	1.7.0	npm	MIT	permissive	high	metadata	CLEAN
esbuild	0.28.1	npm	MIT	permissive	high	metadata	CLEAN
esbuild	0.21.5	npm	MIT	permissive	high	metadata	CLEAN
estree-walker	3.0.3	npm	MIT	permissive	high	metadata	CLEAN
expect-type	1.4.0	npm	Apache-2.0	permissive	high	metadata	CLEAN
loupe	3.2.1	npm	MIT	permissive	high	metadata	CLEAN
magic-string	0.30.21	npm	MIT	permissive	high	metadata	CLEAN
ms	2.1.3	npm	MIT	permissive	high	metadata	CLEAN
nanoid	3.3.16	npm	MIT	permissive	high	metadata	CLEAN
pathe	1.1.2	npm	MIT	permissive	high	metadata	CLEAN
pathval	2.0.1	npm	MIT	permissive	high	metadata	CLEAN
picocolors	1.1.1	npm	ISC	permissive	high	metadata	CLEAN
postcss	8.5.20	npm	MIT	permissive	high	metadata	CLEAN
rollup	4.62.2	npm	MIT	permissive	high	metadata	CLEAN
siginfo	2.0.0	npm	ISC	permissive	high	metadata	CLEAN
smol-toml	1.7.0	npm	BSD-3-Clause	permissive	high	metadata	CLEAN

PACKAGE	VERSION	ECOSYSTEM	LICENSE	CATEGORY	CONFIDENCE	SOURCE	STATUS
source-map-js	1.2.1	npm	BSD-3-Clause	permissive	high	metadata	CLEAN
stackback	0.0.2	npm	MIT	permissive	high	metadata	CLEAN
std-env	3.10.0	npm	MIT	permissive	high	metadata	CLEAN
tinybench	2.9.0	npm	MIT	permissive	high	metadata	CLEAN
tinyexec	0.3.2	npm	MIT	permissive	high	metadata	CLEAN
tinypool	1.1.1	npm	MIT	permissive	high	metadata	CLEAN
tinyrainbow	1.2.0	npm	MIT	permissive	high	metadata	CLEAN
tinyspy	3.0.2	npm	MIT	permissive	high	metadata	CLEAN
tsx	4.23.1	npm	MIT	permissive	high	metadata	CLEAN
typescript	5.9.3	npm	Apache-2.0	permissive	high	metadata	CLEAN
undici-types	6.21.0	npm	MIT	permissive	high	metadata	CLEAN
vite	5.4.21	npm	MIT	permissive	high	metadata	CLEAN
vite-node	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
vitest	2.1.9	npm	MIT	permissive	high	metadata	CLEAN
why-is-node-running	2.3.0	npm	MIT	permissive	high	metadata	CLEAN
yaml	2.9.0	npm	ISC	permissive	high	metadata	CLEAN

Methodology & limitations

How licenses were resolved, what confidence means, and known limitations

How each package's license is resolved

LicenseProof reads only files already present on disk from the scanned project and its installed dependencies. It never contacts a network, registry, or remote service. The two ecosystems use different resolution orders:

npm packages

The first step that yields a license wins (later steps are not consulted):

1. **Declared metadata** — the `license` field in the package's `package.json`, parsed as an SPDX id or expression (OR / AND / WITH preserved). Confidence: high. npm's `UNLICENSED` convention is not treated as an SPDX id and falls through.
2. **License file** — the text of an on-disk `LICENSE` / `COPYING` file, matched by fingerprint against known license texts. Confidence: medium for a close match, low for a modified or partial match.
3. **README mention** — a `License:` line near the top of the README. Confidence: low.
4. **Unknown** — no signal resolved; the package is reported as `UNKNOWN` and flagged for review. Unknown does not mean safe.

PyPI packages

The metadata signals are read together so a disagreement between them can be surfaced; the on-disk steps run only when no metadata signal resolved:

1. **License-Expression** — the PEP 639 `License-Expression` metadata field. Confidence: high.
2. **License** — the legacy `License` metadata field, used when no `License-Expression` is present. Confidence: high.
3. **Trove classifiers** — the `License ::` classifiers, mapped to a representative SPDX id. Confidence: medium (classifiers are coarser than an explicit id — e.g. "BSD License" cannot distinguish BSD-2 from BSD-3).
4. **License file** — on-disk license text, fingerprint-matched. Confidence: medium / low, as for npm.
5. **README mention** — a `License:` line. Confidence: low.
6. **Unknown** — reported as `UNKNOWN`, flagged for review.

When a PyPI package's declared license field and its Trove classifiers resolve to different licenses (and not merely to different variants of the same license family), the package is additionally flagged for review as an internal metadata inconsistency.

What the confidence levels mean

- **high** — the license came from an explicit, declared SPDX id or expression in package or project metadata.
- **medium** — the license was inferred from a close license-file text match or from a coarse Trove classifier.

- **low** — the license came from a modified/partial license-file match, a README mention, or could not be determined at all (Unknown).

Limitations

- The category assigned to each license is an informational classification, not a legal determination of your obligations.
- Only declared and detectable license signals are used. No manual legal review is performed, and no upstream registry is consulted (the tool runs fully offline).
- Dependency paths are enumerated up to a cap; a "+at least N other paths" note is a floor, not an exact total.
- A package's resolved license reflects the metadata and files present on disk at scan time; it is not verified against any external source of truth.
- Unknown does not mean safe — it means the license could not be identified confidently and needs a human to look.

Not legal advice

This report is an informational license categorization produced by automated analysis of declared package metadata and license files. It is not legal advice and is not a substitute for review by qualified counsel.

`LicenseProof 0.2.0 · reference data 2026.07.21.2 (SPDX license list e4c1f27) · scanned 2026-07-22T07:38:11.748Z`

This report is an informational license categorization produced by automated analysis of declared package metadata and license files. It is not legal advice and is not a substitute for review by qualified counsel.