Medical Summary

PATIENT NAME	AGE	REPORT DATE	LANGUAGE
Ravi Kumar Reddy	62	06 Oct 2026	English

Summary

This prescription is for a chest and throat infection with fever, along with acidity and a cold-related allergy. You have been given an antibiotic to fight the infection, a medicine for fever and body pain, an acidity tablet to protect your stomach, and an anti-allergy tablet to help you breathe and sleep better. Please take every medicine at the times shown in the schedule below, and finish the full antibiotic course even if you start feeling better after a few days. Your blood sugar and blood pressure medicines should be continued exactly as before unless your doctor tells you otherwise.

Key Medical Terms

Medical Term	What it means
Upper Respiratory Tract Infection	An infection of the nose, throat and windpipe, often causing cough, sore throat, runny nose and mild fever.
Antibiotic	A medicine that kills or stops the growth of bacteria. It does not work against viruses, and it must be taken for the full number of days.
Antipyretic	A medicine that lowers fever. Paracetamol is the most common one.
Proton Pump Inhibitor (PPI)	A tablet that reduces acid in the stomach. It protects the stomach lining and eases acidity, burning and gas.
Antihistamine	A medicine that calms allergy symptoms such as sneezing, itching and a runny nose. It may make you feel sleepy.
Hypertension	High blood pressure. It usually has no symptoms, so the tablets must be taken every day even when you feel well.
Type 2 Diabetes Mellitus	A long-term condition where the body cannot use sugar properly, so blood sugar stays high. Diet, exercise and daily medicines keep it under control.
Expectorant	A syrup that loosens thick mucus in the chest so that it is easier to cough out.

Patient: Ravi Kumar Reddy · 06 Oct 2026

Critical Warnings

- **Take antibiotic after food**
- **Do not stop the antibiotic early**
- **Avoid alcohol completely during treatment**
- **Do not take extra Paracetamol - maximum 4 tablets in 24 hours**
- **Consult your doctor if the fever lasts more than 3 days or you have trouble breathing**

Medicine Schedule

Medicine	Purpose & Instructions	Morning	Afternoon	Night	Duration
Amoxicillin + Clavulanic Acid 625 mg	Antibiotic to treat the chest and throat infection **Timing:** After food **Side effects:** Loose stools, mild stomach upset, nausea	1	0	1	5 days
Paracetamol 650 mg	Reduces fever and relieves body pain **Timing:** After food, only when fever or pain is present **Side effects:** Rarely nausea; avoid overdose	1	1	1	3 days, only if needed
Pantoprazole 40 mg	Reduces stomach acid and protects the stomach while taking other tablets **Timing:** 30 minutes before breakfast on an empty stomach **Side effects:** Headache, mild stomach discomfort	1	0	0	7 days
Cetirizine 10 mg	Relieves sneezing, runny nose and allergy symptoms **Timing:** At bedtime **Side effects:** Drowsiness, dry mouth	0	0	1	5 days

Patient: Ravi Kumar Reddy · 06 Oct 2026

Medicine	Purpose & Instructions	Morning	Afternoon	Night	Duration
Ambroxol Syrup 15 mg/5 ml	Loosens mucus and eases cough **Timing:** After food **Side effects:** Mild nausea, stomach upset	**1 spoon**	**1 spoon**	**1 spoon**	5 days
Metformin 500 mg	Controls blood sugar (continue as before) **Timing:** With or just after food **Side effects:** Stomach upset, metallic taste, loose stools	**1**	0	**1**	Continue
Amlodipine 5 mg	Controls blood pressure (continue as before) **Timing:** Same time every morning **Side effects:** Ankle swelling, flushing, headache	**1**	0	0	Continue
Vitamin D3 60,000 IU	Strengthens bones and supports immunity **Timing:** After lunch, once a week **Side effects:** Rare at this dose	0	**1**	0	Once a week for 8 weeks
ORS Powder	Prevents dehydration during fever **Timing:** Mix one sachet in 1 litre of clean water and sip through the day **Side effects:** None expected	**1/2**	**1/2**	**1/2**	3 days

Your Action Plan

- [ ] Take Pantoprazole every morning on an empty stomach, 30 minutes before breakfast.
- [ ] Take Amoxicillin + Clavulanic Acid after breakfast and after dinner for all 5 days.
- [ ] Drink at least 8 glasses of warm water through the day.
- [ ] Check your temperature morning and evening and write it down for the doctor.

Patient: Ravi Kumar Reddy · 06 Oct 2026

- [ ] Check your blood sugar once daily before breakfast.
- [ ] Rest well and avoid cold drinks, ice cream and fried food.
- [ ] Keep all medicine strips and this report with you for the follow-up visit.

Important Notes

- Finish the complete antibiotic course even if the fever goes away.
- Cetirizine can cause sleepiness - do not drive or climb stairs alone after taking it.
- Continue Metformin and Amlodipine without a break; do not stop them on your own.
- Go to the nearest hospital immediately if you have difficulty breathing, chest pain, a rash with swelling of the face, or a very high fever.
- Store syrup in a cool place and use within 15 days of opening.

Follow Up

Please visit your doctor after 5 days with this report. If the fever or cough has not improved in 3 days, or if you feel worse at any time, go back earlier. Ask the doctor to review your blood sugar and blood pressure readings at the same visit.

Diet & Recovery Plan

Goal: To support recovery from the infection while keeping blood sugar and blood pressure steady.

Foods to Eat	Foods to Avoid
• Warm vegetable soup and dal	• Cold drinks and ice cream
• Ragi or oats porridge without sugar	• Deep-fried and oily snacks
• Steamed idli with sambar	• Sweets and sugary drinks
• Seasonal fruits such as guava, papaya and orange	• Very spicy food
• Curd or buttermilk (not chilled)	• Excess salt and pickles

Patient: Ravi Kumar Reddy · 06 Oct 2026

Hydration: Drink **8 to 10 glasses** of warm or room-temperature water daily, unless your doctor has limited fluids.

Daily Tips

- Eat small meals every 3 to 4 hours instead of three large meals.
- Have a light dinner at least 2 hours before sleeping.
- Add turmeric and pepper to warm milk or soups for comfort.

Please Note:
Rxora is an AI tool designed to help you understand medical documents. It does not replace a doctor or give medical advice. Always rely on your healthcare professional for treatment decisions.

Remember: This summary is generated by AI to help you understand better, but always keep the original document for your doctor's reference.