## **Template Week 6 – Networking**

Student number:
Assignment 6.1: Working from home
Screenshot installation openssh-server:
Screenshot successful SSH command execution:
Screenshot successful execution SCP command:
Screenshot remmina:
Assignment 6.2: IP addresses websites
Relevant screenshots nslookup command:
Relevant screenshots hislookup command.
Screenshot website visit via IP address:
Assignment 6.3: subnetting
How many IP addresses are in this network configuration 192.168.110.128/25?
What is the usable IP range to hand out to the connected computers?
Check your two previous answers with this calculator: <a href="https://www.calculator.net/ip-subnet-calculator.html">https://www.calculator.net/ip-subnet-calculator.html</a>
Explain the above calculation in your own words.

IT FUNDAMENTALS 1

## Assignment 6.4: HTML

Screenshot IP address Ubuntu VM:

Screenshot of Site directory contents:

Screenshot python3 webserver command:

Screenshot web browser visits your site

## Bonus point assignment - week 6

Remember that bitwise java application you've made in week 2? Expand that application so that you can also calculate a network segment as explained in the PowerPoint slides of week 6. Use the bitwise & AND operator. You need to be able to input two Strings. An IP address and a subnet.

IP: 192.168.1.100 and subnet: 255.255.255.224 for /27

Example: 192.168.1.100/27 Calculate the network segment

Network Addr: 11000000.10101000.00000001.01100000

This gives 192.168.1.96 in decimal as the network address. For a /27 subnet, each segment (or subnet) has 32 IP addresses ( $2^5$ ). The range of this network segment is from 192.168.1.96 to 192.168.1.127.

Paste source code here, with a screenshot of a working application.

■ Het lukte me niet om de strings om te zetten in bytes

IT FUNDAMENTALS 2

Ready? Save this file and export it as a pdf file with the name: week6.pdf

IT FUNDAMENTALS 3