

Course: Web Application Development Lab

Instructor: Msc. Nguyen Trung Nghia

Email: ntnghia@hcmiu.edu.vn

Lab 2: Advance HTML and CSS

Date: Oct 18th, 2025

Dương Thuỳ Trang - ITITWE21125

Output:

**San Joaquin Valley Town Hall**
Bringing cutting-edge speakers to the valley

This season's guest speakers

- October: **David Brancaccio**
- November: **Andrew Ross Sorkin**
- January: **Amy Chua**
- February: **Scott Sampson**
- March: **Carlos Eire**
- April: **Ronan Tynan**

Looking for a unique gift?

Town Hall has the answer. For only \$100, you can get a book of tickets for all of the remaining speakers. And the bargain includes a second book of tickets for a companion.

Or, for \$50, you can give yourself the gift of our speakers, and still get an extra ticket for a companion, but for just one of the events.

See you at the next show!

Contact us by phone at (559) 555-1212 for ticket information.


Lecture notes
Event change for November

SJV Town Hall is pleased to announce the addition of award-winning author Andrew Ross Sorkin. The appearance of previously scheduled speaker, Greg Mortenson, has been postponed.

Lecture day, time, and location

All one-hour lectures are on the second Wednesday of the month beginning at 10:30 a.m. at William Saroyan Theatre, 700 M Street, Fresno, CA.

© Copyright 2022 San Joaquin Valley Town Hall.



Survey

If you have a moment, we'd appreciate it if you would fill out this survey.

Your information:

First Name:

Last Name:

Email:

Date of Birth:

How did you hear about us?

- ☐ Search engine ☐ Word of mouth ☐ Social Media ☐ Other

Would you like to receive announcements about new CDs and special offers?

- ☐ YES, I'd like that.
☐ YES, please send me email announcements.

Please contact me by:

Submit

Checklist

Exercise 2:

WHAT:

This lab builds a **survey form** using HTML and CSS with text, email, date, radio, checkbox, and select elements.

WHEN:

Used when collecting user feedback or registration details on a webpage.

WHY:

To learn how to create structured forms, group inputs correctly, and style them for a clean and readable layout.

HOW:

A `<form>` element contains labeled inputs. Radio buttons share the same name, checkboxes allow multiple selections, and a dropdown (`<select>`) provides contact options. CSS is used for spacing, colors, and alignment.

```
86 <form>
87   
88
89   <h2>Survey</h2>
90   <p>If you have a moment, we'd appreciate it if you would fill out this survey.</p>
91
92   <p class="section-title">Your information:</p>
93   <label>First Name: <input type="text" name="firstName" required /></label>
94   <label>Last Name: <input type="text" name="lastName" required /></label>
95   <label>Email: <input type="email" name="email" required /></label>
96   <label>Date of Birth: <input type="date" name="dob" required /></label>
97
98   <p class="section-title">How did you hear about us?</p>
99   <div class="radio-group">
100     <label><input type="radio" name="source" value="search" /> Search engine</label>
101     <label><input type="radio" name="source" value="word" /> Word of mouth</label>
102     <label><input type="radio" name="source" value="social" /> Social Media</label>
103     <label><input type="radio" name="source" value="other" /> Other</label>
104   </div>
105
106   <p class="section-title">Would you like to receive announcements about new CDs and special offers?</p>
107   <label><input type="checkbox" name="announce" value="yes1" /> YES, I'd like that.</label>
108   <label><input type="checkbox" name="announce" value="yes2" /> YES, please send me email announcements.</label>
109
110   <label>Please contact me by:
111   <select name="contact">
112     <option value="both">Email or postal mail</option>
113     <option value="email">Email only</option>
114     <option value="post">Postal mail only</option>
115   </select>
116   </label>
117
118   <input type="submit" value="Submit" />
119 </form>
```

Exercise 3:

WHAT:

This task creates a **three-column webpage layout** using **CSS Grid**, including a header, two sidebars, a main area, and a footer.

WHEN:

Used when structuring a webpage that needs multiple sections aligned neatly — for example, blogs, dashboards, or news sites.

WHY:

CSS Grid allows precise control over layout structure (rows, columns, and spacing) without using floats or manual positioning.

HOW:

- The parent `<div class="container">` is set to `display: grid;`
- Layout defined with

```
16 | display: grid;  
17 | grid-template-areas:  
18 |   "header header header"  
19 |   "sidebarA main sidebarB"  
20 |   "footer footer footer";
```

- Each section (like `<header>`, `.main`, `.sidebarA`, `.sidebarB`, `<footer>`) is assigned its grid area using

```
30 | header {  
31 |   grid-area: header;
```

Exercise 4:

WHAT:

This exercise builds a **two-column webpage** for *San Joaquin Valley Town Hall* using **HTML5 and CSS Flexbox**. The layout includes a header with logo and title, main content area, sidebar, and footer.

WHEN:

Used when designing structured, professional webpages that combine text content with side information or announcements.

WHY:

Flexbox provides an easy and responsive way to align elements side by side without using floats or complex positioning. It keeps the layout consistent across devices.

HOW:

- The `<main>` section uses `display: flex;` to create two columns (`.content` and `.sidebar`).
- The header uses `display: flex;` to align the logo beside the title text.
- CSS colors (`#f6d79b`, `#b5651d`) and borders match the sample design.

```
46 .main {  
47   display: flex;  
48   gap: 20px;  
49   padding: 20px;  
50 }
```