

Thiết Kế Cơ Sở Dữ Liệu

Đề Tài: LivingDocs

Nhóm 1

2026

Mục lục

PREFACE	iii
I First half of the book	1
1 INTRODUCTION	3
1.1 Research question	3
1.2 Answer to the question	3
1.3 Positioning in the literature	4
1.4 A section	4
1.5 A final introduction section	5
2 SECTIONS AND CONTENT	7
II Thiết kế & Cài đặt	9
3 THUẬT TOÁN MAPING ER	11
3.1 Phân hệ Quản trị, Kiểm duyệt & Minh chứng AI	11
2 PHÂN HỆ WORKSPACE & EXTENSION (THÀNH VIÊN 2)	17
2.1 Phân hệ Workspace & Extension	17
2.2 Phân hệ Quản trị, Kiểm duyệt & Minh chứng AI	20
3 FUTURE RESEARCH	23

Preface

This is the preface. Lorem ipsum dolor sit amet—consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum, 1989–2024.

Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem. At vero eos et accusamus et iusto odio dignissimos ducimus, qui blanditiis praesentium voluptatum deleniti atque corrupti, quos dolores et quas molestias excepturi sint, obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga.

Nemo enim ipsam, *quia voluptas*, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem. At vero eos et accusamus et iusto odio dignissimos ducimus, qui blanditiis praesentium voluptatum deleniti atque corrupti, quos dolores et quas molestias excepturi sint, obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga.

part I.

First half of the book

chapter 1.

Introduction

This is the introductory chapter. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

1.1. Research question

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.¹

1.2. Answer to the question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation

¹Excepteur sint, sunt in culpa qui officia deserunt mollit anim id est laborum. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

ullamco laboris nisi ut aliquip ex ea commodo consequat.² Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

1.3. Positioning in the literature

Sed ut perspiciatis, unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam eaque ipsa, quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt, explicabo.³ Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem.

1.4. A section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis.

1.4.1. A subsection

Maecenas nec risus nec nibh hendrerit ultricies. Nulla facilisi. Maecenas in magna eget felis dictum tempus. Donec vehicula, dolor nec dictum aliquam, arcu libero commodo metus, nec varius neque magna at nulla. Sed nec arcu sollicitudin, scelerisque tortor nec, viverra arcu. Cras suscipit mi vitae erat varius, nec ullamcorper lectus tristique. Maecenas

²Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident. Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident. Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident.

³Obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga. Et harum quidem rerum facilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio, cumque nihil impedit, quo minus id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet, ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat.

aliquet lorem vitae velit ullamcorper, eget pellentesque velit rhoncus. Sed at risus at arcu hendrerit facilisis. Sed a massa hendrerit, rutrum orci ac, condimentum enim. Donec eget vestibulum eros. In hac habitasse platea dictumst.

1.4.2. Yet another subsection

Curabitur maximus libero id magna bibendum fringilla. Curabitur ultricies dictum justo. Nam efficitur lobortis sapien a tristique. Vivamus vestibulum, sem nec dignissim scelerisque, purus nunc volutpat ligula, vitae aliquam libero orci nec augue. Nullam semper pulvinar turpis eget finibus. Suspendisse potenti. Nunc posuere arcu eget mauris venenatis, id pharetra sapien dapibus. Etiam at dictum urna. Integer gravida, odio sit amet mattis scelerisque, ipsum arcu ullamcorper sem, in vehicula sapien elit in tellus. Cras nec justo eu mauris volutpat dignissim. Curabitur malesuada purus sed tortor sollicitudin, in ullamcorper risus suscipit.

1.5. A final introduction section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed auctor tortor non libero suscipit, nec vehicula velit consequat. Integer nec est at lacus venenatis malesuada sed nec tortor. Sed aliquam urna non nunc luctus, eget cursus purus consequat. Vivamus a purus nec purus finibus ultricies. Suspendisse potenti. Sed euismod purus ut lectus pulvinar, sit amet accumsan turpis tincidunt. Vivamus auctor tempor mauris, eu convallis leo dignissim nec. Sed scelerisque justo a felis ullamcorper, at fermentum lorem mattis. Etiam ultricies ligula et metus commodo, eget placerat est tempus. Cras tempus ex eu velit consectetur, id mattis sapien pharetra. Sed lobortis, libero quis sollicitudin congue, odio sapien consequat lacus, sed volutpat nibh nisl sit amet ex. Maecenas sollicitudin velit at nisi scelerisque, non venenatis libero tempor. Sed in vehicula ligula. Sed vulputate libero nec tristique lobortis.

Pellentesque habitant morbi tristique addipunct. Senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo.

Nullam varius nisi vel ipsum vehicula, at finibus justo ultricesaddpunct. Morbi vitae leo vitae purus dapibus tempor. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis.

chapter 2.

Sections and content

part II.

Thiết kế & Cài đặt

chapter 3.

Thuật toán maping ER

3.1. Phân hệ Quản trị, Kiểm duyệt & Minh chứng AI

3.1.1. Cú pháp Rút gọn (Logical Schema Syntax)

- `users` (user_id UUID PK, email VARCHAR(255), password_hash VARCHAR(255), first_name VARCHAR(100), last_name VARCHAR(100), status VARCHAR(20), created_at TIMESTAMP, updated_at TIMESTAMP, deleted_at TIMESTAMP)[cite: 1]
- `workspaces` (workspace_id UUID PK, name VARCHAR(150), description TEXT, status VARCHAR(20), created_at TIMESTAMP, updated_at TIMESTAMP, deleted_at TIMESTAMP)[cite: 1]
- `roles` (role_id UUID PK, role_name VARCHAR(50), description TEXT, created_at TIMESTAMP, updated_at TIMESTAMP)[cite: 1]
- `permissions` (permission_id UUID PK, permission_code VARCHAR(50), description TEXT, created_at TIMESTAMP)[cite: 1]
- `github_connections` (connection_id UUID PK, user_id UUID FK, github_user_id VARCHAR(50), github_username VARCHAR(100), access_token VARCHAR(500), created_at TIMESTAMP, updated_at TIMESTAMP)[cite: 1]

- `user_notification_preferences` (preference_id UUID PK, user_id UUID FK, channel VARCHAR(20))[cite: 1]
- `github_connection_scopes` (scope_id UUID PK, connection_id UUID FK, scope_value VARCHAR(50))[cite: 1]
- `workspace_members` (membership_id UUID PK, user_id UUID FK, workspace_id UUID FK, role_id UUID FK, joined_at TIMESTAMP, status VARCHAR(20))[cite: 1]
- `role_permissions` (role_permission_id UUID PK, role_id UUID FK, permission_id UUID FK, granted_at TIMESTAMP)[cite: 1]

3.1.2. Mã DDL SQL Hoàn Chỉnh (schema_member_1.sql)

```

1
2 CREATE TABLE users (
3     user_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
4     email            VARCHAR(255)  NOT NULL,
5     password_hash    VARCHAR(255)  NULL,
6     first_name       VARCHAR(100)  NULL,
7     last_name        VARCHAR(100)  NULL,
8     status           VARCHAR(20)   NOT NULL,
9     created_at       TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
10    updated_at       TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
11    deleted_at       TIMESTAMP     NULL,
12    CONSTRAINT pk_users PRIMARY KEY (user_id),
13    CONSTRAINT uq_users_email UNIQUE (email)
14 );
15
16
17 CREATE TABLE workspaces (
18     workspace_id     UUID          NOT NULL DEFAULT gen_random_uuid(),
19     name             VARCHAR(150)  NOT NULL,
20     description      TEXT          NULL,
21     status           VARCHAR(20)   NOT NULL,
22     created_at       TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
23     updated_at       TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
24     deleted_at       TIMESTAMP     NULL,
25     CONSTRAINT pk_workspaces PRIMARY KEY (workspace_id)
26 );
27
28
29 CREATE TABLE roles (
30     role_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
31     role_name        VARCHAR(50)   NOT NULL,
32     description      TEXT          NULL,

```

```

33     created_at      TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP ,
34     updated_at      TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP ,
35     CONSTRAINT pk_roles PRIMARY KEY (role_id)
36 );
37
38
39 CREATE TABLE permissions (
40     permission_id    UUID           NOT NULL DEFAULT gen_random_uuid(),
41     permission_code   VARCHAR(50)    NOT NULL ,
42     description       TEXT           NULL ,
43     created_at        TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP ,
44     CONSTRAINT pk_permissions PRIMARY KEY (permission_id),
45     CONSTRAINT uq_permissions_code UNIQUE (permission_code)
46 );
47
48
49 CREATE TABLE github_connections (
50     connection_id     UUID           NOT NULL DEFAULT gen_random_uuid(),
51     user_id           UUID           NOT NULL ,
52     github_user_id    VARCHAR(50)    NOT NULL ,
53     github_username    VARCHAR(100)   NOT NULL ,
54     access_token      VARCHAR(500)   NOT NULL ,
55     created_at        TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP ,
56     updated_at        TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP ,
57     CONSTRAINT pk_github_connections PRIMARY KEY (connection_id),
58     CONSTRAINT uq_github_connections_user UNIQUE (user_id),
59     CONSTRAINT fk_github_connections_user
60         FOREIGN KEY (user_id) REFERENCES users (user_id)
61         ON UPDATE CASCADE
62         ON DELETE CASCADE
63 );
64
65
66 CREATE TABLE user_notification_preferences (
67     preference_id     UUID           NOT NULL DEFAULT gen_random_uuid(),
68     user_id           UUID           NOT NULL ,
69     channel           VARCHAR(20)    NOT NULL ,
70     CONSTRAINT pk_user_notification_preferences PRIMARY KEY
71     (preference_id),
72     CONSTRAINT fk_user_notification_pref_user
73         FOREIGN KEY (user_id) REFERENCES users (user_id)
74         ON UPDATE CASCADE
75         ON DELETE CASCADE
76 );
77
78 CREATE TABLE github_connection_scopes (

```

```

79     scope_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
80     connection_id     UUID          NOT NULL,
81     scope_value       VARCHAR(50)   NOT NULL,
82     CONSTRAINT pk_github_connection_scopes PRIMARY KEY (scope_id),
83     CONSTRAINT fk_github_connection_scopes_conn
84         FOREIGN KEY (connection_id) REFERENCES github_connections
85         (connection_id)
86         ON UPDATE CASCADE
87         ON DELETE CASCADE
88 );
89 CREATE TABLE workspace_members (
90     membership_id     UUID          NOT NULL DEFAULT gen_random_uuid(),
91     user_id           UUID          NOT NULL,
92     workspace_id      UUID          NOT NULL,
93     role_id           UUID          NOT NULL,
94     joined_at         TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
95     status            VARCHAR(20)   NOT NULL,
96     CONSTRAINT pk_workspace_members PRIMARY KEY (membership_id),
97
98     CONSTRAINT uq_workspace_members_user_workspace UNIQUE (user_id,
99 workspace_id),
100    CONSTRAINT fk_workspace_members_user
101        FOREIGN KEY (user_id) REFERENCES users (user_id)
102        ON UPDATE CASCADE
103        ON DELETE CASCADE,
104    CONSTRAINT fk_workspace_members_workspace
105        FOREIGN KEY (workspace_id) REFERENCES workspaces (workspace_id)
106        ON UPDATE CASCADE
107        ON DELETE CASCADE,
108    CONSTRAINT fk_workspace_members_role
109        FOREIGN KEY (role_id) REFERENCES roles (role_id)
110        ON UPDATE CASCADE
111        ON DELETE RESTRICT
112 );
113
114 CREATE TABLE role_permissions (
115     role_permission_id UUID          NOT NULL DEFAULT gen_random_uuid(),
116     role_id            UUID          NOT NULL,
117     permission_id      UUID          NOT NULL,
118     granted_at         TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
119     CONSTRAINT pk_role_permissions PRIMARY KEY (role_permission_id),
120     CONSTRAINT uq_role_permissions_pair UNIQUE (role_id, permission_id),
121     CONSTRAINT fk_role_permissions_role
122         FOREIGN KEY (role_id) REFERENCES roles (role_id)
123         ON UPDATE CASCADE

```

```

124         ON DELETE CASCADE,
125     CONSTRAINT fk_role_permissions_permission
126         FOREIGN KEY (permission_id) REFERENCES permissions (permission_id)
127         ON UPDATE CASCADE
128         ON DELETE CASCADE
129 );
130
131
132 CREATE INDEX idx_github_connections_user_id ON github_connections(user_id);
133 CREATE INDEX idx_workspace_members_workspace_id ON
134     workspace_members(workspace_id);
135 CREATE INDEX idx_workspace_members_user_id ON workspace_members(user_id);
136 CREATE INDEX idx_role_permissions_role_id ON role_permissions(role_id);
137
138 CREATE OR REPLACE FUNCTION set_updated_at()
139 RETURNS TRIGGER AS $$
140 BEGIN
141     NEW.updated_at := CURRENT_TIMESTAMP;
142     RETURN NEW;
143 END;
144
145
146 CREATE TRIGGER trg_users_updated_at
147     BEFORE UPDATE ON users
148     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
149
150 CREATE TRIGGER trg_workspaces_updated_at
151     BEFORE UPDATE ON workspaces
152     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
153
154 CREATE TRIGGER trg_roles_updated_at
155     BEFORE UPDATE ON roles
156     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
157
158 CREATE TRIGGER trg_github_connections_updated_at
159     BEFORE UPDATE ON github_connections
160     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
161
162 GO

```


chapter 2.

Phân hệ Workspace & Extension (Thành viên 2)

2.1. Phân hệ Workspace & Extension

2.1.1. Cú pháp Rút gọn (Logical Schema Syntax)

- `workspaces` (`workspace_id` UUID PK, `name` VARCHAR(150), `description` TEXT, `status` VARCHAR(20), `created_at` DATETIMEOFFSET, `updated_at` DATETIMEOFFSET, `deleted_at` DATETIMEOFFSET)
- `github_connections` (`connection_id` UUID PK, `workspace_id` UUID FK, `provider` VARCHAR(50), `account_name` VARCHAR(100), `access_token` TEXT, `sync_status` VARCHAR(20), `created_at` DATETIME2, `updated_at` DATETIME2)
- `github_connection_scopes` (`scope_id` UUID PK, `connection_id` UUID FK, `scope_value` VARCHAR(100), `created_at` DATETIME2)
- `repositories` (`repository_id` UUID PK, `workspace_id` UUID FK, `name` VARCHAR(150), `url` VARCHAR(255), `default_branch` VARCHAR(50), `created_at` DATETIME2, `updated_at` DATETIME2)
- `branches` (`branch_id` UUID PK, `repository_id` UUID FK, `name` VARCHAR(100), `is_protected` BOOLEAN, `created_at` DATETIME2)

2.1.2. Mã DDL SQL Hoàn Chính (schema_member_workspace.sql)

```
1  -- 1. BANG WORKSPACES (Quan ly khong gian lam viec cua nguoi dung)
2  CREATE TABLE workspaces (
3      workspace_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
4      name VARCHAR(150) NOT NULL,
5      description TEXT NULL,
6      status VARCHAR(20) NOT NULL DEFAULT 'ACTIVE',
7      created_at DATETIMEOFFSET DEFAULT SYSDATETIMEOFFSET(),
8      updated_at DATETIMEOFFSET DEFAULT SYSDATETIMEOFFSET(),
9      deleted_at DATETIMEOFFSET NULL,
10
11     -- Constraints
12     CONSTRAINT uk_workspace_id_name UNIQUE (workspace_id, name),
13     CONSTRAINT chk_workspace_status CHECK (status IN ('ACTIVE', 'ARCHIVED'))
14 );
15
16 -- 2. BANG GITHUB_CONNECTIONS (Ket noi tai khoan GitHub voi Workspace)
17 CREATE TABLE github_connections (
18     connection_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
19     workspace_id UNIQUEIDENTIFIER NOT NULL,
20     provider VARCHAR(50) NOT NULL DEFAULT 'GITHUB',
21     account_name VARCHAR(100) NOT NULL,
22     access_token TEXT NOT NULL,
23     sync_status VARCHAR(20) NOT NULL DEFAULT 'IDLE',
24     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
25     updated_at DATETIME2 NULL,
26
27     -- Constraints
28     CONSTRAINT uk_github_connection UNIQUE (connection_id, provider),
29     CONSTRAINT chk_sync_status CHECK (sync_status IN ('IDLE', 'SYNCING', '
30     SUCCESS', 'FAILED'))
31 );
32
33 -- 3. BANG GITHUB_CONNECTION_SCOPES (Pham vi quyen han cua ket noi GitHub)
34 CREATE TABLE github_connection_scopes (
35     scope_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
36     connection_id UNIQUEIDENTIFIER NOT NULL,
37     scope_value VARCHAR(100) NOT NULL,
38     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
39
40     CONSTRAINT uk_connection_scope UNIQUE (connection_id, scope_value)
41 );
42
43 -- 4. BANG REPOSITORIES (Kho luu tru ma nguon lien ket)
44 CREATE TABLE repositories (
```

```

44     repository_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
45     workspace_id UNIQUEIDENTIFIER NOT NULL,
46     name VARCHAR(150) NOT NULL,
47     url VARCHAR(255) NOT NULL,
48     default_branch VARCHAR(50) DEFAULT 'main',
49     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
50     updated_at DATETIME2 NULL,
51
52     CONSTRAINT uk_repository_name UNIQUE (repository_id, name)
53 );
54
55 -- 5. BANG BRANCHES (Cac nhanh lam viec trong Repository)
56 CREATE TABLE branches (
57     branch_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
58     repository_id UNIQUEIDENTIFIER NOT NULL,
59     name VARCHAR(100) NOT NULL,
60     is_protected BIT NOT NULL DEFAULT 0,
61     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
62
63     CONSTRAINT uk_branch_name UNIQUE (repository_id, name)
64 );
65 GO
66
67 -- =====
68 -- KHAI BAO CAC KHOA NGOAI THAM CHIEU (CROSS-DOMAIN & INTERNAL FKs)
69 -- =====
70 ALTER TABLE github_connections ADD CONSTRAINT
71     fk_github_connections_workspace
72     FOREIGN KEY (workspace_id) REFERENCES workspaces(workspace_id) ON
73     DELETE CASCADE;
74
75 ALTER TABLE github_connection_scopes ADD CONSTRAINT
76     fk_github_scopes_connection
77     FOREIGN KEY (connection_id) REFERENCES github_connections(connection_id)
78     ON DELETE CASCADE;
79
80 ALTER TABLE repositories ADD CONSTRAINT fk_repositories_workspace
81     FOREIGN KEY (workspace_id) REFERENCES workspaces(workspace_id) ON
82     DELETE CASCADE;
83
84 ALTER TABLE branches ADD CONSTRAINT fk_branches_repository
85     FOREIGN KEY (repository_id) REFERENCES repositories(repository_id) ON
86     DELETE CASCADE;
87
88 GO

```

2.2. Phân hệ Quản trị, Kiểm duyệt & Minh chứng AI

2.2.1. Cú pháp Rút gọn (Logical Schema Syntax)

- reviews (review_id UUID PK, version_id UUID FK, user_id UUID FK, status VARCHAR(20), decision VARCHAR(20), summary_notes TEXT, created_at TIMESTAMP, updated_at TIMESTAMP)
- review_comments (comment_id UUID PK, review_id UUID FK, user_id UUID FK, content TEXT, is_resolved BOOLEAN, created_at TIMESTAMP, updated_at TIMESTAMP)
- approvals (approval_id UUID PK, version_id UUID FK, user_id UUID FK, decision VARCHAR(20), rejection_reason TEXT, approved_at TIMESTAMP)
- grounding_evidences (evidence_id UUID PK, version_id UUID FK, snippet_content TEXT, purpose VARCHAR(30), created_at TIMESTAMP)
- drift_alerts (alert_id UUID PK, evidence_id UUID FK, repository_id UUID FK, drift_type VARCHAR(20), status VARCHAR(20), detected_at TIMESTAMP)

2.2.2. Mã DDL SQL Hoàn Chỉnh (schema_member_5.sql)

```
1
2
3 CREATE TABLE reviews (
4     review_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
5     version_id UNIQUEIDENTIFIER NOT NULL,
6     user_id UNIQUEIDENTIFIER NOT NULL,
7     status VARCHAR(20) NOT NULL DEFAULT 'PENDING',
8     decision VARCHAR(20) NULL,
9     summary_notes NVARCHAR(MAX) NULL,
10    created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
11    updated_at DATETIME2 NULL,
12
13    CONSTRAINT chk_reviews_status CHECK (status IN ('PENDING', 'IN_PROGRESS', 'COMPLETED')),
14    CONSTRAINT chk_reviews_decision CHECK (decision IS NULL OR decision IN ('APPROVED', 'REJECTED', 'CHANGES_REQUESTED'))
15 );
16
17 CREATE TABLE review_comments (
18     comment_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
19     review_id UNIQUEIDENTIFIER NOT NULL,
20     user_id UNIQUEIDENTIFIER NOT NULL,
21     content NVARCHAR(MAX) NOT NULL,
```

```

22     is_resolved BIT NOT NULL DEFAULT 0,
23     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
24     updated_at DATETIME2 NULL,
25
26     CONSTRAINT fk_comments_review FOREIGN KEY (review_id)
27         REFERENCES reviews(review_id) ON DELETE CASCADE
28 );
29
30 CREATE TABLE approvals (
31     approval_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
32     version_id UNIQUEIDENTIFIER NOT NULL,
33     user_id UNIQUEIDENTIFIER NOT NULL,
34     decision VARCHAR(20) NOT NULL,
35     rejection_reason NVARCHAR(MAX) NULL,
36     approved_at DATETIME2 NOT NULL DEFAULT GETDATE(),
37
38     CONSTRAINT chk_approvals_decision CHECK (decision IN ('APPROVED', '
39     REJECTED'))
40 );
41
42 CREATE TABLE grounding_evidences (
43     evidence_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
44     version_id UNIQUEIDENTIFIER NOT NULL,
45     snippet_content NVARCHAR(MAX) NOT NULL,
46     purpose VARCHAR(30) NOT NULL DEFAULT 'HALLUCINATION_PREVENTION',
47     created_at DATETIME2 NOT NULL DEFAULT GETDATE(),
48
49     CONSTRAINT chk_evidences_purpose CHECK (purpose IN ('
50     HALLUCINATION_PREVENTION', 'CODE_REFERENCE', 'AST_VERIFICATION'))
51 );
52
53 CREATE TABLE drift_alerts (
54     alert_id UNIQUEIDENTIFIER PRIMARY KEY DEFAULT NEWID(),
55     evidence_id UNIQUEIDENTIFIER NOT NULL,
56     repository_id UNIQUEIDENTIFIER NOT NULL,
57     drift_type VARCHAR(20) NOT NULL,
58     status VARCHAR(20) NOT NULL DEFAULT 'OPEN',
59     detected_at DATETIME2 NOT NULL DEFAULT GETDATE(),
60
61     CONSTRAINT fk_alerts_evidence FOREIGN KEY (evidence_id)
62         REFERENCES grounding_evidences(evidence_id) ON DELETE CASCADE,
63     CONSTRAINT chk_alerts_type CHECK (drift_type IN ('REFERENTIAL', '
64     SIGNATURE', 'SEMANTIC', 'OUTDATED')),
65     CONSTRAINT chk_alerts_status CHECK (status IN ('OPEN', 'RESOLVED', '
66     IGNORED'))
67 );

```

```

65
66
67 ALTER TABLE reviews ADD CONSTRAINT fk_reviews_version
68     FOREIGN KEY (version_id) REFERENCES document_versions(version_id);
69 ALTER TABLE reviews ADD CONSTRAINT fk_reviews_user
70     FOREIGN KEY (user_id) REFERENCES users(user_id);
71 ALTER TABLE review_comments ADD CONSTRAINT fk_comments_user
72     FOREIGN KEY (user_id) REFERENCES users(user_id);
73 ALTER TABLE approvals ADD CONSTRAINT fk_approvals_version
74     FOREIGN KEY (version_id) REFERENCES document_versions(version_id);
75 ALTER TABLE approvals ADD CONSTRAINT fk_approvals_user
76     FOREIGN KEY (user_id) REFERENCES users(user_id);
77 ALTER TABLE grounding_evidences ADD CONSTRAINT fk_evidences_version
78     FOREIGN KEY (version_id) REFERENCES document_versions(version_id);
79 ALTER TABLE drift_alerts ADD CONSTRAINT fk_alerts_repository
80     FOREIGN KEY (repository_id) REFERENCES repositories(repository_id);
81
82 GO

```

chapter 3.

Future research