

Research Monographaskdfjhjk

How to Use the Book Template

Book Author

Month Year

PREFACE	iii
I First half of the book	1
1 INTRODUCTION	3
1.1 Research question	3
1.2 Answer to the question	3
1.3 Positioning in the literature	4
1.4 A section	4
1.5 A final introduction section	5
2 SECTIONS AND CONTENT	7
2.1 Generic section	7
2.2 Paragraphs	8
2.3 References	9
2.4 URL	9
3 MATH	11
3.1 Roman letters	11
3.2 Digits	12
3.3 Greek letters	12
3.4 Calligraphic letters	12
3.5 Blackboard-bold letters	12
3.6 Symbols	13
3.7 Bold characters	13
3.8 Operators	13
3.9 Some equations	13
3.10 Some propositions, theorems, and lemmas	15
II Second half of the book	19
4 LISTS, FIGURES, AND TABLES	21

Preface

This is the preface. Lorem ipsum dolor sit amet—consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum, 1989–2024.

Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem. At vero eos et accusamus et iusto odio dignissimos ducimus, qui blanditiis praesentium voluptatum deleniti atque corrupti, quos dolores et quas molestias excepturi sint, obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga.

Nemo enim ipsam, *quia voluptas*, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem. At vero eos et accusamus et iusto odio dignissimos ducimus, qui blanditiis praesentium voluptatum deleniti atque corrupti, quos dolores et quas molestias excepturi sint, obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga.

PART I.

First half of the book

CHAPTER 1.

Introduction

This is the introductory chapter. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

1.1. Research question

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.¹

1.2. Answer to the question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation

¹Excepteur sint, sunt in culpa qui officia deserunt mollit anim id est laborum. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

ullamco laboris nisi ut aliquip ex ea commodo consequat.² Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur.

1.3. Positioning in the literature

Sed ut perspiciatis, unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam eaque ipsa, quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt, explicabo.³ Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum, quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem.

1.4. A section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis.

1.4.1. A subsection

Maecenas nec risus nec nibh hendrerit ultricies. Nulla facilisi. Maecenas in magna eget felis dictum tempus. Donec vehicula, dolor nec dictum aliquam, arcu libero commodo metus, nec varius neque magna at nulla. Sed nec arcu sollicitudin, scelerisque tortor nec,

²Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident. Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident. Sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident.

³Obcaecati cupiditate non provident, similique sunt in culpa, qui officia deserunt mollitia animi, id est laborum et dolorum fuga. Et harum quidem rerum facilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio, cumque nihil impedit, quo minus id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet, ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat.

viverra arcu. Cras suscipit mi vitae erat varius, nec ullamcorper lectus tristique. Maecenas aliquet lorem vitae velit ullamcorper, eget pellentesque velit rhoncus. Sed at risus at arcu hendrerit facilisis. Sed a massa hendrerit, rutrum orci ac, condimentum enim. Donec eget vestibulum eros. In hac habitasse platea dictumst.

1.4.2. Yet another subsection

Curabitur maximus libero id magna bibendum fringilla. Curabitur ultricies dictum justo. Nam efficitur lobortis sapien a tristique. Vivamus vestibulum, sem nec dignissim scelerisque, purus nunc volutpat ligula, vitae aliquam libero orci nec augue. Nullam semper pulvinar turpis eget finibus. Suspendisse potenti. Nunc posuere arcu eget mauris venenatis, id pharetra sapien dapibus. Etiam at dictum urna. Integer gravida, odio sit amet mattis scelerisque, ipsum arcu ullamcorper sem, in vehicula sapien elit in tellus. Cras nec justo eu mauris volutpat dignissim. Curabitur malesuada purus sed tortor sollicitudin, in ullamcorper risus suscipit.

1.5. A final introduction section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed auctor tortor non libero suscipit, nec vehicula velit consequat. Integer nec est at lacus venenatis malesuada sed nec tortor. Sed aliquam urna non nunc luctus, eget cursus purus consequat. Vivamus a purus nec purus finibus ultricies. Suspendisse potenti. Sed euismod purus ut lectus pulvinar, sit amet accumsan turpis tincidunt. Vivamus auctor tempor mauris, eu convallis leo dignissim nec. Sed scelerisque justo a felis ullamcorper, at fermentum lorem mattis. Etiam ultricies ligula et metus commodo, eget placerat est tempus. Cras tempus ex eu velit consectetur, id mattis sapien pharetra. Sed lobortis, libero quis sollicitudin congue, odio sapien consequat lacus, sed volutpat nibh nisl sit amet ex. Maecenas sollicitudin velit at nisi scelerisque, non venenatis libero tempor. Sed in vehicula ligula. Sed vulputate libero nec tristique lobortis.

Pellentesque habitant morbi tristique. Senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean

non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo.

Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis.

CHAPTER 2.

Sections and content

This chapter shows how to introduce **sections, subsections, and paragraphs**.¹ It also shows how to introduce various references into the book.

Sed ut perspiciatis, unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam eaque ipsa, quae ab illo inventore veritatis et quasi architecto beatae vitae dicta sunt, explicabo.

2.1. Generic section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla facilisi. Nullam molestie, libero sit amet luctus vehicula, eros purus ultrices libero, eget fermentum leo sapien a metus. Duis porta massa vel justo posuere, nec placerat neque dictum. Morbi nec velit in turpis fermentum cursus nec ut leo. Integer vitae eros vehicula, fermentum turpis sed, fermentum elit. Suspendisse ac mauris at nisl ultricies commodo id nec justo.

2.1.1. Generic subsection

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id

¹A short footnote. The numbering of the footnotes restarts at the beginning of each chapter. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim.

2.1.2. Another generic subsection

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed ullamcorper justo nec sem blandit, ac interdum libero convallis. Nulla facilisi. Etiam euismod, purus eget tempor feugiat, lectus ex vehicula justo, ut feugiat odio nisi sit amet lorem. Vivamus id lobortis justo. Sed varius scelerisque nibh, ut finibus quam vehicula nec. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo.

2.2. Paragraphs

Here's the example of a run-in paragraph heading (*italic, on same line as text*).

Paragraph heading. Aenean fermentum purus id lacus volutpat, a eleifend mi posuere! Mauris nec nunc commodo, vehicula enim nec; vehicula ex. Nullam euismod lorem at eros efficitur: ut ultricies ante fringilla? Nam sagittis sapien id tortor commodo—a pulvinar velit ultricies... Integer ac magna velorci mollis vestibulum. Fusce id ipsum vel magna placerat vehicula. Curabitur ac lobortis justo.

Another paragraph with some numbers and special characters. Pellentesque habitant 25% morbi tristique senectus 1837–1905 et netus et malesuada fames ac turpis egestas. Integer semper euismod sapien vel dictum #1 and #6. Vivamus nec nunc sed metus interdum suscipit. (Maecenas tristique felis sed eleifend aliquet.) Donec et ipsum 3/4 in mauris ultricies pulvinar 9/2. Nullam quis “sapien a justo” vestibulum fermentum. Cras sed odio & vitae mi placerat mollis: \$23.

2.3. References

References can be appended at the end of a sentence, in parenthesis (?).² References can also include page numbers or other bibliographical information (?, p. 1305). References can be in text: for instance, ? found this and ?, figure 1 found that. It's also possible to collate several references to the same author: for instance, ?? found things. References from the same authors and same year appear as follows: ?? wrote something. It is also possible to cite the authors of a study by name, or the year of a study: for instance, ? wrote a paper in ? on this topic.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Integer vitae metus eget risus vulputate consectetur. Suspendisse potenti. Quisque dictum purus non justo aliquet, sed tristique odio dapibus. Sed tincidunt justo vitae leo mattis, a ullamcorper metus vestibulum. Sed ac sapien metus. Sed non mauris nec nisl vehicula iaculis eget eget enim. Suspendisse potenti. Sed ac purus volutpat, venenatis sem eget, fermentum lorem. Suspendisse eu convallis tortor. Nunc vel dictum libero. Cras eleifend, orci non faucibus gravida, sapien quam pharetra ligula, nec tincidunt elit ex at sapien.

2.4. URL

It is possible to insert URLs, such as the URL for this book template's repository: <https://github.com/pmichaillat/latex-book>. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Curabitur maximus libero id magna bibendum fringilla. Curabitur ultricies dictum justo. Nam efficitur lobortis sapien a tristique. Vivamus vestibulum, sem nec dignissim

²This is a longer footnote to show how the page shape changes when footnotes occupy several lines. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Sed ut perspiciatis, unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam eaque ipsa. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum. Sed ut perspiciatis, unde omnis iste natus error sit voluptatem accusantium doloremque laudantium, totam rem aperiam eaque ipsa.

scelerisque, purus nunc volutpat ligula, vitae aliquam libero orci nec augue. Nullam semper pulvinar turpis eget finibus. Suspendisse potenti. Nunc posuere arcu eget mauris venenatis, id pharetra sapien dapibus. Etiam at dictum urna. Integer gravida, odio sit amet mattis scelerisque, ipsum arcu ullamcorper sem, in vehicula sapien elit in tellus. Cras nec justo eu mauris volutpat dignissim. Curabitur malesuada purus sed tortor sollicitudin, in ullamcorper risus suscipit. Sed auctor tortor non libero suscipit, nec vehicula velit consequat. Integer nec est at lacus venenatis malesuada sed nec tortor.

CHAPTER 3.

Math

This chapter displays a number of mathematical expressions to showcase the math fonts used in the template. The chapter also shows how to introduce different types of equations, theorems, propositions, corollaries, lemmas, and other results into the book.

3.1. Roman letters

The Roman characters in math are just the same as the characters in the text—but in *italic*. Here are some small letters:

$$a\{p - r \times l\} + \frac{w(g/z + j)}{i(t) + j(t) + k(t) - e^p - x^j} + \frac{h[f] + x^f}{k[y] - e^y + x^y} = f(j)^{6+y} - i_{g,j,p}^3 \approx (p_{ji})^5.$$

Here are some capital letters as well:

$$G[p + P^7 - Q] - A_B + L\{j\} = F(X) \rightarrow [Y + K] \times Z_f/H - [g_4 - i], \text{ for any } i.$$

The punctuation is also the same in math as in text.¹

¹A longer footnote illustrating how multiple lines of footnote text affect the bottom of the page and the main text flow. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus.

3.2. Digits

The digits in math are also taken from the text font, just like the Roman characters. So 1, 2, 3, 4, 89, 03 (in text mode) is just the same as 1, 2, 3, 4, 89, 03 (in math mode). The percentage sign is also the same so 27% (in text mode) is the same as 27% (in math mode). Nulla facilisi.

3.3. Greek letters

Here are some small Greek letters in a math display:

$$\alpha^\theta + \gamma^4 + g(a) - \zeta \times \frac{y(\lambda)}{\kappa \cdot k + \sigma - s} \rightarrow \nu_\eta = \beta^\epsilon \cdot \delta - \mu + \frac{\xi^4}{\zeta_{ij}} \rightarrow m(x) + b^e + \omega.$$

Here are some capital Greek letters in another math display:

$$(3.1) \quad F(\Psi) - G(\Phi) \times \Delta^{10} = \Sigma \cdot \Omega^2 - \frac{\Lambda_i}{\Theta_j} \cdot \frac{\Gamma(x)}{\Pi(t)}.$$

Some but not all the variants of the standard Greek letters are available. There is a variant for theta ($\vartheta \neq \theta$), for epsilon ($\varepsilon \neq \epsilon$), for pi ($\varpi \neq \pi$), and for phi ($\varphi \neq \phi$). But there is no available variant for sigma ($\sigma = \sigma$), rho ($\rho = \rho$), and kappa ($\backslash \text{varkappa}$ gives an error).

3.4. Calligraphic letters

Calligraphic letters are taken from the same family of fonts as the Greek letters. The calligraphic letters are only available for capital letters. Here are some of the calligraphic letters:

$$(3.2) \quad \frac{\mathcal{A}(A)}{\mathcal{H}} - \mathcal{B}(\beta) + \mathcal{Q}(j + 3f) \rightarrow \mathcal{Y} + \mathcal{M}(\mathcal{N} - 2) = \mathcal{J}(X) \neq \mathcal{X}(J) - \mathcal{F}[\mathcal{D} \times \Delta]^8.$$

3.5. Blackboard-bold letters

Here are some blackboard-bold letters, used in some mathematical expressions: $x \in \mathbb{R}^n$ but $y \in \mathbb{Q}$ and $[A_1, A_2] \in \mathbb{Z} \times \mathbb{N}$; so that $\mathbb{E}[X \mid Y] = Y + 3 \cdot \mathbb{P}(X^2) \notin \mathbb{C} \times \mathbb{1}(X \subseteq \mathbb{B})$.

3.6. Symbols

The template comes with a full set of mathematical symbols. Here is a random assortment of some symbols:

$$(3.3) \quad \left(\frac{\sum_i \tilde{z}_i}{\sum_{j=-\infty}^{+\infty} X_j} \right) \pm Q \subset \mathbb{R} \neq \mathbb{C} \implies \sqrt{\frac{\mathcal{X}}{2}} > \sqrt{\mathcal{Y}} \gg \hat{b}(y_0).$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed aliquam magna vel urna ultrices, sed lacinia nulla mattis. Fusce non nunc nec est mollis malesuada. Nullam dignissim nulla sit amet libero facilisis, eget fringilla libero sagittis. Suspendisse potenti. Vivamus fermentum consectetur ante, at rhoncus nisi tristique vel:

$$(3.4) \quad \sum_i \left[\frac{\hat{x}(i)}{\mathcal{Y}(i)} \right]^2 \leq 2\pi \Rightarrow \prod_j \bar{y}(j)^2 \geq \left\{ \iint \frac{g(h)}{\gamma(s) \times \Delta(h)} dh ds \right\} \mapsto f \circ g(x) \iff \tilde{Q}(x) \propto \frac{\dot{x}}{2}.$$

3.7. Bold characters

In the template it is possible to bold all math characters. Roman characters can be bolded, such as **$\mathbf{a} + \mathbf{D} = \mathbf{E}^2 + \mathbf{j}/\mathbf{i}$** . Greek characters can also be bolded, such as **$\boldsymbol{\alpha} + \boldsymbol{\Delta} = \boldsymbol{\epsilon}^2 + \boldsymbol{\Lambda}/\boldsymbol{\Phi}$** . It is also possible to bold digits: $1 + 2 \neq \mathbf{1} + \mathbf{2}$. Finally, it is possible to bold calligraphic letters: $\mathcal{C} + \mathcal{E} - [\mathcal{X} + \mathcal{Y}]$. Blackboard-bold letters are already “bold” so they cannot be bolded further.

3.8. Operators

Operators in mathematical expressions are typeset with the text font. Here are a few examples:

$$(3.5) \quad \max_x \pi(x) = \frac{\int \ln(u) du}{\int \exp(v) dv} \mapsto \cos(\theta) + \sin(\omega) - \min_z [\tan(z)].$$

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula.

3.9. Some equations

This subsection illustrates how the different math fonts fit together. The equations below combine various characters together.

First, here are equations in text. Lorem ipsum dolor sit amet, consectetur adipiscing elit: $\prod_i \alpha_i(X) \geq 2 \cdot [\partial a_u(Z)/\partial Z] \propto \mathcal{X} \sim 5.2\pi \rightsquigarrow +\infty$. Lorem ipsum dolor sit amet, consectetur adipiscing elit: $\sum_{x=1}^4 \xi^x(j) = 0, \forall j \in \mathbb{R}$. Here are some other expressions: $\mathcal{R}(z) = \max\{T_1, \dots, T_n\} > \hat{z}$, and $\mathbb{P}(T_n < z) = 1 - S(z) = F(z)$. Sed vehicula ultrices odio, vitae maximus justo convallis at. Fusce quis consequat arcu: $\alpha^* = S(z^*)$ and $S^*(z^*) = \mathbb{E}[\alpha \mid \beta]$. Integer non ante eget purus aliquet consequat. Mauris ut dui nec ligula consectetur commodo. Mauris ut dui nec ligula consectetur commodo. Mauris ut dui nec ligula consectetur commodo. Mauris ut dui nec ligula consectetur commodo. Mauris ut dui nec ligula consectetur commodo—mauris ut dui nec ligula consectetur commodo.

Here are equations in display mode, without labels:

$$\frac{\mathcal{S}(u^*)}{1 - \frac{\partial \ln(\theta)}{\partial \theta} + [\gamma^\eta] - \mathcal{G}(z^*)} = \sum_{i=0}^{+\infty} \frac{dF^i(x)}{dx} - \wedge(i) \geq \left\{ \sum_{i=0}^{+\infty} G^i - \Omega(i) \right\}$$

$$\frac{\mathbb{Q}(z^*)}{1 - \mu + \exp(\xi) \times \mathbb{M}(z^*)} = \prod_{i=0}^{+\infty} F^i - \Phi(i) \neq \left(\int_0^{+\infty} \frac{G^i}{\epsilon(i)} di \right).$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed vehicula ultrices odio, vitae maximus justo convallis at. Fusce quis consequat arcu. Integer non ante eget purus aliquet consequat. Mauris ut dui nec ligula consectetur commodo.

And here is a single equation in display mode without a label:

$$\dot{y}(t) \rightarrow \sum_{j=0}^{+\infty} \mathcal{W}^j(z^*(t)) = \frac{S(z)\mathbb{E}(N(z))}{\mu_1 - \zeta_2} \cdot 2 - \left[\prod_{i=0}^{+\infty} \mathcal{F}^i \right] - \iiint \exp(\lambda(t)\mu(s)) \sin(\theta) dt ds d\theta.$$

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Nam consequat, ipsum eget tincidunt aliquam, mi est pellentesque lacus, nec ullamcorper leo magna a dui.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo.

3.10. Some propositions, theorems, and lemmas

Here is a proposition with some more math. Note that numbering of all the results is specific to each chapter:

PROPOSITION 3.1. *Lorem ipsum dolor sit amet, consectetur adipiscing elit:*

$$(3.6) \quad \sum_k \mathbf{s}_{k_x}(z) \approx \frac{S(z)^x}{k/23 - \zeta\gamma[45 - S(z)] + \ln(y) - j^2 + x(l)}.$$

Ut enim ad minim veniam, sunt in culpa qui officia deserunt mollit anim id est laborum. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

PROOF. Here is the proof to the proposition. Donec commodo justo a eros malesuada, eget vulputate tortor accumsan. Sed ac pulvinar nulla. Etiam quis felis dapibus, vulputate metus eu, finibus nunc. Sed vel sodales dui. Nam venenatis dolor non orci tempus fermentum. Vivamus sodales justo a ligula cursus aliquet. Sed fringilla nunc vitae justo finibus, id placerat lectus sodales. $\square$

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo.

Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis. Integer vitae metus eget risus vulputate consectetur. Suspendisse potenti.

Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae;

Sed ac eros vel felis vehicula vehicula. Phasellus interdum justo a felis congue, vel dapibus est tristisque. Now here is a lemma—numbering is specific to each type of entry, so lemmas have a separate numbering from propositions:

LEMMA 3.1. *Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat:*

$$(3.7) \quad z^* = \int_0^\infty \alpha(i) \cdot \frac{1 - \beta}{1 - \alpha(i)\beta} di.$$

Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor: $\int_0^\infty \alpha(i) di < +\infty$.

Here is the proof to the lemma. Donec commodo justo a eros malesuada, eget vulputate tortor accumsan:

PROOF. Sed ac pulvinar nulla: $\alpha^* = S(z^*)^2 + \beta \times \gamma^2$ et $S^*(z^*) = \mathbb{E}[\alpha - \gamma \mid \beta] \in \mathbb{R}^+$. Etiam quis felis dapibus, vulputate metus eu, finibus nunc. Sed vel sodales dui. Nam venenatis dolor non orci tempus fermentum. Vivamus sodales justo a ligula cursus aliquet. Sed fringilla nunc vitae justo finibus, id placerat lectus sodales. $\square$

Quia dolor sit amet consectetur adipiscing velit, sed quia non numquam eius modi tempora incidunt, ut labore et dolore magnam aliquam quaerat voluptatem. Then here is another lemma:

LEMMA 3.2. *Consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua $\mathcal{Z}(\alpha)$.*

$$\frac{\sum_i z^i}{\prod_i q^i} \rightarrow \frac{\int_0^\infty \alpha(i) \cdot [1 - \beta] di}{1 - \exp(\alpha) \sin(\beta)}.$$

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur: $\alpha(i) \cdot [1 - \beta] < \zeta$. Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum.

Pellentesque habitant morbi tristisque senectus et netus et malesuada fames ac turpis egestas. Aliquam erat volutpat. Donec tincidunt, quam sed pellentesque fermentum, lorem dolor consequat lectus, at pulvinar arcu ipsum in ligula. Mauris pretium ipsum id sapien posuere vehicula. Vivamus consectetur, turpis vitae pellentesque molestie, libero odio venenatis mauris, id vestibulum nisl nulla sit amet enim. Cras ultricies consectetur ex, sit amet vestibulum lacus hendrerit vel. Sed lacinia eleifend purus. Nunc dignissim eros et sapien lacinia eleifend. Curabitur sit amet velit eu metus suscipit tempus. Maecenas in libero felis. Sed quis eros sapien. Suspendisse potenti. Curabitur porta est sed enim efficitur, a tempor justo fermentum. Vivamus pulvinar enim vitae semper rutrum. Aenean

non mauris sed lectus vestibulum feugiat eget et ipsum. Donec semper vitae enim at ultricies. Sed eu arcu justo. And here is a theorem following the lemma:

THEOREM 3.1. *Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua:*

$$\mathbb{E}(N(z^*)) \approx \frac{1 - \mathbb{P}(\alpha\pi)}{1 - \pi} - \frac{f(y)}{z(p)^*} + P(\Gamma).$$

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Nemo enim ipsam voluptatem, quia voluptas sit, aspernatur aut odit aut fugit, sed quia consequuntur magni dolores eos, qui ratione voluptatem sequi nesciunt, neque porro quisquam est, qui dolorem ipsum.

Nullam varius nisi vel ipsum vehicula, at finibus justo ultrices. Morbi vitae leo vitae purus dapibus tempor. Vestibulum sed nisi sit amet mi suscipit suscipit non nec tortor. Vivamus non ligula id turpis tempus fermentum ac sit amet leo. Etiam sit amet magna at turpis fringilla vestibulum. Sed non nisl eu velit consectetur malesuada eget eu libero. Sed a nisi sit amet velit facilisis feugiat nec at est. Quisque nec ultrices purus. Maecenas gravida mauris vel nulla eleifend, non dictum enim ullamcorper. Sed sit amet turpis in lectus dictum facilisis. Donec sed eros sed dui consectetur dictum. Sed volutpat tortor nec odio viverra, id sodales enim congue. Maecenas sit amet eros vitae nisl placerat mattis. Integer vitae metus eget risus vulputate consectetur. Suspendisse potenti.

PART II.

Second half of the book

CHAPTER 4.

Lists, figures, and tables

```
1
2 CREATE TABLE templates (
3     template_id        UUID            NOT NULL DEFAULT gen_random_uuid(),
4     workspace_id        UUID            NOT NULL,
5     name                VARCHAR(150)    NOT NULL,
6     description         TEXT            NULL,
7     content_structure    TEXT            NULL,
8     creator_type        VARCHAR(20)     NOT NULL,
9     status              VARCHAR(20)     NOT NULL DEFAULT 'DRAFT',
10    created_at           TIMESTAMP       NOT NULL DEFAULT CURRENT_TIMESTAMP,
11    updated_at           TIMESTAMP       NOT NULL DEFAULT CURRENT_TIMESTAMP,
12    CONSTRAINT pk_templates PRIMARY KEY (template_id),
13
14    CONSTRAINT uq_templates_workspace_name UNIQUE (workspace_id, name),
15    CONSTRAINT fk_templates_workspace
16        FOREIGN KEY (workspace_id) REFERENCES workspaces (workspace_id)
17        ON UPDATE CASCADE
18        ON DELETE CASCADE,
19    CONSTRAINT ck_templates_creator_type
20        CHECK (creator_type IN ('SYSTEM', 'USER', 'AI')),
21    CONSTRAINT ck_templates_status
22        CHECK (status IN ('DRAFT', 'ACTIVE', 'ARCHIVED')),
23    CONSTRAINT ck_templates_name_not_blank
24        CHECK (length(btrim(name)) > 0),
25    CONSTRAINT ck_templates_updated_after_created
26        CHECK (updated_at >= created_at)
```

```

27 );
28
29 CREATE TABLE template_sections (
30     section_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
31     template_id          UUID          NOT NULL,
32     heading_title        VARCHAR(255)  NOT NULL,
33     order_index          INTEGER        NOT NULL,
34     prompt_instruction    TEXT          NULL,
35     created_at           TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP,
36     updated_at           TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP,
37     CONSTRAINT pk_template_sections PRIMARY KEY (section_id),
38
39     CONSTRAINT uq_template_sections_order UNIQUE (template_id, order_index),
40     CONSTRAINT fk_template_sections_template
41         FOREIGN KEY (template_id) REFERENCES templates (template_id)
42         ON UPDATE CASCADE
43         ON DELETE CASCADE,
44     CONSTRAINT ck_template_sections_order_index
45         CHECK (order_index >= 0),
46     CONSTRAINT ck_template_sections_heading_not_blank
47         CHECK (length(btrim(heading_title)) > 0)
48 );
49
50 CREATE TABLE placeholders (
51     placeholder_id        UUID          NOT NULL DEFAULT gen_random_uuid(),
52     section_id            UUID          NOT NULL,
53     variable_name          VARCHAR(100)  NOT NULL,
54     expected_data_type     VARCHAR(30)   NOT NULL,
55     description            TEXT          NULL,
56     is_required            BOOLEAN        NOT NULL DEFAULT TRUE,
57     created_at             TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP,
58     updated_at             TIMESTAMP      NOT NULL DEFAULT CURRENT_TIMESTAMP,
59     CONSTRAINT pk_placeholders PRIMARY KEY (placeholder_id),
60
61     CONSTRAINT uq_placeholders_section_variable UNIQUE (section_id,
62     variable_name),
63     CONSTRAINT fk_placeholders_section
64         FOREIGN KEY (section_id) REFERENCES template_sections (section_id)
65         ON UPDATE CASCADE
66         ON DELETE CASCADE,
67     CONSTRAINT ck_placeholders_expected_data_type
68         CHECK (expected_data_type IN ('STRING', 'NUMBER', 'BOOLEAN',
69     'DATE', 'LIST', 'OBJECT', 'CODE')),
70
71     CONSTRAINT ck_placeholders_variable_name_format
72         CHECK (variable_name ~ '^[A-Za-z_][A-Za-z0-9_]*$')
73 );

```

```

73
74 CREATE TABLE template_mappings (
75     mapping_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
76     placeholder_id      UUID          NOT NULL,
77     code_entity_id      UUID          NOT NULL,
78     extraction_rule     TEXT          NULL,
79     is_active           BOOLEAN       NOT NULL DEFAULT TRUE,
80     CONSTRAINT pk_template_mappings PRIMARY KEY (mapping_id),
81
82     CONSTRAINT uq_template_mappings_pair UNIQUE (placeholder_id,
83     code_entity_id),
84     CONSTRAINT fk_template_mappings_placeholder
85         FOREIGN KEY (placeholder_id) REFERENCES placeholders (placeholder_id)
86         ON UPDATE CASCADE
87         ON DELETE CASCADE,
88     CONSTRAINT fk_template_mappings_code_entity
89         FOREIGN KEY (code_entity_id) REFERENCES code_entities (code_entity_id)
90         ON UPDATE CASCADE
91         ON DELETE CASCADE
92 );
93
94 CREATE TABLE documents (
95     document_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
96     workspace_id         UUID          NOT NULL,
97     author_user_id       UUID          NOT NULL,
98     title                VARCHAR(255)  NOT NULL,
99     document_type        VARCHAR(30)   NOT NULL,
100    status                VARCHAR(20)   NOT NULL DEFAULT 'DRAFT',
101    created_at            TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
102    updated_at            TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
103    deleted_at            TIMESTAMP     NULL,
104    CONSTRAINT pk_documents PRIMARY KEY (document_id),
105    CONSTRAINT fk_documents_workspace
106        FOREIGN KEY (workspace_id) REFERENCES workspaces (workspace_id)
107        ON UPDATE CASCADE
108        ON DELETE CASCADE,
109    CONSTRAINT fk_documents_author
110        FOREIGN KEY (author_user_id) REFERENCES users (user_id)
111        ON UPDATE CASCADE
112        ON DELETE RESTRICT,
113    CONSTRAINT ck_documents_type
114        CHECK (document_type IN ('SRS', 'API_DOC', 'USER_GUIDE',
115                                'RELEASE_NOTE', 'TECH_DESIGN', 'OTHER')),
116    CONSTRAINT ck_documents_status
117        CHECK (status IN ('DRAFT', 'IN_REVIEW', 'PUBLISHED', 'ARCHIVED')),
118    CONSTRAINT ck_documents_title_not_blank
119        CHECK (length(btrim(title)) > 0),

```

```

119     CONSTRAINT ck_documents_deleted_after_created
120         CHECK (deleted_at IS NULL OR deleted_at >= created_at)
121 );
122
123 CREATE UNIQUE INDEX uq_documents_workspace_title_active
124     ON documents (workspace_id, title)
125     WHERE deleted_at IS NULL;
126
127 CREATE TABLE document_versions (
128     version_id          UUID          NOT NULL DEFAULT gen_random_uuid(),
129     document_id         UUID          NOT NULL,
130     version_number      VARCHAR(20)   NOT NULL,
131     content             TEXT          NULL,
132     change_summary     TEXT          NULL,
133     status              VARCHAR(20)   NOT NULL DEFAULT 'DRAFT',
134     ticket_codes        VARCHAR(500)  NULL,
135     created_at          TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
136     updated_at          TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
137     CONSTRAINT pk_document_versions PRIMARY KEY (version_id),
138
139     CONSTRAINT uq_document_versions_number UNIQUE (document_id, version_number
140 ),
141     CONSTRAINT fk_document_versions_document
142         FOREIGN KEY (document_id) REFERENCES documents (document_id)
143         ON UPDATE CASCADE
144         ON DELETE CASCADE,
145     CONSTRAINT ck_document_versions_status
146         CHECK (status IN ('DRAFT', 'IN_REVIEW', 'APPROVED', 'REJECTED', '
147 PUBLISHED')),
148
149     CONSTRAINT ck_document_versions_number_format
150         CHECK (version_number ~ '^[vV]?[0-9]+(\.[0-9]+){0,2}$');
151
152 CREATE TABLE change_logs (
153     log_id              UUID          NOT NULL DEFAULT gen_random_uuid(),
154     version_id          UUID          NOT NULL,
155     change_type         VARCHAR(20)   NOT NULL,
156     change_description  TEXT          NULL,
157     diff_content        TEXT          NULL,
158     created_at          TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
159     updated_at          TIMESTAMP     NOT NULL DEFAULT CURRENT_TIMESTAMP,
160     CONSTRAINT pk_change_logs PRIMARY KEY (log_id),
161     CONSTRAINT fk_change_logs_version
162         FOREIGN KEY (version_id) REFERENCES document_versions (version_id)
163         ON UPDATE CASCADE
164         ON DELETE CASCADE,

```

```

164     CONSTRAINT ck_change_logs_change_type
165         CHECK (change_type IN ('CREATE', 'UPDATE', 'DELETE', 'RESTORE', '
166         PUBLISH'))
167 );
168
169 CREATE INDEX idx_templates_workspace_id ON templates (workspace_id);
170 CREATE INDEX idx_templates_status ON templates (status);
171 -- placeholders / mappings
172 CREATE INDEX idx_template_mappings_code_entity ON template_mappings (
173     code_entity_id);
174 CREATE INDEX idx_template_mappings_active ON template_mappings (
175     placeholder_id)
176     WHERE is_active = TRUE;
177
178 CREATE INDEX idx_documents_workspace_id ON documents (workspace_id);
179 CREATE INDEX idx_documents_author ON documents (author_user_id);
180 CREATE INDEX idx_documents_status ON documents (status);
181 CREATE INDEX idx_documents_created_at ON documents (created_at DESC);
182
183 CREATE INDEX idx_document_versions_status ON document_versions (status);
184 CREATE INDEX idx_document_versions_created_at ON document_versions (
185     document_id, created_at DESC);
186
187 CREATE INDEX idx_change_logs_version_id ON change_logs (version_id);
188 CREATE INDEX idx_change_logs_created_at ON change_logs (created_at DESC);
189
190 CREATE OR REPLACE FUNCTION set_updated_at()
191 RETURNS TRIGGER AS $$
192 BEGIN
193     NEW.updated_at := CURRENT_TIMESTAMP;
194     RETURN NEW;
195 END;
196 $$ LANGUAGE plpgsql;
197
198 CREATE TRIGGER trg_templates_updated_at
199     BEFORE UPDATE ON templates
200     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
201
202 CREATE TRIGGER trg_template_sections_updated_at
203     BEFORE UPDATE ON template_sections
204     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
205
206 CREATE TRIGGER trg_placeholders_updated_at
207     BEFORE UPDATE ON placeholders
208     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
209
210 CREATE TRIGGER trg_documents_updated_at
211     BEFORE UPDATE ON documents
212     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
213
214 CREATE TRIGGER trg_document_versions_updated_at

```

```
207     BEFORE UPDATE ON document_versions
208     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
209 CREATE TRIGGER trg_change_logs_updated_at
210     BEFORE UPDATE ON change_logs
211     FOR EACH ROW EXECUTE FUNCTION set_updated_at();
```

STAGE 3 - DDL SCRIPT (PostgreSQL)