

Does this reply  
follow our return policy?

### Return Policy

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

A:  
refund eligible



B:  
replacement  
eligible



C:  
not eligible



D:  
order number  
needed



# What problem are we solving?

3 hours: 50-minute lesson, 10-minute break, 50-minute guided practice, 10-minute break, 50-minute applied practice, and 10-minute wrap-up.

## SITUATION

### The problem

A small online shop receives return questions. A broad AI prompt may sound friendly but give an incorrect answer. Students need a way to improve an answer and check it against the policy.

## TARGET

### Learning goal

Diagnose one output weakness, change one prompt instruction, and compare the result against the same source policy.

**Practice material:** Use the practice material supplied in the session Markdown.

# Use these supplied facts

Do not replace missing information with guesses.

## CASE MATERIAL

### Fictional shop policy

- Unopened item with receipt returned within 14 days of delivery: refund eligible. Item reported damaged within 7 days: replacement eligible. Opened, undamaged item: not eligible for a standard refund. If receipt or a required detail is missing, ask for the order number and do not promise an exception.

## CASE MATERIAL

### Customer messages

- A: unopened, receipt available, arrived 10 days ago. B: arrived cracked yesterday, customer can send a photo. C: opened, changed mind, arrived 6 days ago. D: refund requested, receipt missing.

# Concepts for this problem

Keep each concept tied to the practical decision.

## UNDERSTAND

### Core concepts

- Context supplies the rules; task states what to do; constraints prevent unsupported promises; output format makes the answer easy to check. A change log records what changed and whether it helped.

## APPLY

### A simple method

- Run a short prompt; identify one visible weakness; change one instruction and compare both outputs against the policy.

# What makes a prompt weak?

These examples come from the current session scenario.

## AVOID

### Weak example 1

Reply to these customers.

## AVOID

### Weak example 2

Make every customer happy and approve each request.

# A clearer, safer prompt

Keep the source, task, constraints, and output check visible.

## USE

### Improved example 1

Use only the policy and customer messages below. For each case, label the result Eligible, Not eligible under the stated policy, or Information needed. Give one policy reason. Do not invent exceptions.

## USE

### Improved example 2

Draft a separate reply for each customer using only the policy. Start with the result, give one brief reason, and state the next step. If information is missing, ask for it without promising approval. Keep each reply under 50 words.

# Exercise 1: Follow the steps

Use the complete case and instructions from the session Markdown.

## GUIDED PRACTICE

### Exercise 1: Follow the steps

- Paste the policy and cases A-D into AI. Compare Poor Prompt 1 with Improved Prompt 1. Check the answer: A is refund eligible; B is replacement eligible; C is not eligible under the stated policy; D needs the order number and is not yet approved. Record one weakness, the prompt change, and the observed improvement.

# Exercise 2: Try a small variation

Use the complete case and instructions from the session Markdown.

## APPLIED PRACTICE

### Exercise 2: Try a small variation

- Add Case E: unopened, arrived 10 days ago, receipt missing, order number available. Revise only what is needed so the AI asks the shop to verify the order rather than promising a refund.

# How to know the work is complete

Check the output before sharing or acting on it.

## SUBMIT

### Deliverable

- A three-row prompt change log and one accurate reply for Case E.

## VERIFY

### Success check

- The response follows the policy for A-D and requests verification for E without inventing an exception.