

Table 1: Quantitative summary of data repositories after pre-processing.

Dataset	Description	Raw Size
Fortuna [3]	Tweets retrieved from Twitter based on a specific vocabulary of potential hate speech terms, annotated as hate speech or non-hate speech (column <code>hatespeech_comb</code>).	5,670
HateBRXplain [5]	Comments collected from the Instagram accounts of six Brazilian politicians, annotated as offensive or non-offensive (column <code>offensive_label</code>).	7,000
OffComBR3 [2]	Comments collected from the G1 news portal covering various topics, annotated as offensive or non-offensive (column <code>@class</code>).	1,033
OlidBR [6]	Comments collected mostly from YouTube videos covering controversial topics (e.g., politics, LGBTQ+ rights), annotated as offensive or non-offensive (column <code>is_offensive</code>).	6,952
ToLDBR [4]	Tweets retrieved from Twitter using keywords related to minority groups, annotated as toxic or non-toxic (column <code>hate</code>).	21,000
TuPy [1]	Tweets collected from Twitter covering diverse domains (e.g., politics, sports), annotated as hate speech or non-hate speech (column <code>hate</code>).	10,000

References

- [1] Felipe Ramos de Oliveira, Victoria Dias Reis, and Nelson Francisco Favilla Ebecken. Detecting hate speech on brazilian social media: New dataset and analysis. 2024. doi: 10.55592/cilamce.v6i06.8208. URL <https://doi.org/10.55592/cilamce.v6i06.8208>.
- [2] Rogers P. de Pelle and Viviane P. Moreira. Offensive comments in the brazilian web: a dataset and baseline results. In *6th Brazilian Workshop on Social Network Analysis and Mining (BraSNAM)*, 2017.
- [3] Paula Fortuna, Joao Rocha da Silva, Leo Wanner, Sérgio Nunes, et al. A hierarchically-labeled portuguese hate speech dataset. In *Proceedings of the third workshop on abusive language online*, pages 94–104, 2019.
- [4] João Augusto Leite, Diego Silva, Kalina Bontcheva, and Carolina Scarton. Toxic language detection in social media for Brazilian Portuguese: New dataset and multilingual analysis. In Kam-Fai Wong, Kevin Knight, and Hua Wu, editors, *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing*, pages 914–924, Suzhou, China, December 2020. Association for Computational Linguistics. doi: 10.18653/v1/2020.aacl-main.91. URL <https://aclanthology.org/2020.aacl-main.91/>.
- [5] Isadora Salles, Francielle Vargas, and Fabrício Benevenuto. HateBRXplain: A benchmark dataset with human-annotated rationales for explainable hate speech detection in Brazilian Portuguese. In Owen Rambow, Leo Wanner, Marianna Apidianaki, Hend Al-Khalifa, Barbara Di Eugenio, and Steven Schockaert, editors, *Proceedings of the 31st International Conference on Computational Linguistics*, pages 6659–6669, Abu Dhabi, UAE, January 2025. Association for Computational Linguistics. URL <https://aclanthology.org/2025.coling-main.446/>.
- [6] Douglas Trajano, Rafael H Bordini, and Renata Vieira. Olid-br: offensive language identification dataset for brazilian portuguese. *Language Resources and Evaluation*, 58(4):1263–1289, 2024.