


A Crash-Proof Team of Coding Agents: Mechanics Cost Cents, Behavior Costs Dollars

We measured every boundary of a crash-proof coding agent: an eleven-cent task, a third-of-a-cent crash recovery, and the same code running \$0.03 to \$2.13. The durability engine was measurably free. The agent's behavior was the bill.

A companion to [A Crash-Proof Team of Coding Agents](#), a family of articles on running a team of Claude Code agents autonomously without setting your codebase on fire.




Put a durable-execution engine under a coding agent and it sounds like paying twice: once for the tokens, once for the machinery that babysits them. The [parent article](#) kills a worker mid-task and recovers the same session for four cents. This one is the ledger behind that number. We measured every boundary the harness has: the continuous run; the crash resume, warm and cold; the chunk seam (the harness runs the agent in bounded, resumable chunks, and a seam is where one chunk ends and the next resumes); and the no-engine baseline. The pattern that fell out organizes everything this family has observed since: **the mechanics cost cents; the behavior costs dollars.**

The fine print: model `haiku`, Claude's cheap fast tier, July 2026; benchmark-sized tasks; single-digit run counts. Every number is a point estimate, observed rather than modeled. Each traces to an evidence file in the companion evidence repository, with its runner beside it. Dollar figures are haiku-priced; a stronger tier scales them up.

How to Measure a Boundary Honestly

Total run cost is two terms. The agent's actual work, plus the overhead of any boundary you cross: a resume after a crash, a seam between chunks. The first term swings wildly (the same task takes the agent three turns

or nine). So comparing totals across runs buries the boundary signal in noise. The estimator that works holds the work at **zero**. Build a session to a fixed prefix, then resume it with a no-op (one turn, "reply OK, no tools") and read the bill. Whatever that no-op costs is the boundary: the price of re-establishing the conversation, with the variance removed.¹




The estimator. A no-op resume does zero work, so whatever it costs is the boundary itself. Stay inside the cache lifetime and every seam is nearly free.

Everything below was run strictly one at a time. An earlier batch taught us that lesson the hard way: concurrent runs contaminated each other's numbers. Cost is the CLI's own `total_cost_usd`, identical on a laptop or a cloud VM. That is a property of the API's prompt caching, not of the infrastructure.

The Four Numbers

Scenario	Measured	Mechanism
Continuous (one session to done)	\$0.113	the baseline, a mean of \$0.058 / \$0.132 / \$0.149
Crash, resumed warm	+\$0.0035	a cache <i>read</i> of the prefix, ~3% of the base
Crash, resumed cold (65 min idle)	+\$0.021	a <i>partial</i> cache write, ~6× warm
Fine-chunked (2-turn cap)	\$0.034 to \$2.13	1, 8, and 14 chunks: a ~63× spread

Same TDD task, haiku, measured: a resume is cheap; fine chunking is unpredictable



What Durability Costs (measured, small model). Left: a warm resume only re-reads context at the cache rate; a cold one pays a partial re-write. Right: fine chunking adds near-zero to two dollars, unpredictably.

Three of those four rows are cents, and they are the rows the durability machinery owns. A warm resume re-reads the accumulated conversation at the cheap cache-read rate: a third of a cent. That figure is the crash-recovery number: the heartbeat resume from the parent article is exactly this operation. A live worker-kill confirmed it end to end at \$0.0404 total on a separate task. Even the cold row undersells itself. After sixty-five minutes idle, the first touch paid a cache write on only *half* the prefix (14.9k of ~32k tokens) and then immediately re-warmed. Claude Code's extended-lifetime caching holds far past the classic five-minute window. The full cold penalty never materialized at all.²

The boundary tax also scales predictably, which is what makes it designable. It is linear in the prefix: about 0.1× the input rate warm, 1.25× cold. At the estimator session's 28k-token prefix a warm boundary is \$0.003. Projected onto a real long job's 470k prefix (live issue #41), a crash-resume is about five cents, ten back-to-back warm chunk seams about forty-seven cents, and ten *cold* seams about six dollars. The design rule falls out of the arithmetic: boundaries are nearly free exactly as long as they stay inside the cache lifetime. Space your chunks by hours and you convert every seam from a re-read into a re-write.³ The fourth row of the table is the anomaly, and it earned its own section.

We Got This Wrong Before We Got It Right

Round One: the Small Task

The n=3 First Pass Said +68 Percent
It Did Not Replicate
(Kept Published, With Its Correction)

Coarse · Median \$0.145

Fine · Median \$0.113

A Tie, Within Noise:
Granularity Was a Steering Dial,
Not a Cost Lever

The Same Question,
Asked of a Task
Big Enough to Wander In

Round Two: the Open-Ended Task, Same Code

The Continuous Base · \$0.113

1 Chunk · \$0.034

8 Chunks · \$0.25

14 Chunks · \$2.13 · a ~63x Spread

We Got This Wrong Before We Got It Right. Left: the tie that retired the first conclusion. Right: the spread that replaced it. Haiku, point estimates; n=6 an arm on the small task, three on the open-ended one.

The first chunking experiment concluded the opposite of the table above. Both results are still published, because the disagreement is the finding.

Round one, on a small fixed task: a first pass at n=3 showed fine chunking costing 68% more than coarse. **It did not replicate.** A clean n=6 came back cost-neutral: fine was, if anything, slightly cheaper (median \$0.113 vs \$0.145). The biggest single bill in the batch was a *coarse* run that rambled to \$0.79. Conclusion on that task: chunk granularity is a steering dial, not a cost lever.⁴

Round two, the same question asked of a more open-ended task: the neutrality shattered. The same code, fine-chunked, cost \$0.034, \$0.25, and \$2.13 across three runs that took one, eight, and fourteen chunks. A sixty-three-fold spread; the worst run nineteen times the continuous base. And the per-boundary cache tax was *still cheap*: the seams themselves stayed at a fraction of a cent.

So what exploded? Behavior. A tight two-turn cap can send the agent to fourteen chunks and twenty-eight turns to finish what a continuous session did in nine. More turns, more output, and a growing prefix re-read at every seam. Coarse chunks never hand the agent that much room to wander. The chunking premium is real, *task-dependent*, and behavioral. That is why the earlier task, too small to wander in, measured it at zero. The rule this family ships as a default (**big chunks, always**) is not a guess about cache pricing. It is a guardrail against a slot machine.

Chunks still earn their keep at any size: they are where the workflow gets visibility, steering, and a place to stand between attempts. [How It's Built](#) walks that anatomy. You chunk for control. You just never chunk for cost.

The Engine Adds Approximately Zero

The fair comparison for all of this is the bare loop. The round-one task again, run as a plain headless `claude -p` (no Temporal, no workspace bundle, no resume). Nine trials: mean \$0.175, median \$0.172, range \$0.05 to \$0.30. A tie within noise with the durable coarse run on that task (median \$0.145). **The engine adds approximately zero tokens.** (The bare loop skips the skill bundle but wanders more without it; the two effects roughly wash.)⁵ The price the engine does charge is operational, not token-denominated: a server to run, an SDK's determinism rules to obey. Paid in complexity, and out of scope for this ledger.

The difference is not the bill while things work; it is the bill when they break. The bare loop's session ID lives in process memory, so a crash costs a full re-run of everything the run had accumulated. The durable run pays the same bill and recovers for a third of a cent. A live end-to-end job (filed issue to merged pull request through the full team pipeline) confirmed the overhead in production shape. A clean eleven cents, zero retries. Durability, at these prices, is effectively free insurance on top of an identical premium.

When You Should Not Buy the Insurance

Free insurance still is not for everything; you do not insure a cheap errand.

- **The task is cheap to re-run from scratch.** A one-chunk, two-minute job needs a retry button, not an engine.
- **One developer, one machine, interactive.** The transcript plus a resume by hand *is* the durability layer.
- **You would rather buy the orchestration than own it.** A managed agent runner is a legitimate answer to the same problem.

The threshold is crisp. The moment a task **outlives the process that started it** (an overnight run, a queue of issues, anything whose re-run from zero is a real bill), something has to remember the job. The arithmetic above says remembering it costs cents.

The Canary, Because Prices Are a Snapshot

Every number in this article leans on provider behavior that can change without notice: cache-read rates, cache lifetimes, resume semantics. "Effectively free" is a pricing snapshot, not an architecture property. So the repository treats its own published numbers the way an uptime monitor treats an endpoint. A scheduled **economics canary** re-probes five invariants for about nine cents a pass:⁶

- a session can be seeded;
- a same-model resume is a cheap cache *read*;
- a cross-model resume pays a cache *write*. Caches are per-model, so moving a session to a different model pays a re-write; call that the **handoff tax**;
- a fork-resume stays cheap and mints a new session ID;
- a fork still recalls planted conversation memory.

Its first flights independently reproduced the published numbers (warm resume \$0.0030 live against \$0.0035 published). Every probe landed in band. Two later passes, run five weeks on during this family's review sweep, landed at the same \$0.0938 total with every band green again: the economics were still holding as of 2026-08-20. The bands are deliberately generous: this is a regime detector, not a price tracker. It alerts in *both* directions on the handoff tax. A cross-model cache suddenly becoming free would be exactly the kind of silent regime change worth knowing about. When the economics under this article drift, the canary is designed to say so before the article does.

Steal These

- **Measure boundaries with no-op resumes.** Totals across runs bury the signal in work variance; a zero-work resume *is* the boundary cost.

- **Run cost experiments strictly sequentially.** Concurrency contaminated a batch here; the discarded numbers were the tuition.
- **Big chunks by default; chunk for steering, never for cost.** The premium is behavioral, task-dependent, and unbounded in the wrong direction.
- **Keep chunk cadence inside the cache lifetime.** A warm seam is a $0.1\times$ re-read; a cold one is a $1.25\times$ re-write. The schedule, not the engine, decides which you pay.
- **Publish the superseded result next to its correction.** The $n=3$ artifact that did not replicate taught more than the clean run that did.
- **Canary your own published numbers.** Anything that leans on provider pricing is a claim with a decay rate; probe it on a schedule.

Companion to [A Crash-Proof Team of Coding Agents](#). The runners, results, and the canary are reproducible from the evidence repository. Disclaimer: the views expressed here are my own and do not necessarily reflect those of my employer. This is a personal project, not affiliated with or endorsed by Anthropic or Temporal.

Sources

- **The four-cost experiment** (continuous \$0.113; warm \$0.0035; cold \$0.021 at 65 min; fine-chunked \$0.034 to \$2.13 at 1/8/14 chunks): runner and results in the evidence repository, 2026-07-15, model `haiku`, strictly sequential. **Practitioner.**
- **The boundary estimator and prefix scaling** (no-op resume \$0.00311; still-warm at 6.5 minutes; linear projection to a 470k prefix): runner and results in the evidence repository. **Practitioner.**
- **The superseded first experiment and the bare-loop baseline** (fine $\approx$ coarse on the small task; the $n=3$ +68% artifact; bare loop \$0.175 mean $\times 9$): both in the evidence repository, the superseded results file kept published with its correction header. **Practitioner.**
- **The live cross-checks:** the \$0.0404 worker-kill recovery and the \$0.11 issue-to-PR pipeline job. **Practitioner.**
- **The economics canary** (five probes, $\sim$ \$0.09/pass, bands $\sim 3\times$ around published values, first three passes green): the canary code and its results in the evidence repository, 2026-07-29. **Practitioner.**
- **Prompt caching and extended cache lifetimes:** code.claude.com/docs and Anthropic API documentation. *Vendor/canonical*. Checked 2026-07-15.

-
1. The boundary estimator: one session built to a fixed $\sim 28k$ -token prefix, then resumed with `--max-turns 1` and a no-tools instruction; the resume's `total_cost_usd` is the boundary tax with work variance held at zero. Same prefix every trial, so the numbers are tight (\$0.00311 warm $\times 3$, \$0.00312 at 390 seconds $\times 3$; the 6.5-minute "cold" probe came back still warm, ratio $1.0\times$). ↩
 2. The four-cost experiment, 2026-07-15, strictly sequential: continuous $\times 3$ (\$0.058/\$0.132/\$0.149, 3 to 9 turns, 84k to 332k input tokens billed across each run's turns); warm boundary $\times 5$ (\$0.0035, all cache-reads, $\sim 31k$ tokens); cold boundary $\times 3$ after a 65-

minute idle gap (\$0.0206, a partial cache-write of 14.9k of ~32k tokens, then re-warmed); fine-chunked $\times 3$ (\$0.034/\$0.25/\$2.13 at 1/8/14 chunks). The full write-up is in the evidence repository. ↩

3. Warm boundary $\approx 0.1 \times \text{prefix} \times \text{input rate}$; cold $\approx 1.25 \times$. At 28k: \$0.003 warm. At the 470k prefix observed on live issue #41: ~\$0.05 per warm resume, ~\$0.47 for ten back-to-back warm seams, ~\$5.88 for ten cold-spaced ones. The evidence repository has the table. ↩
4. The first experiment's results file (its header now marks it superseded): coarse median \$0.145 (mean \$0.248, range \$0.091 to \$0.793), fine median \$0.113 (mean \$0.148, range \$0.074 to \$0.344), n=6 each, after an n=3 first pass showing +68% failed to replicate. The \$0.79 outlier was a coarse run that rambled into a second chunk: wandering, not boundaries, drove the spread even here. ↩
5. The bare-loop runner, nine trials of the same task as a plain headless run: mean \$0.1751, median \$0.1719, range \$0.05 to \$0.30, against the durable coarse run's \$0.145 median, a tie within noise on these sample sizes. ↩
6. The canary and its results file: five probes per pass, ~\$0.09; first three passes \$0.0941/\$0.0932/\$0.0938, all in band; live warm-resume \$0.0030 to 0.0031 against the published \$0.0035; the handoff tax \$0.0632 to \$0.0638 live. Runs as a one-shot (`--once` , CI-able), a fixed Temporal Schedule, or a self-adjusting workflow whose cadence tightens on alerts and stretches on clean streaks. Daily cadence costs about \$33 a year. ↩