

How It's Built: Anatomy of a Crash-Proof Agent Harness

The engineering companion to [A Crash-Proof Team of Coding Agents](#): the chunk mechanics, the lanes, the audit plane, and the detours we measured our way out of.

This is the mechanism half. The claims, the numbers, and the fine print — one engineer, a cheap fast model, single-digit runs, point estimates — live in the flagship and apply verbatim here.

How a Chunk Actually Runs

Open the box and one chunk is a single ordinary function. The workflow calls it, the function runs the agent, and what comes back is a typed record: a session ID, an outcome, a cost, a turn count, the validated report, and nothing else. That typing is the wall. The workflow can only read fields on that record, so nothing the agent did unpredictably has a path into the replayable layer.

Launching the agent inside that function is a short list of settings, and one of them does the quiet heavy lifting: the agent is told to load its configuration from the project directory *only*, never from the machine's own user config. That single choice is why the policy below is true rather than hopeful: the rules ride inside the workspace, so the same agent runs on every worker on every machine. The rest read as you would guess: resume the prior session, cap the run at a fixed number of turns so a chunk stops cleanly with its transcript intact, auto-accept file edits but gate every other tool behind an explicit allow-list, and force the closing report to match a schema so the workflow reads a real pass/fail value instead of parsing prose.

The policy itself is a small settings file (`settings.json`). Humans control it: the rules live in version-controlled harness code, and the workspace re-stamps them fresh at the start of every chunk:

```
{
  "permissions": {
    "deny": ["Bash(rm -rf:*)", "Bash(sudo:*)", "Bash(git push:*)"]
  },
  "hooks": {
    "PostToolUse": [
      { "matcher": "*", "hooks": [{ "type": "command", "command": "cat >> .claude/hook-log.jsonl" }] },
      { "matcher": "*", "hooks": [{ "type": "command", "command": "python3 .claude/flag-rules.py" }] }
    ]
  }
}
```

Read the deny list as architecture, not only safety. Deleting a tree and escalating privileges are the obvious entries. `git push` is the interesting one: the agent writes code and is never allowed to reach a remote, so

every push and every merge in this entire system is done by the harness, in its own step, with its own credentials. The first hook appends every tool call to an audit log as it happens; the second flags a wasteful pattern a later experiment taught us to catch. And because the workspace rewrites this file before *every* chunk, the deny rules and the hooks are byte-for-byte the same on every attempt, through every retry and every resume. The guardrail cannot drift.

The settings file is only the smallest piece of what the workspace lays down. Each chunk also installs a set of **skills** (real playbook files the agent discovers and invokes through Claude Code's own Skill tool) and a project memory, a `CLAUDE.md`, that points the agent at them. None of this is a bespoke protocol the agent had to be taught: it is a stock Claude Code project (settings, hooks, skills, memory), assembled fresh every chunk, and the agent works inside it exactly as it would in any local checkout. Temporal does not replace that ecosystem; it decides when the project runs, where, and which skills come with it.


When a chunk fails, the function does not decide what to do about it. It raises a typed error and lets the workflow's retry policy handle the backoff, and that policy is declared at the call site as configuration, not written as a loop. It is the same backoff that turned an overload window into added latency earlier, tuned for the API failure a headless run actually meets rather than the rare crash. The plain GitHub steps around it get a plainer policy; a refused merge is not an overload.¹

The taxonomy under that is three-way, and it is very nearly the whole of the control logic. An API error or a mid-run failure is raised as *retryable*: the transcript survived, so the retry resumes the session instead of restarting the task. Running out of turns is not an error at all: the function returns normally and the workflow schedules the next chunk. Anything else terminal is raised as *non-retryable* and stops the job. Continue, resume, or stop: three outcomes a database could switch on, which was the entire point of sealing the agent away from the decision.

The Detour We Measured Our Way Out Of

There is an older answer buried in this codebase, and it is worth showing precisely because it *worked*, until measurement talked us out of it.

An activity's result is all-or-nothing: nothing lands in the history until the attempt finishes. Wrap a ninety-minute agent run in one activity and a crash at minute eighty-nine erases everything the workflow could see. So the first design chopped the run into **savepoints** on that same turn cap. A capped run either finishes or runs out of turns mid-task, and in that second case the transcript survives, resumable by ID. Chain those together and you get a chunked session: each activity runs one bounded piece, and every completed piece writes progress, cost, and the session ID into the history. It worked: we killed a worker in the middle of the second of four chunks on a real to-do-app build, and it recovered on a restarted worker and finished all ten tests, one session end to end.



The Savepoint Detour. The design was sound and the recovery was real. Two later facts retired it: heartbeat recovery survives a crash with no completed chunk at all, and, as the numbers show next, cutting the run into many small pieces makes the bill unpredictable.

But every completed-chunk boundary is another resume: an agent invocation that re-establishes the growing conversation before it does any new work. Once heartbeat recovery existed, those boundaries were buying a durability we already had. And they were quietly doing something worse to the cost, which is the part we did not see coming.

Query, Steer, Cancel: What the Boundaries Are Still For

Completed-chunk boundaries did not stop being useful. They stopped being the durability mechanism, which freed them to be the *visibility and steering* cadence: the moments where the running job can answer to verbs a bare process cannot.

Query it. A read-only question, answered from the workflow's own state rather than from logs. Mid-run, a status query came back with the chunks completed so far, the running cost, and the live session ID. **Steer it.** A signal injected "*also add a stats subcommand, same test-driven treatment*" into a running to-do-app job; the workflow folded the instruction into the next chunk's prompt, and if a steer arrives during the very last chunk it triggers one more, so late guidance is never silently dropped. **Cancel it.** Delivered on the next heartbeat; the activity tells the running agent to stop, so it exits cleanly instead of burning tokens as an orphan, and the job lands in a canceled state you can see.

So the turn cap has one clear rule: it sets how often the job reports in and can be redirected. Make it small only when a human needs to watch or steer the run in near-real time. Everything else in the left column of the table below is something you would otherwise have built by hand:


What you would build by hand	The primitive that already exists
A session-ID file plus a lockfile	Job-ID uniqueness: one job is the session's single writer
A restart script plus a liveness probe	A heartbeat timeout plus a retry policy, declared not coded

What you would build by hand	The primitive that already exists
A task-to-session map in memory and on disk	The session ID in heartbeat details mid-run, and in workflow state after a chunk
A hand-rolled taxonomy of which errors to retry	Typed retryable vs. non-retryable failures, with backoff
A status endpoint scraped from logs	A progress query plus the event-history UI
Steering a running task (never actually built)	A signal, folded into the next chunk's prompt

A Team of Activities

Everything so far makes *one* agent durable. The reason to bother is that the same machinery, pointed sideways, makes a *team* of them, because a durable job, unlike a bare process, can be given an owner, an address, and rules. And the durability does not thin out as the team grows: every lane's agent runs inside the same crash recovery, the same resume-from-heartbeat, the same declared retries, so a nine-member team is nine durable jobs, not one durable conductor waving at fragile helpers.

Here is what we actually built. **Two workflows conduct the whole thing.** One is the durable task you have already met: it runs the agent in bounded chunks and then ships the result. The other is a scheduled poll that looks at a repository for new work, on a timer, as a durable job in its own right. And beneath those two conductors sits a **team of nine activities, each with exactly one job.** None of them is clever. Each is a sealed box that does one real-world thing and hands back typed data, and that narrowness is the point: it is what lets the retries, the heartbeats, and the audit trail apply to every one of them for free.



The Team of Activities. Two workflows conduct nine one-job specialists. Read the columns as sub-teams: doing the work and finding it; the pull-request lifecycle; and repairing a conflict. Every box is a durable activity, so every box is retried, heartbeated, and recorded without anyone writing that code.

Name the team by what each member does. One activity **runs the agent**: a single bounded, heartbeated chunk, the only member with any fire in its hands. One **exports the transcript** into a readable audit log once the work is done. One **scouts the repository** for new issues and pull requests and routes each to a team. Three handle the pull-request lifecycle: one **opens the pull request**, one **posts the review verdict** (approving only if the tests pass), one **merges** the approved change. And three handle the case where a merge fights back: one **updates a stale branch** by merging in the base and retrying, one **escalates a real conflict** to the team that owns the code, and one **pushes the resolved branch** so the merge can finally land. Nine specialists, two conductors, and a filed issue can travel the entire distance to a merged pull request while the humans sleep. And the shape should feel familiar: it is the discipline of a hardened CI/CD pipeline (gated merges, least-privilege credentials, an audit log on every step) applied to a team whose members are durable jobs.

The reason this is worth calling a *design* and not a script is that adding to the team is mechanical. Want a new capability (a security scan, a changelog write, a deploy)? You write one function that does the real-world thing and hands back typed data, you declare how it should retry, and you name the moment in the workflow where it runs. It inherits crash recovery, backoff, cancellation, and the audit trail from the harness, not from anything you wrote. The hard, distributed-systems parts are already solved; the only thing you add is the one honest step. That is the whole shape of "write the happy path and rent the rest."

Trusted by the Queue, Not the Prompt

The team scales by giving each *kind* of work its own lane, and every "team" noun here is a concrete primitive underneath.

A **lane** is one Temporal namespace per team (a namespace is an isolated partition of the Temporal server; the teams in these runs were backend, frontend, and review — the repo now ships six lanes, discovered from its `teams/` folders) with its own work queue and its own bundle of skills bound into the workspace before each chunk runs. Workers listen only to the lane they own. And this is the part worth pausing on: a backend worker is trusted to do backend work not because its prompt says *act like a backend engineer*, but because it listens on the backend queue, runs under the backend skill bundle, emits backend audit artifacts, and answers to the same retry, cancel, query, and cost machinery as every other lane. **It is trusted by the queue it polls, not by the prompt it was handed.** The lanes are created from a script at startup, so the whole team topology lives in version control rather than being clicked into existence.


That skill bundle is not prompt flavor; it is a contract the lane owns. Each team's folder carries its mandate and its own copies of the disciplines it runs — test-first, review-your-own-diff, the required report format — tuned to the lane rather than cloned across it. The workspace binds to that folder live (the mandate is imported, the skills are linked), so the owning team's edits reach the very next chunk; only the policy files are stamped per chunk as an immutable snapshot.

The load-bearing rule lives in those bundles: a change in one layer has to prove it did not break the others.

- A backend change is obliged to run the frontend and end-to-end suites too, not only its own.
- The review lane will not approve a pull request until that cross-layer evidence comes back green.

That is where *trusted by the queue* earns the phrase: the queue decides which bundle a worker runs, and the bundle decides what the worker is on the hook to verify. It is also what makes each activity a genuine team member rather than a costume: the lane's skills are the playbook it actually follows for the work, while an identical org-wide deny floor governs every lane — and on top of that floor each team commits its own watched rules and its own finish gate, so a backend agent and a reviewer differ by discipline and by what their own team chooses to enforce, never by whether they are governed at all.

The formula for a team member, then, is short. **A mandate:** the one job it owns. **Skills:** the playbooks for how it operates. **Hooks:** the rules enforced on every tool call. **And a settings file stamped from human-committed harness code.** All four ride in version control; none of them lives in the model.




Trusted by the Queue, Not the Prompt. Each team is a namespace with its own queue, worker, and skill bundle. The scheduled poll and the cross-lane escalation both reach another namespace the same small way: a client call made from inside an activity.

The rest of the team's behavior falls out of a few more primitives. **Backpressure** is the queue itself plus a cap on how many chunks a single worker will run at once; you scale a hot lane by adding workers to it. **One owner per piece of work** comes from deriving each job's ID deterministically from the issue and starting it with an "allow duplicates only after failure" policy: a second attempt at a running or completed job is rejected by the server, while a failed job may retry on a later sweep. That single fact is *why* the poller can be completely stateless: re-seeing the same issue is a no-op the server refuses, so the poll keeps no memory of its own — and a transient failure heals itself instead of deadlocking the issue forever, a lesson a later fleet run taught the hard way (`deploy/fleet-run-results.md`). **Intake** is a Temporal schedule firing the poll workflow, so even "check the repo for work" is a durable, retried, observable job instead of a cron line that can silently die. And **sequencing** is a plain "blocked by #n" line the poller honors, holding a dependent issue until its prerequisite closes.

One structural catch shapes the whole picture. A workflow can only start child workflows inside its own namespace. Both the scheduled intake and the escalation below have to cross a namespace, and they do it the same modest way: from *inside an activity*, which is allowed to do arbitrary I/O, open a client to the target namespace and start the job there. The deterministic ID and the duplicate policy keep it idempotent even across that boundary.

From Filed Issue to Merged PR

Put the conductors and the team together and one issue travels a full loop, every box along the way a durable step in the history.



From Filed Issue to Merged PR. Every box is a real activity from the team. The conflict detour and the unblock loop are not special cases; they are the same durable machinery running one more time.

Intake. A schedule fires the poll on an interval. The poll reads the repository (open issues, open pull requests, and which issues have already closed), routes each item to a team by its `team/...` label (or the catch-all lane when it carries none), and starts one durable job per ready item with a deterministic ID. An issue marked *blocked by* another (a line in its body or a `blocked-by` label) is held until that other issue closes.

Build. The issue's job runs the agent in bounded, resumable chunks, heartbeating its session ID the whole time. When the agent reports success, the transcript is exported to a readable audit log and a pull request is opened from the work branch.


Review and merge. That open pull request is picked up on the next poll and routed to the review lane as its own job. The agent reads the diff and runs the suite, and its verdict is a single field in the required report: a pass/fail boolean that is the merge switch. True posts an approval and merges the change; false requests changes. A merge against a branch that has fallen behind triggers an automatic branch update (the same "update this branch" move you would click in the GitHub UI) and a retry. And the false case does not have to be a dead end: with the optional fix loop on, a red verdict (or a human's Request Changes) hands the PR back to the owning lane to fix, re-validate, and re-review, re-asking a human when the companion's merge gate is also on, bounded to a few rounds; the mechanics are in the [companion piece](#).

Escalate, resolve, unblock. A retry that *still* conflicts is a genuine content collision, and it gets handed to the team that owns the code: a resolve job in that team's own namespace, where an agent merges in the base, fixes the conflict by hand, runs the tests, and then the harness pushes the fixed branch and lands the merge. When that merge closes the issue, the next poll releases whatever was blocked on it, and the chain runs again for the dependent. No human decision anywhere in it.

Every Run Leaves Evidence

Because the agent runs under a policy the workspace owns, every run leaves *two* planes of evidence, joined on one key: the session ID. Temporal owns the record of the **job**: every activity, attempt, failure, heartbeat timeout, signal, cancel, recorded cost, and session ID, queryable long after the run is over. The workspace owns the record of the **hands**: a hook appends every tool call to a log as it happens, a closing activity exports

the whole conversation to readable Markdown filed under the session ID, and the required pass/fail report is stored as typed data the workflow reads as a real value rather than a vibe.




Every Run Leaves Evidence. Ask what the job did and you read Temporal's history; ask what the agent did and you read the workspace's package. One session ID ties them together, because the job is a durable object and not a vanished process.

The policy rides *inside* the workspace, not on the machine, and its author is a human: the version-controlled configuration the workspace rewrites before every chunk is what keeps the deny rules, the hooks, and the skills identical across every worker, retry, and resume. One hygiene detail is worth stealing: the activity clones the repository with a token and then scrubs that token out of the remote, so the agent cannot recover the clone credential from the repo's own config. A companion detail runs the other way: before any push, the harness excludes its own scratch (the configuration folder, the memory file, the report, every audit log) from the commit, so the control plane's policy and its paper trail never ride inside the product it ships. When work needs pushing, the *harness* pushes, with its own credentials, in a separate step. The agent writes the code; the control plane is the only thing that touches the outside world.

The Corpus Improves the System

Every run exports its conversation (transcript, tool-call log, report), and once you collect those exports, you have a corpus of how your agents actually behave. Shipped to object storage, that corpus outlives any worker; the six runs behind the cost numbers above went to a real bucket, one folder of evidence per run.² A corpus is a feedback loop waiting to be closed, so we closed it, and the loop has a shape worth naming: runs leave evidence, a review finds a mistake, the mistake becomes code, a re-run scores the fix, and the fix rides every future run. Nothing the system gets wrong is allowed to stay a lesson.



The Corpus Improves the System. Runs become a corpus in a bucket; a reviewer finds a recurring waste; the lesson becomes a guardrail that rides every future run; a re-run scores it.

A reviewer read the tool-call logs across all six runs and found one consistent waste: the agent kept re-checking work it had already done, listing a directory to confirm a file it had just written (the write already proved the file exists) and re-running tests that were already green. The leanest runs finished in eight or nine tool calls; the worst burned twenty-four, dominated by this re-checking. We codified the lesson two ways, both into the workspace bootstrap so they ride every future run and retry: a plain rule in the project's instructions ("trust your tools; don't list a directory to confirm your own work; run the suite once"), and a hook that deterministically flags any orientation-only directory listing.

Then we re-ran and scored the before and after, and the result is better than a clean win. The soft rule produced only a **modest ~20% drop** in the targeted pattern (from 2.5 to 2.0 instances per run on average, a half-instance change that sits within run-to-run noise), and one run ignored it entirely; the total tool count did not fall at all (it in fact rose, from 15.5 to 18.5 calls per run), swamped by ordinary nondeterminism. The hook flagged **every remaining instance, twelve out of twelve**, regardless of whether the agent complied. The measurement makes the distinction precisely: the prompt rule is probabilistic, while the hook is deterministic. It is the same asymmetry the deny rules bought at the start of this article, now with numbers attached, and it compresses to the one sentence we would keep if we could keep only one: **a line in a prompt is a suggestion; a hook is a law**. The useful result is not that the agent improved on average, but that the mistake is now caught on every run.

The Family

- [A Crash-Proof Team of Coding Agents](#) — the flagship: the kill, the costs, the conflict that resolved itself
- [The Human Is a Durable Object](#) — the human merge gate on four workflow primitives
- [Flag, Block, or Beg](#) — the tool-call boundary, measured
- [Done Is Not a Claim](#) — the finish boundary, measured
- [The Agent Grades Its Own Homework](#) — the merge switch's boolean vs ground truth

Personal project; views are my own and not my employer's. Not affiliated with or endorsed by Anthropic or Temporal.

1. The workspace policy is human-committed in each team's folder — `teams/<team>/.claude/settings.json` (the deny rules, the two `PostToolUse` hooks, and a `Stop`-hook phase gate added after these runs) plus the lane's `rules.json` — and `src/activities.py` stamps it into the workspace each chunk, injecting absolute-path denies that protect the `teams/` source itself. The project-only config load (`setting_sources`), the accept-edits mode with an explicit tool allow-list, and the schema-required report live in `src/activities.py`. The per-call retry policy (5s, doubling to a 2-minute cap, 6 attempts), the two-minute heartbeat timeout, and the fifteen-minute chunk ceiling are set where the workflow invokes the chunk in `src/workflows.py`. ↩
2. `deploy/learn-loop-results.md`, 2026-07-15: the six cost-experiment runs' transcripts/tool-logs/reports were pushed to `gs://temporal-claude-corpus-213476/baseline/`; a reviewer identified redundant directory-listing re-orientation; the lesson was codified as a workspace instruction rule plus a `PostToolUse` flag hook (`src/activities.py`); a re-run scored the modest rule effect and the deterministic hook (12 flags). ↩