

MCQ Exam Result

Result Summary

Field	Value
Test ID	41261
Total Questions	20
Marks Obtained	19
Attempted	20
Non-Attempted	0
Percentage	95.00%
Grade	Outstanding

Question Details

Q.No	Question	Your Answer	Correct Answer	Result	Status
1	What is the output of the following code? <pre> interface NIT { void myInterface(int a); } public class Java8 { public static void main(String[] args) { NIT nit = (int a) -> System.out.println(a+5); nit.myInterface(15); } } </pre>	b) 20	b) 20	Correct	Attempted
2	What is the output of the following code?** <pre> interface NIT { String myInterface(String a); } public class Java8 { public static void main(String[] args) { NIT nit = (a) -> { return a; }; System.out.println(nit.myInterface("I ; } } </pre>	c) NIT	c) NIT	Correct	Attempted
3	What is the output of the following code? <pre> interface NIT { public int myInterface(int a); } </pre>	c) Compilation error	c) Compilation error	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> public class Java8 { public static void main(String[] args) { NIT nit = (String a) -> a*5; int i = nit.myInterface(6); System.out.println(i); } } </pre>				
4	<p>What is the output of the following code?</p> <pre> interface NIT { public int myInterface(int a); } public class Java8 { public static void main(String[] args) { NIT nit = (int a) -> a*5; int i = nit.myInterface(6); System.out.println(i); } } </pre>	b) 30	b) 30	Correct	Attempted
5	<p>What is the output of the following code?</p> <pre> interface Calculate { int myinterface(int a, int b); } interface NIT { String myInterface(String a); } public class A { private void operation(int a, int b, Calculate cal) { System.out.println(cal.myinterface(a, b)); } public static void main(String[] args) { A java = new A(); Calculate cal = (a, b) -> a + b; java.operation(1, 5, cal); cal = (a, b) -> a * b; java.operation(17, 0, cal); NIT nit = (a) -> { return a; }; System.out.println(nit.myInterface("NIT")); } } </pre>	6 0 NIT	6 0 NIT	Correct	Attempted
6	<p>What is the output of the following code?</p> <pre> Calculate cal = (a) -> a+5; </pre>	b) Compilation error	b) Compilation error	Correct	Attempted
7	<p>Is this code successfully compiled or not?</p> <pre> interface NIT { int myInterface(int a, int b); } public class Java8 { public static void main(String[] args) { NIT nit = (a, b) -> { int div = a/b; int addition = a+b; return addition; }; } } </pre>	c) Yes	c) Yes	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> } } </pre>				
8	<p>What is the output of the following code?</p> <pre> interface NIT { int myInterface(int a, int b); } public class Java8 { public static void main(String[] args) { NIT nit = (int a, int b) -> System.out.println(a+b); nit.myInterface(5, 10); } } </pre>	c) Compilation error	c) Compilation error	Correct	Attempted
9	<p>What is the output of the following code?</p> <pre> interface NIT { int myInterface(int a, int b); } public class Java8 { int calculate(int i, int j, NIT nit) { return nit.myInterface(i, j); } public static void main(String[] args) { NIT addition = (a, b) -> a + b; NIT multiplication = (a, b) -> a * b; NIT division = (a, b) -> a / b; Java8 java = new Java8(); int result = java.calculate(15, 5, multiplication); System.out.println(result); } } </pre>	b) 75	b) 75	Correct	Attempted
10	<p>What is the output of the following code?</p> <pre> interface NIT { int myInterface(int a, int b); } public class Java8 { int calculate(int i, int j, NIT nit) { return nit.myInterface(i, j); } public static void main(String[] args) { int result = 0; NIT addition = (a, b) -> a + b; NIT multiplication = (a, b) -> a * b; NIT division = (a, b) -> a / b; Java8 java = new Java8(); result = java.calculate(15, 5, multiplication); System.out.println(result); result = java.calculate(result, result, addition); System.out.println(result); result = java.calculate(result, result, </pre>	75 150 1	75 150 1	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> division); System.out.println(result); } } </pre>				
11	<p>Is this code successfully compiled or not?</p> <pre> interface NIT { int myInterface(int a, int b); } public class Java8 { public static void main(String[] args) { NIT nit = (int a, int b) -> { return a+b; }; } } </pre>	a) Yes	a) Yes	Correct	Attempted
12	<p>What is the output of the following code?</p> <pre> interface NIT { void myInterface(int a); default void defalutFunction() { System.out.println("Naresh I Technologies"); } } public class Java8 { public static void main(String[] args) { NIT nit = (int a) -> System.out.println(a/5); nit.myInterface(15); } } </pre>	a) 3	a) 3	Correct	Attempted
13	<p>What is the output of the following code?</p> <pre> interface NIT { String myInterface(); } public class Java8 { public static void main(String[] args) { NIT nit = () -> {return "NareshITechnologies";}; } } </pre>	c) No output	c) No output	Correct	Attempted
14	<p>What is the output of the following code?</p> <pre> interface NIT { String myInterface(); } public class Java8 { public static void main(String[] args) { NIT nit = () -> {return "NareshITechnologies";}; System.out.println(nit.myInterface()); } } </pre>	b) NareshITechnologies	b) NareshITechnologies	Correct	Attempted
15	<p>What is the output of the following code?</p> <pre> interface NIT { void myInterface(int a); void defalutFunction() { System.out.println("Naresh I Technologies"); } } </pre>	c) Compilation error	c) Compilation error	Correct	Attempted

Q.No	Question	Your Answer	Correct Answer	Result	Status
	<pre> public class Java8 { public static void main(String[] args) { NIT nit = (int a) -> System.out.println(a/5); nit.myInterface(15); } } </pre>				
16	<p>What is the output of the following code?</p> <pre> interface NIT { void myInterface(int a, int b); } public class Java8 { public static void main(String[] args) { NIT nit = (int a, int b) -> System.out.println(a+b); nit.myInterface(5, 10); } } </pre>	c) 15	c) 15	Correct	Attempted
17	<p>What is the output of the following code?</p> <pre> public class Java8 { public static void main(String[] args) { String a = (a) -> {return "NareshITechnologies";}; } } </pre>	d) No output	b) Compilation error	Incorrect	Attempted
18	<p>What is the output of the following code?**</p> <pre> NIT nit = information -> System.out.println("Welcome to " + information); nit.myInterface("NIT"); </pre>	a) Welcome to NIT	a) Welcome to NIT	Correct	Attempted
19	<p>What is the output of the following code?</p> <pre> interface NIT { void myInterface(String a); } public class A { public static void main(String[] args) { NIT nit = information -> System.out.println("Welcome to information); nit.myInterface("NIT"); } } </pre>	a) Welcome to NIT	a) Welcome to NIT	Correct	Attempted
20	<p>What is the output of the following code?</p> <pre> interface NIT { void myInterface(int a); } public class Java8 { public static void main(String[] args) { NIT nit = (int a) -> System.out.println(a+5); } } </pre>	c) No output	c) No output	Correct	Attempted