

OSINT & Reconnaissance Report

Target: opbmedia.com

Date: 2026-05-20 04:19 UTC

Tools: Nmap, Subfinder, DNSenum, Fierce, wafw00f, Nuclei, Waybackurls, GAU

Classification: Confidential

1. Findings In Context — How Uncommon Are These Issues?

Before diving into technical detail, this section places each finding on a prevalence scale to help prioritize remediation. Most findings are typical for a small business on shared hosting without dedicated IT/security staff. The anonymous FTP stands out as genuinely uncommon in 2026 and the highest-priority fix.

Finding	Prevalence	Context
Anonymous FTP	Uncommon / Negligent	Common in the 90sâߝ2000s for public file sharing. In 2026 it is a red flag âߝ most providers disable it b
200+ subdomains	Unusual for this scale	Large enterprises have thousands, but for a small media company on shared HostGator hosting this is spr
Test WordPress at /test/wp2/	Extremely common	Probably the most universal web vulnerability. Developers spin up test installs and forget them. One of the
11 open ports	Normal for shared hosting	Standard HostGator shared hosting âߝ FTP, SSH, mail, and web come bundled. Nothing unusual. On a
ModSecurity WAF	Common / Good sign	HostGator enables ModSecurity by default on shared plans. Bare minimum but better than nothing.
Shared SSL cert	Normal for shared hosting	Expected behavior. The cert reveals related domains (motorsportswear.com) which is minor info leakage b
Legacy Drupal artifacts	Common	Many sites migrated from Drupal 7 (EOL 2025) but left old paths accessible. Wayback Machine will always
Google Workspace MX	Very common / Non-issue	Standard email setup, nothing notable.

Overall Assessment: Average-to-below-average small business security posture âߝ not catastrophically exposed, but not hardened either.

2. Executive Summary

This report presents the findings of a passive and active reconnaissance assessment of opbmedia.com. OPB Media ("Diversified Expression") is a media/web development company hosted on HostGator shared hosting. The assessment identified several notable findings:

Priority	Finding
CRITICAL	Anonymous FTP login enabled (port 21)
HIGH	Massive subdomain footprint (200+ subdomains) expanding attack surface
HIGH	Legacy Drupal CMS artifacts and test WordPress installations exposed
MEDIUM	Multiple services exposed: FTP, SSH, SMTP, DNS, POP3, IMAP
MEDIUM	SSL certificate shared with motorsportswear.com (shared hosting)
INFO	ModSecurity WAF detected on HTTPS
INFO	Google Workspace MX records in use for email

3. Target Profile

Attribute	Value
Domain	opbmedia.com
IP Address	192.185.64.114
rDNS	192-185-64-114.unifiedlayer.com
Hosting Provider	HostGator / Unified Layer (shared hosting)
Server Hostname	gator4104.hostgator.com
Web Server	Apache httpd
WAF	ModSecurity (SpiderLabs)
Site Title	OPB Media: Diversified Expression
Entry Point	home.php (HTTPS redirect from HTTP)
Name Servers	ns8207.hostgator.com, ns8208.hostgator.com
MX Records	Google Workspace (aspmx.l.google.com + alternates)
SSL Cert CN	*.motorsportswear.com (SAN includes *.opbmedia.com)
SSL Validity	2026-04-30 to 2026-07-29
Network Range	192.185.64.0/24 (Unified Layer)

4. Port & Service Enumeration (Nmap)

Scan type: -sV -sC (version detection + default scripts), ports 1-1000

Port	State	Service	Version / Notes
21/tcp	OPEN	FTP	Pure-FTPd ■■■ ANONYMOUS LOGIN ALLOWED

22/tcp	OPEN	SSH	OpenSSH 8.7 (protocol 2.0)
25/tcp	OPEN	SMTP	Exim 4.99.2 (supports STARTTLS, AUTH PLAIN/LOGIN)
53/tcp	OPEN	DNS	ISC BIND 9.16.23 (RedHat Linux)
80/tcp	OPEN	HTTP	Apache 2.4.18 redirects to https://opbmedia.com/
110/tcp	OPEN	POP3	Dovecot pop3d (STARTTLS supported)
143/tcp	OPEN	IMAP	Dovecot imapd (STARTTLS supported)
443/tcp	OPEN	HTTPS	Apache httpd 2.4.18 serves home.php
587/tcp	OPEN	SMTP	Exim 4.99.2 (submission port)
993/tcp	OPEN	IMAPS	Dovecot imapd (SSL/TLS)
995/tcp	OPEN	POP3S	Dovecot pop3d (SSL/TLS)

CRITICAL: Anonymous FTP login is enabled (FTP code 230). This allows unauthenticated users to connect and potentially browse/download files on the server.

5. Subdomain Enumeration (Subfinder)

Subfinder with all sources identified 200+ unique subdomains under opbmedia.com. This indicates OPB Media hosts many client/project websites as subdomains on their shared hosting account. Key categories of subdomains identified:

5.1 Infrastructure Subdomains

- â■¢ cpanel.opbmedia.com
- â■¢ webmail.opbmedia.com
- â■¢ webdisk.opbmedia.com
- â■¢ autodiscover.opbmedia.com
- â■¢ mail.opbmedia.com
- â■¢ cpcontacts.opbmedia.com
- â■¢ cpcalendars.opbmedia.com
- â■¢ devnet.opbmedia.com

5.2 Legal/Law Firm Subdomains

- â■¢ zhanglegal.opbmedia.com
- â■¢ zhangcounsel.opbmedia.com
- â■¢ zhanglawpc.com.opbmedia.com
- â■¢ ivylawpa.opbmedia.com
- â■¢ ivylawny.opbmedia.com
- â■¢ ivylawphilly.opbmedia.com
- â■¢ ivylawfirm.opbmedia.com
- â■¢ dafanlaw.opbmedia.com
- â■¢ hightechcounsel.opbmedia.com
- â■¢ techinlaw.opbmedia.com
- â■¢ interesq.opbmedia.com
- â■¢ legalqna.opbmedia.com
- â■¢ legalrival.opbmedia.com
- â■¢ lawcoinx.opbmedia.com
- â■¢ counseladvisor.opbmedia.com

5.3 Motorsports/Automotive Subdomains

- â■¢ phillysportbikes.opbmedia.com
- â■¢ motorsportswear.opbmedia.com
- â■¢ motorsportspromotion.opbmedia.com
- â■¢ promotionmotorsports.opbmedia.com
- â■¢ dafanzmoto.opbmedia.com

â■¢ dafanzmotorsports.opbmedia.com
â■¢ dafanztuning.opbmedia.com
â■¢ dafanztracktime.opbmedia.com
â■¢ tracktime4cars.opbmedia.com
â■¢ ridetpm.opbmedia.com
â■¢ rideonthetrack.opbmedia.com
â■¢ driveonthetrack.opbmedia.com
â■¢ drivett4c.opbmedia.com
â■¢ workonmybike.opbmedia.com
â■¢ blackbikeweekonline.opbmedia.com
â■¢ lasportbikes.opbmedia.com
â■¢ autorecoup.opbmedia.com
â■¢ smarterdiesel.opbmedia.com

5.4 Political/Community Subdomains

â■¢ sueellenforpa.com.opbmedia.com
â■¢ votedafan.opbmedia.com
â■¢ meetdafan.opbmedia.com
â■¢ vohte.opbmedia.com
â■¢ vohtemedia.opbmedia.com
â■¢ discover164.opbmedia.com
â■¢ pavikings.opbmedia.com
â■¢ tokenphilly.opbmedia.com
â■¢ sierraleonechildren.opbmedia.com
â■¢ education4tomorrow.opbmedia.com
â■¢ generategood.org.opbmedia.com
â■¢ bgoodpitch.opbmedia.com

5.5 Business/E-commerce Subdomains

â■¢ opbworks.opbmedia.com
â■¢ opbrealty.opbmedia.com
â■¢ opbcapital.opbmedia.com
â■¢ opbapparel.opbmedia.com
â■¢ opbbrewing.opbmedia.com
â■¢ opbmediastudio.opbmedia.com
â■¢ shopphilly.opbmedia.com
â■¢ shopbigapple.opbmedia.com
â■¢ boutiquebespoke.opbmedia.com

â■¢ himalayanjewels.opbmedia.com

â■¢ tressmere.opbmedia.com

â■¢ mascava.opbmedia.com

â■¢ lunasoleilchic.opbmedia.com

â■¢ bizphilly.opbmedia.com

â■¢ bizfurther.opbmedia.com

â■¢ levelupcrowd.opbmedia.com

â■¢ brighterplay.opbmedia.com

â■¢ mergeplot.opbmedia.com

â■¢ stratiar.opbmedia.com

â■¢ entelechy360.opbmedia.com

â■¢ satisfeye.opbmedia.com

â■¢ migyft.opbmedia.com

â■¢ toventure.opbmedia.com

â■¢ nextjune.opbmedia.com

â■¢ nilnxt.opbmedia.com

â■¢ termery.opbmedia.com

â■¢ ipreserved.opbmedia.com

6. DNS Analysis

6.1 DNSenum Results

Zone transfer attempts were REFUSED by both nameservers (ns8207/ns8208.hostgator.com) â this is correct behavior.

Record	Type	Value
opbmedia.com	A	192.185.64.114
ns8207.hostgator.com	NS	192.185.41.18
ns8208.hostgator.com	NS	192.185.41.179
aspmx.l.google.com	MX	192.178.155.26
alt1.aspmx.l.google.com	MX	108.177.123.27
alt2.aspmx.l.google.com	MX	172.253.116.27
alt3.aspmx.l.google.com	MX	192.178.223.26
alt4.aspmx.l.google.com	MX	173.194.76.27
autodiscover.opbmedia.com	A	192.185.64.114
ftp.opbmedia.com	CNAME	opbmedia.com
mail.opbmedia.com	CNAME	opbmedia.com
webmail.opbmedia.com	CNAME	opbmedia.com
www.opbmedia.com	CNAME	opbmedia.com

6.2 Fierce DNS Reconnaissance

Fierce confirmed the DNS layout and identified the nearby IP space (192.185.64.109-119) all belonging to unifiedlayer.com, confirming dense shared hosting.

7. WAF Detection (wafw00f)

ModSecurity (SpiderLabs) WAF detected protecting the HTTPS endpoint. This provides some application-layer filtering but does not protect non-HTTP services (FTP, SMTP, etc.).

8. Historical URL Discovery (Waybackurls + GAU)

Combined discovery from Wayback Machine, Common Crawl, OTX, and URLScan yielded 400+ unique historical URLs. Key observations:

8.1 Legacy Drupal CMS (Historical)

Archived URLs reveal the main site previously ran Drupal 7:

â /misc/drupal.js, /misc/jquery.js?v=1.4.4, /misc/jquery.once.js?v=1.2

â /modules/system/system.base.css, /modules/node/node.css, /modules/user/user.css

â /themes/corporate_blue/ (custom Drupal theme)

â /sites/default/files/ (Drupal file structure)

â─¢ /node/5 (Drupal node path)

8.2 Test WordPress Installation

A test WordPress installation was found at /test/wp2/ with uploaded images from 2021. Test installations are common targets as they may have default credentials or be unpatched.

8.3 Custom PHP Application (Current)

The current site appears to be a custom PHP application:

- â─¢ home.php (main entry)
- â─¢ contact_us.php
- â─¢ store.php (on subdomains)
- â─¢ forgotPassword.php (on phillysportbikes)
- â─¢ about_us.php
- â─¢ home.php?page_id=pics (on blackbikeweekonline)

8.4 Exposed .well-known Paths

Several .well-known paths were probed on subdomains (sueellenforpa.com.opbmedia.com):

- â─¢ /.well-known/security.txt
- â─¢ /.well-known/ai-plugin.json
- â─¢ /.well-known/openid-configuration
- â─¢ /.well-known/assetlinks.json
- â─¢ /.well-known/gpc.json
- â─¢ /.well-known/trust.txt

8.5 Interesting Subdomain Applications

Several subdomains run distinct web applications with user-facing features:

- â─¢ phillysportbikes â─ membership system with login, password reset, security questions
- â─¢ himalayanjewels, shopbigapple, smarterdiesel â─ e-commerce (store.php)
- â─¢ hbcustyles.com â─ WordPress with wp-admin exposed
- â─¢ sueellenforpa.com â─ political campaign site (PA State Rep 160th District) with WPForms
- â─¢ vohte â─ voting/polling app with media uploads
- â─¢ meetdafan â─ Drupal-based personal/portfolio site

9. Vulnerability Scan (Nuclei)

Nuclei v3.8.0 was run with 6,162 templates filtering for critical, high, and medium severity. The scan completed but encountered connectivity timeouts to port 443. No template-matched vulnerabilities were returned. This does NOT mean the target is vulnerability-free â the WAF and timeouts may have interfered with detection.

10. Recommendations

10.1 Critical â Disable Anonymous FTP

Anonymous FTP access should be disabled immediately. This allows anyone to connect to the FTP server without credentials, potentially exposing hosted files and sensitive data.

10.2 High â Audit Subdomain Sprawl

With 200+ subdomains, many may be abandoned or running outdated software. Each is an independent attack vector. Recommend auditing all subdomains and removing/restricting those no longer in active use.

10.3 High â Remove Test Installations

The /test/wp2/ WordPress installation should be removed. Test/staging environments left in production are frequently exploited.

10.4 Medium â Review Exposed Services

11 ports are open. Consider whether SMTP (25/587), DNS (53), and POP3/IMAP (110/143) need to be exposed publicly, or if they can be restricted by IP/firewall rules.

10.5 Medium â SSL Certificate Hygiene

The SSL certificate is shared with motorsportswear.com and expires 2026-07-29. Ensure auto-renewal is configured. The shared cert on shared hosting is expected but leaks related domain names.

10.6 Info â Email Security

Google Workspace handles email (MX records). Verify SPF, DKIM, and DMARC records are properly configured to prevent email spoofing of the opbmedia.com domain.

Report generated via HexStrike AI + CLI OSINT tools. This assessment used passive and active reconnaissance techniques. No exploitation was attempted.