

First we'd open our Q1 icon. Next, we'd open our AppleWorks folder, then tunnel into the AW.Files folder (hold down option while double-clicking). (We won't be doing anything with the AppleWorks folder itself; we only opened it to find our AW.Files folder, so we automatically closed it by tunneling.) We position the windows so that we can see both the files we want to move (or at least some of them) and the folder we want to move them into.

Now we select the AppleWorks document icons. We may have to scroll the window with the scroll bars to find all the files we want to move; we'll select those by shift-clicking them. Once they're all selected, we drag any one of them to the AW.Files folder, making sure that the AW.Files folder icon is blackened before we release the mouse button. When we release the mouse button, the files are moved.

Filename Translation

When you copy a file from one type of disk to another, and the name of the source file doesn't follow the rules of the target disk (for example, if you're copying a file from a Macintosh disk to a ProDOS disk and the file's name is longer than 15 characters), the Finder presents a dialog (Figure 6K) that allows you to specify a new name for the file. The Finder tries to turn the original file's name into a name that will fit the ProDOS disk, then offers that to you as a default name. You can edit the name before saving the file (or you can skip copying the file entirely).




Figure 6K—Filename Translation Dialog

If you want the Finder to automatically translate the names of the rest of the files you're copying, click the "Translate bad names" button. If you want it to automatically skip any files which have bad names, click the "Skip bad names" button.