

Verification	Status	Test data / Comments		
1 Go to the site at the link.	passed	petstore.swagger.io/v2		
2 On the "Swagger Petstore" page, find the USER item and open the POST /user Create user sub-item	passed			
3 Copy the body data	passed	{ "id": 0, "username": "string", "firstName": "string", "lastName": "string", "email": "string", "password": "string", "phone": "string", "userStatus": 0 }		
4 In Postman, in the "Petstore" collection, create a request named "Create user"	passed			
5 Send the created request using the "Send" button	passed	Code 200 OK		
6 Try to send an empty request	passed	Method: POST, url: https://petstore.swagger.io/v2/user		
7 Try to send an SQL injection request	passed	Method: POST, url: https://petstore.swagger.io/v2/user , body: DROP DATABASE		
8 Return to the site by following the link	passed	petstore.swagger.io/v2		
9 On the "Swagger Petstore" page, find the USER item and open the GET user/{username} subclause.	passed			
10 In the settings of the collection named "Petstore" add a new value "Variables"	passed	Variable: username, Initial value: qatest, Current Value: qatest		
11 In Postman, in the "Petstore" collection, create a query named "Get User by username"	passed	Method: POST, url: https://petstore.swagger.io/v2/user/{{username}}		
12 Send the created request using the "Send" button.	passed	Code 200 OK Body: { "id": 9223372036854756810, "username": "qatest", "firstName": "serhii", "lastName": "test", "email": "test@gmail.com", "password": "1234567890", "phone": "+380000000000", "userStatus": 0 }		
13 In the settings of the collection named "Petstore", change the value of the username in "Variables" to invalid.		Variable: username, Initial value: ?!*"?*!Ne?, Current Value: ?!*"?*!Ne?		
14 Trying to send an invalid username	passed	404 not found		
15 In the settings of the collection named "Petstore", change the username to a valid value in the "Variables"	passed	Variable: username, Initial value: qatest, Current Value: qatest		
16 Return to the site at the link.	passed	petstore.swagger.io/v2		
17 On the "Swagger Petstore" page, find the USER item and open theGet /user/login sub-item	passed			

18	In Postman, in the "Petstore" collection, create a query named "User logs"	passed	https://petstore.swagger.io/v2/user/login?username=qatest&password=1234567890	
19	Send the created request using the "Send" button	passed	Code 200 OK Body: { "code": 200, "type": "unknown", "message": "logged in user session:1727170585708" }	
20	Try to send a request with a valid username and an empty password field	failed	https://petstore.swagger.io/v2/user/login?username=qatest&password=	
21	Try to send a request without data	failed	https://petstore.swagger.io/v2/user/login?username=&password=	