



History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “BARD” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “BEALE” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "BOX3" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “BOXBODLS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “BRKMCC” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values





History profiles



Cummin history profiles




Solving “BROWNDEN” with “noisy_0.001-mixed-gaussian” feature

History profiles
Function valuesCummin history profiles
Cummin of function values

Solving "BROYDN3DLS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “CHNROSNB” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "CHNRSNBM" with "noisy_0.001_mixed-gaussian" feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “CLIFF” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "CLUSTERLS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “CUBE” with “noisy_0.001_mixed-gaussian” feature

History profiles




Cummin history profiles




Solving “DANIWOODLS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “DENSCHNA” with “noisy_0.001_mixed_gaussian” feature



History profiles




Cummin history profiles




Solving “DENSCHNB” with “noisy_0.001_mixed-gaussian” feature



History profiles




Cummin history profiles



Solving "DENSCHND" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "DENSCHNE" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “DENSCHNF” with “noisy_0.001_mixed_gaussian” feature



History profiles



Cummin history profiles




Solving “DEVGLA1” with “noisy_0.001_mixed_gaussian” feature




Solving “DEVGLA2” with “noisy_0.001_mixed_gaussian” feature


History profiles




Cummin history profiles



History profiles




Cummin history profiles




Solving "ECKERLE4LS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving "EGGCRATE" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving "ELATVIDU" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “ENGVAL2” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving “GAUSSIAN” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “GROWTHLS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "GULF" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving "HAIRY" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “HATFLDD” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “HATFLDE” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “HATFLDFL” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "HATFLDFLS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving “HELIX” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values





Cummin history profiles

Cummin of function values




Solving “HIMMELBB” with “noisy_0.001_mixed_gaussian” feature




Solving "HIMMELBCLS" with "noisy_0.001-mixed-gaussian" feature

History profiles




Cummin history profiles



Solving "HIMMELBF" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles



History profiles




Cummin history profiles



Solving "HUMPS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving "JUDGE" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "KIRBY2LS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “KOWOSB” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving "LOGHAIRY" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "LSC1LS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "LSC2LS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “MARATOSB” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "MEXHAT" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “MEYER3” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “MGH09LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “MGH10LS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving “MGH10SLS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “MGH17LS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving “MGH17SLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving “MISRA1BLS” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "MISRA1DLS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “NELSONLS” with “noisy_0.001_mixed-gaussian” feature

History profiles




Cummin history profiles



Solving “OSBORNEA” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles


Cummin of function values



History profiles




Cummin history profiles



Solving "POWELLSQLS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "POWER" with "noisy_0.001_mixed_gaussian" feature



History profiles



Cummin history profiles




Solving “QING” with “noisy_0.001_mixed_gaussian” feature



Solving "RAT42LS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values



Cummin history profiles


Cummin of function values



Solving "RAT43LS" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “RECIPELS” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles




Solving "ROSENBR" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving "ROSENBRTU" with "noisy_0.001_mixed-gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "ROSZMAN1LS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles




Solving “S308” with “noisy_0.001_mixed-gaussian” feature

History profiles




Cummin history profiles




Solving "SENSORS" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving "SINEVAL" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles


Cummin of function values




History profiles




Cummin history profiles





History profiles



Cummin history profiles




Solving “SNAIL” with “noisy_0.001_mixed_gaussian” feature



Solving "SSI" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values





Cummin history profiles

Cummin of function values




Solving “STREG” with “noisy_0.001_mixed_gaussian” feature

History profiles
Function valuesCummin history profiles
Cummin of function values

Solving "TRIDIA" with "noisy_0.001_mixed_gaussian" feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving "WAYSEA1" with "noisy_0.001_mixed_gaussian" feature

History profiles




Cummin history profiles



Solving “YFITU” with “noisy_0.001_mixed_gaussian” feature


History profiles

Function values




Cummin history profiles

Cummin of function values




Solving “ZANGWIL2” with “noisy_0.001_mixed_gaussian” feature

History profiles




Cummin history profiles



Solving “n10FOLDTRLs” with “noisy_0.001_mixed_gaussian” feature

History profiles

Function values



Cummin history profiles

Cummin of function values

