



BAD GOLF

Admin Guide

The complete admin toolkit - course mapping, the Guided Verify hub, ratings & pars editors, user management, analytics, and every back-office tool.

v2026.11.1141 • August 2026



Contents

01 Admin Side Features

02 Common Admin Workflows

03 Admin Tips & Tricks

Admin Side Features

Admin features are accessed via the **Admin tab** (More → Admin; it appears only to admins). This section covers course setup, GPS mapping, the code-review queue, user management, and analytics.

NOTE

The Admin and Crew pages load about 10× lighter than they used to, and Admin no longer blocks on a stack of sequential cloud reads before drawing anything — the big course-library rebuild happens after first paint and the worklist and state dropdown refresh themselves when it lands.

How a User Becomes Admin

- An existing admin (or system operator) grants the **admin role** via the **User Management** dashboard
- The user must sign in to see the Admin tab
- **"Rename course"** and the other admin controls appear immediately for an admin who signs in mid-session — no app reload needed

Admin permissions: map courses (GPS) · edit pars and tee ratings/slopes · mark a course complete · delete duplicate courses · lock and unlock a state · work the code-review queue · manage user accounts · view analytics · see every group's card inside a tournament · manage tournaments they don't own · log a past round onto another account.

Where We Stand — the Whole-Library Snapshot

Directly under the **Admin dashboard** button there's a card headed **"Where we stand — whole library"**. It is **button-triggered, never automatic** — it shows **"Load global snapshot"**, reports live progress while it runs ("Reading every mapped hole... 6,500 rows"), then caches for the session with an **🔄 Refresh**.

Once loaded:

- A **fairway-to-pin progress graph** with ticks at 25/50/75, the percentage centred, at your current position and at the goal, and a line reading *"8,732 done · 5,042 to go out of 13,774. Finish 5,042 more and we're holing out."*

- Four tappable tiles: **Incomplete** · **Complete** · **Code Review Reject** · **In code review**
- **"Most work left — tap a state"** — the top 12 states as mini progress bars sorted by work remaining; tapping one opens the Incomplete queue pre-filtered to that state

The queues open full-screen and are:

- **Searchable** — name, city, state code, state name or course id, multi-word AND
- **Filterable by state** — the dropdown is built from what's actually in that queue
- **Sortable** — **By state** (sticky per-state group headers with counts) / **A–Z** / **Closest to done**

Every row opens the course detail screen and closing it drops you back where you were; the detail screen's Next/Skip sweeps the queue in order. Rows carry the same badges as the worklist — what's missing, **7/18 mapped**, **Sent back** with the reject note inline, **In review**, ☒ **Signed off**, **» Skipped**. Paged at 60 with **"Show N more"**; an empty queue reads **"This queue is empty"**.

If any page of the scan fails you get a **⚠ partial read** warning rather than mapped courses being silently reported as unmapped. **The admin dashboard's own course tiles are still state-scoped** and will not match the global snapshot.

Course Library Management

"Courses" card (Admin tab):

Search: "Search by course name or state..." — searches all courses in the library, A–Z sorted.

The Four Status Chips

Chip	Meaning
Incomplete	everything that isn't complete
Complete	passes the gates OR an admin has signed it off — and has no live code-review rejection
Code Review Complete	reviewed and closed
Code Review Reject	reviewed and sent back for more work

"Verified" is no longer a visible state. The underlying admin sign-off flag still exists and still protects a hand-checked course from automated sweeps — it just isn't a chip.

Sort row: **▀ Incomplete first / A–Z (find duplicates).**

What "Complete" Actually Checks

There is **one shared completeness rule** used by the list, the tally, the sort, the chips, the dashboard, the map pins and the detail modal.

A course is complete when it has greens mapped, rating and tee data, and a fairway target on every par 4/5. Beyond that, **seven gates** now apply:

- **Duplicate pins fail.** A course whose back nine carries the front nine's greens is flagged **duppins**
- **A mapping centroid more than 5 km from the course's own coordinates** is flagged **misplaced**
- **A placeholder scorecard fails.** Pars running strictly downhill — six 5s, six 4s, six 3s — are a card generated to hit a total, not a real one. *(A genuine all-par-3 card is not caught by this.)*
- **Pars that disagree with the mapping fail.** Under two-thirds agreement across at least nine holes where both a mapped par and a card par exist
- **A nine played twice passes.** A course passes if distinct greens $\geq$ holes, **or** every hole h and $h+9$ share a green, **or** it's short by at most 2. "Same green" is measured in **metres** (a 30 m haversine threshold), not rounded coordinates
- **A live Code Review Reject outranks everything** — both the automated gates and an earlier admin sign-off. A rejection is the most recent human judgement, so a rejected-but-technically-complete course stays in the working list
- Either scorecard-trust gate leaves the course **Incomplete** until an admin signs it off

⚠ **Reading old incomplete counts.** The duplicate-pin, misplaced-mapping and par-disagreement gates were computed and then **dropped on the floor at both call sites — they had never once fired.** They're wired through now, which is also why the admin list and the course-detail modal used to disagree. **No rule or threshold changed;** the counts jumped because the honest number was finally being shown.

⚠ **Known bug — a whole small state can suddenly read Incomplete.** The worklist fetches GPS data in **chunks of 40 course ids.** If a chunk errors or comes back empty it's left uncached so it retries next load — but the *current* render reads 0 greens for every id in that chunk. Alaska has 17 courses (one chunk), which is exactly how "AK shows 14 incomplete" appeared when the truth was 17 of 17 complete. **Reloading the Admin tab clears it.**

A course can be in code review AND on the Incomplete list at the same time. That's intended — code-review status and completeness are independent flags, and a queued course still fails the completeness test.

Admin-verified courses are excluded from the placeholder and par-disagreement lists as well as the Incomplete count, so reviewers aren't shown courses they've already signed off.

"Mark complete" also closes the open review entry. Before, a rejected course that a reviewer fixed and marked complete stayed in the reject list and was read straight back as Incomplete — press the button, nothing happens. It now resolves the open review entry with a note recording who closed it. *(Unverify is deliberately left alone — reopening a review is a separate decision.)*

Duplicate detection & cleanup:

- Automated duplicate finder flags courses with identical/similar names
- **"Hide duplicates"** temporarily hides suspected dupes
- **"Show map view"** puts courses on a map

- Distance triggers are tuned at **2 / 5 / 15 km**, and par-mismatch and distance checks are **skipped entirely for wired multi-nine / multi-course ids**, where a mismatch is guaranteed and meaningless

On every course card: "Review history ›" (an orange link on any course with a code-review entry) and **Attach**.

A separate "orphan scorecards" tab holds the ~184 scorecard rows with no matching course library entry — the app can never display them. They're **excluded from the Incomplete counts** because they aren't work in the ordinary sense; each needs either its library row restored or the card deleted.

State Lock — Freezing a Completed State

Where: Admin tab → Course worklist, directly under the state picker.

- **"Lock — mark complete & freeze"** — locks it, with a note
- A locked state shows a red banner **" is LOCKED"** with **who** locked it, **when**, and their **note**, plus **"Unlock"**
- Locked states carry a **prefix in the state dropdown**

What the lock stops — *all admin data writes for that state*: course edits, GPS mapping, deletes, renames, the tees and pars editors, complete/skip toggles, three-nine wiring, and imports/sweeps. A **nationwide import skips locked states and processes the rest**, and the import log lists what it skipped.

What the lock does NOT stop — **scoring, betting, and settle-up are completely unaffected**. Players use a locked state's courses exactly as normal. Code-review flags and missing-course reports are still accepted.

Unlocking requires **typing the state name**. Both the lock and the unlock are written to the audit log.

△ The lock is an **app-UI marker, not a database constraint** — a direct database write bypasses it. Treat it as policy, not enforcement. The lock table can also lag your toggles in the UI, so **re-check the lock screen after a bulk toggle**.

Code Review Queue (with Full Audit Trail)

Every review entry carries a permanent, **append-only** history.

The four states, and exactly what each means:

State	Meaning
Incomplete	courses we're certain we can't fix from what's left
Code Review	Kevin fixed something and submitted it to us to review
Code Review Reject	we reviewed Kevin's submission and sent it back for more work
Complete	every complete course

A course's bucket follows its LATEST entry. It used to be decided by "does any entry ever carry this status", so once a course had ever been rejected it was pinned to the Reject chip permanently — Kevin marks it Complete, a new entry is appended, and the chip never moves. Measured live: **111** courses whose latest entry was a rejection versus **129** showing as rejected — **18 stuck**. The same fault in the pending set was worse: one stale **new** entry dropped a course out of the working list entirely. **No data was migrated — the filing history was always intact, it's just read correctly now.**

Re-submitting a rejected course moves it out of Reject immediately. All three write paths — the one-tap flag, the full review form, and the **// /** status buttons — re-derive every chip bucket at the moment of writing. The quick-file path used to add a course to Code Review **without removing it from Code Review Reject**, so Kevin watched it sit in both. Closing the queue modal repaints the worklist.

A Code Review count of 0 is correct, not a bug — it means nothing is currently awaiting our review.

On each card:

- **"History (n)"** — a full-width button on every card
- **"Log work"** — on open items
- **"Attach"** — attach a scorecard photo, on the admin worklist row and on each queue row. (*You still can't attach from inside the code-review submission form itself.*)
- **"last update by "**

The history sheet opens with a red **"»Still needed"** panel showing the most recent outstanding ask, then the full timeline. Footer buttons: **"Add a note"**, **"Log work"** (three fields — *what I fixed / what I couldn't do and why / what's still needed*), and **"Copy full history"**.

Rules:

- **A note is REQUIRED** to both **" Mark complete"** and **" Send back."** The status taps stay one tap
- Kevin has full visibility and **can reply in the same thread**
- Events log automatically when a review is filed, on status changes, on notes, and when a **photo is attached to a course**
- Queue items carry a **proposed correction**, not just a finding, so the reviewer's job is a decision rather than an investigation
- Categories in use include **scorecard**, **wrong-course**, **wrong-course-mapped**, **nine-hole**, **gps**, **possible-duplicate**, **duplicate** + **data-integrity** ("merge, do not delete") and **pars conflict**. Some entries carry explicit **"DO NOT DELETE"** corrections and **"WARNING: one of these two courses HAS BEEN PLAYED"** flags

Course Request Queue

An admin queue with **Open / Resolved** tabs, an optional resolution note, and **resolve / reject / reopen**. Both dashboard tiles open it.

Workflow: view the request (course name, submitter) → **Add to library** (create the course record) or **Assign to existing** → the requester gets a notification once the course is added → **Dismiss** closes it.

Feedback Inbox

Player feedback from "**Share feedback**" — message, topic and any attached screenshots — lands in the **Feedback inbox** card on the Admin tab. (*Email/SMS alerts for new feedback are on hold.*)

Guided Verify Hub

The **Guided Verify Hub** is the step-by-step interface for mapping and completing a course.

Opening a course: tap a course card in the library. **Delete course** removes a bad/duplicate course straight from the hub (with confirmation).

Five steps:

1. **Details** ✓ — course name (editable), city & state, optional phone & website, ⇌ **Rename course (admin)**
2. **Rating & Tees** ✓ — **Edit tees**; requires at least 1 tee with a valid name, rating (40–90), slope (55–155)
3. **Pars** ✓ — **Edit pars**; par for each hole (1–18), must be 3, 4, or 5
4. **GPS (Tees, Greens, Targets)** ✓ — **Map course**, the **4-step wizard**: **Tee box** → **Target** → **Front of green** → **Back of green** (mid-green computed). Auto-advances to the next unmapped hole; **Clear hole** wipes a hole's mapping
5. **Fairway Targets** ✓ — every par 4/5 needs a **target**; **Set / Update the fairway center (target)** adds or moves one on any hole

Complete gate — the course reads complete only when ALL of: greens mapped and passing the pin/ placement/scorecard-trust gates · rating & tee data filled · a fairway target on **every par 4/5** · no live code-review rejection.

Force-verify deliberately allows signing off an incomplete course. The banner tells you which: **"Verified — locked (still incomplete)"** in amber when the course isn't actually complete, instead of claiming "Saved & complete."

Mapping a 27- or 36-Hole Facility (Nine by Nine)

- The facility shows its **true expected total (27 or 36, not 18)**
- The mapping picker is **nine-first** — one full-width row per nine with its own live progress, e.g. **"Champions · 4/9 · 5 greens left"**, with a green dot when a nine is done
- The old 18-hole loop buttons live behind **"🌀 Or map a full 18-hole loop 🌀"**
- The worklist card gains **per-nine chips** (grey / amber / green) that tap straight through to mapping that nine

Do not rebuild nines from scratch. Map each nine **once** and the app assembles every 18-hole combination itself. A three-nine **round** is still 18 holes.

Same greens ≠ same holes. A course with 9 greens but different pars per loop is a real 18 and must not be trimmed to a nine.

⚠️**Per-nine GPS rows are mandatory.** Admin rolls a wired 27-hole facility up from **per-nine** `<id>#<nine>` rows. When wiring a facility, the config key must be the library id and the nine keys must match the existing `<id>#<nine>` rows exactly.

A wired multi-nine reading "Not mapped · 0/27" was a display bug. The completeness number came from a blank per-nine rollup while the map preview drew a stale 18-hole base row — so a course read "not mapped" on the list and looked fully mapped when you opened it. The list re-fetches per-nine records now instead of trusting placeholder cache entries, and the detail modal fetches the per-nine rows it's missing. **101 wired facilities were reachable by this; only 2 were genuinely unmapped.** Those 101 still carry stale 18-hole base rows — harmless, but don't let a future audit mistake a base row for a real mapping.

⚠️**The multi-nine builder can persist a config that overrides a good scorecard.** A config saved with placeholder pars (every hole a 4) and zero yardages **silently outranks a correct 18-hole card**, because three-nine courses take their ratings from the config rather than the card. The bad configs found so far were deleted by hand; **a validity gate rejecting uniform pars or all-zero yardages is an open follow-up, not shipped.** Check any config you save.

Multi-course facilities are different. A club with several full 18s (Bethpage Black / Red / Blue / Green / Yellow) is **not** rolled up the way a three-nine is — each course needs its own GPS rows, its own mapping and its own scorecard. Consolidate the facility to **one library entry with a picker**, and retire the generic catch-all entry. Facility-course GPS rows key as `base:key` with a colon; per-nine rows as `id#nine`. Wiring a facility without moving the existing mapping to the colon key orphans it.

Courses sharing pins may be an unwired multi-course facility, not a mapping error. The fix is to wire the facility, not to "repair" the map.

Rating & Tees Editor (adminEditTees)

List of tee boxes, each with **tee name**, **rating** (decimal), **slope** (integer 55–155), and **reorder** arrows.

Actions: add new tee · edit any tee · remove tee (×) · **Save tee boxes**. Error checking: names required, rating 40–90, slope 55–155.

Women's rating/slope per tee: tap **" + Add women's rating/slope "** on a tee row to reveal **W Rating** and **W Slope**. Tees that already have them show a " ♀ Women's " marker. These feed the gender-aware handicap math.

Auto-fill from BlueGolf: "Auto-fill from BlueGolf (paste link)" — tap **"Research course"** first (it opens BlueGolf), find the course, copy the web address, paste it here. The app fills every tee's label plus **men's and women's** rating/slope. Only accepts a real `bluegolf.com` link.

Reverse nines: "Reverse nines (flip front ↔ back)" swaps front and back for courses that play the nines in the opposite order.

Your typing is saved — reopening the editor refills what you had typed with "**←Restored what you were typing.**"

Two admins editing different courses don't overwrite each other. Course cards are stored in shards of ~90 courses and each save used to rebuild the whole shard from memory, so two admins editing *different* courses in the same shard silently lost one edit. Saves are read-merge-write now.

Edit course data while online. An offline edit can report "saved" and be lost on restart.

Pars Editor (adminEditPars)

- **Holes 1–18** as two 9-hole rows with running **Out / In / Total** par
- **PAR** — **tap a hole to cycle its par** (3 → 4 → 5 → 3); no keyboard needed
- **HANDICAP / stroke index** — a typeable number box per hole (1 = hardest ... 18); a "**duplicate values!**" warning shows if two holes share the same SI
- **Save pars** persists changes and keeps existing tees

House convention: a nine-hole course stores stroke index 1–9, not the odd 18-hole values. Some sources publish a nine's SI as 1,3,5...17. Imported values must be rank-compressed; writing raw values breaks handicap stroke allocation. (134 courses were carrying 18-hole values on a nine, which handed a 9-handicap 5 strokes over the nine instead of 9.)

Per-Tee Par / Stroke Index — Importing It

Per-tee par and stroke index (the ladies'/senior par feature described in the player section) arrives through the course importer at **?courseimport=1**. There is **no in-app per-tee editor**.

Two rules that must not be broken:

1. **Every course must lead with its men's/card row.** The importer takes the course card from the first row it sees and only attaches an override when a later row differs — so leading with a ladies' row silently makes the ladies' card the course card for everybody.
2. **A par spread of 4 or more strokes across tees is not a ladies'/senior par difference.** It's a separate short or executive layout being listed as a "tee", and it must never be imported. Real per-tee differences are **1–3 strokes**.

GPS Green Mapper (4-Step Wizard)

4-tap workflow per hole (the banner tells you what to tap next):

1. **Tap the TEE BOX** — "Pinch to zoom in close first"
2. **Tap the TARGET** — the middle of the fairway / ideal landing point (also saved as the hole's fairway center)
3. **Tap the FRONT of the green**
4. **Tap the BACK of the green** — mid-green computed automatically

After the 4 taps the hole is marked mapped and the system auto-advances. The **hole picker** (◀ select hole ▶) jumps to any hole to remap it; ⬅ **Undo** steps back one tap; **Clear hole** wipes that hole's saved GPS.

⚠ **Mapping no longer risks another admin's holes.** Every hole you map does a read-merge-write against the cloud row — but a **failed read used to be indistinguishable from "there's no cloud row yet"**, so the app would write your local holes over a row that might hold 18 holes somebody else had just mapped. It ran unattended on a 15-second timer, on boot, and on every reconnect — exactly the flaky course wifi that caused the failure in the first place. **If the cloud row can't be read, nothing is written**; the course stays parked in the dirty queue and retries. Mapping the *first* hole on a course with no cloud row still writes normally.

Clearing a hole while offline now fails loudly instead of being quietly undone by the next sync, and the **"Hole N GPS cleared — re-map it with the 3 taps."** toast doesn't fire when the server never heard about it.

The compass (*admin mapping sessions only*): a 46px translucent dial in the **bottom-right**. **Red needle = north**; a **gold tick on the rim = your device's own heading**. **Tap the dial to snap the map back to north-up** — that tap is also what grants heading access on iOS, so no permission prompt fires just from opening the map.

On-hole setup panel: per-hole nav (◀ ▶) · **Set / Update the fairway center (target)** on **every** mapped hole including par 3s · **Clear this hole** · ▼ **Minimize** / ↗ **Show options** · **Done mapping**.

No phantom lock-screen card. Admin mapping, fairway-target mapping and Course Preview don't raise an Apple Live Activity as if a round had started.

Admin overlays fit a phone — the four admin overlays that had no safe-area inset (title row and × **Close** clipped by the notch) are fixed, the dashboard's sticky header no longer sticks under the notch, the admin grid is pinned to two columns, and there's a 360px breakpoint for the par/SI editor.

"Open GPS admin map" works from the admin screens. The map used to open *behind* the admin modals, so the button looked completely dead. It now stacks above every admin dialog but below toasts. Normal gameplay stacking is untouched.

Fairway Center / Target Mapping (adminFwcCourse)

Two ways to set a target: **during mapping** (the wizard's 2nd tap) or **from the GPS admin map** via **Set / Update the fairway center (target)**, which appears on every mapped hole including par 3s (a par-3 target is harmless — the rangefinder always aims a par 3 at the green).

Tap the ideal landing zone and a **draggable target marker** drops; the auto-advance flow steps through only the holes still missing one. Players see it as a green dot. **Only par-4/5 targets count toward "complete."**

NOTE

Bulk target fills are *additive* — *an existing target is never replaced*.

GPS Map Pins (Admin View)

Numbered hole pins (drawn during a map session — a gap in the numbers is the missing hole): **blue square** = tee, **green circle** = green. On the library map view, complete courses pin ●, mapped/needs-targets ●, partial ●, no GPS ○, possible duplicate ●.

Admin-only map controls: "Show/Hide map view" · spectate any round · GPS override buttons.

"Open GPS admin map — fix a hole" opens the course map with hole pins, fairway-center dots, status colours and the compass. In the `.map-only` admin layout the live FRONT/MID/BACK bar is hidden, the current hole's **PAR** shows upper-right, the options box is bottom-centered, and a **Done mapping** button exits and saves.

"Research Course" Button (adminPrepCourse)

"Research course — USGA · 18Birdies · BlueGolf" opens three reference tabs so you can find a course's real rating, slope and scorecard.

Source Hierarchy — Which Witness Wins

This is a deliberate asymmetry, recorded so nobody "corrects" it:

- **Ratings and slope: the USGA is the issuing body, so it wins alone**, even when a publisher disagrees. Pull nine-hole splits from the USGA NCRDB (ncrdb.usga.org/courseTeeInfo?CourseID=<id>) — it publishes per-nine numbers, which is exactly what a three-nine needs, no factoring required
- **Pars: GolfPass is only a publisher and needs corroboration**. On 138 courses where independent sources could judge, GolfPass was wrong about **1 time in 6**. Its scorecard page and its course-layout geometry never once disagreed with each other, proving they're a single source, not two
- **stymie.golf and freegolftracker.com are re-publishers** — they agreed with GolfPass 100% of the time in testing and **cannot count as one of the two independent witnesses** needed to overrule it
- **Provenance rule**: a third source only counts if it's genuinely independent. If our GPS data itself came from that source, the two agreeing is circular and is not evidence
- **A card is rewritten only when two GolfPass-independent sources agree on the entire par list**

Two traps to watch:

- GolfPass labels each page of a 27-hole facility a "9-hole course" but attaches the **18-hole combination** rating — importing that roughly doubles every rating
- Some clubs publish their **women's** ratings on their own site without labelling them; importing blindly silently corrupts men's handicaps

Check the arithmetic before trusting a scanned scorecard. Each tee's 9 holes must sum to the printed 9-hole total, and two nines must sum to the printed 18-hole total. One club's own published card image turned

out to be spliced — **and GolfPass carries the same corrupted layout**, so importing from GolfPass inherits the error.

Scorecard Image Links & Viewer (adminSetScorecardImg)

Add / replace: on the course card tap **"Scorecard image — view / add link"** and paste a **URL** to a scorecard photo/scan. There's also a **"Scorecard images ›"** Google Images link to go find one.

View: **"View real scorecard"** opens the saved image **full-screen** while you key in pars/ratings. Attaching a photo to a course is **logged into that course's code-review history** automatically.

NOTE

Scorecard images and event images now actually sync to the cloud — they, and the course skip list, were flagged as shared but never registered as shared, so saves reported success while writing nothing.

Admin Analytics Dashboard

Every tile is clickable — 26 drill-downs. Tapping a tile opens a searchable list of the underlying records (a filter box appears over 12 items, capped at 400 with an honest "showing the first 400 of N"). Course rows deep-link into the course detail screen, so "326 needs GPS" is a working worklist.

⚠️**Re-read any dashboard figures you recorded before v965.** "Rounds played," "Rounds completed," "Holes played," "Avg score," "Active players" and "Live rounds now" used to be built from **the signed-in admin's own personal roster and recent list** — two admins saw different numbers for the same app. They all scan real game rows app-wide now.

Other corrections worth knowing:

- Round completeness is **round-level** (a four-ball where one person quit at hole 6 used to log as unfinished)
- **Avg score counts only full 18-hole cards**, and the tile says "over N full 18-hole cards"
- Period-over-period deltas used to compare a partial current month against a complete previous one — fixed, and the header says **"(so far)"**
- Course tiles count only the **scoped** courses and the header names the scope (e.g. "· Michigan only")
- **"Duplicates flagged"** counts extra copies rather than originals too
- **"🔄 Refresh"** actually refreshes the course section

Three real sections replaced the old "Coming soon" block:

- **Platform & adoption** — iOS accounts, Android accounts, builds in the wild, platform split, with an honest denominator in the header ("N of 102 accounts reporting") because only builds carrying telemetry write those fields
- **Retention** — D1 / D7 / D30 computed in-app; accounts not linked to a player are excluded from the denominator rather than counted as churned
- **Needs an outside connection** — the genuinely unavailable metrics with the precise reason each: App Store downloads need a server-held App Store Connect key; revenue/MRR doesn't exist because nothing is gated; crashes-by-version needs a crash SDK that isn't installed

User Management

"Users & players" section:

Search: "Search by name or email..." — searching by **email** works. The Users list shows email, avatar, signup date and Pro status.

User actions (per row):

- **Reset password** — send a password reset email
- **Make Admin / Revoke Admin**
- **Pro: ON / ☆ Pro: off** — per-account Pro entitlement, recording who granted it and when. **Nothing in the app is gated today.** Admins are always treated as Pro, and a failed read never downgrades someone
- **Relink player** — re-point this user's **my_player** at the correct surviving roster name
- **Log a past round onto this account** — **admin role only; commissioners cannot use it.** This control was live in the UI for a long time with no backing function behind it, so it had **never worked** (it did fail loudly, naming what was missing). It's installed now. Repeating the same round code is a no-op, so a double-tap can't write the round twice
- **Delete** — remove the user account entirely (confirms)

Account linking: users who sign in are auto-linked to a player by name match; **Unlink** and **Link to player** let you correct it by hand.

Duplicate player detection & merge: the **Merge duplicate players** modal combines two player records — choose which keeps the name/handicap/photo, the other's rounds and scores transfer to the survivor, any user pointing at the merged-away player is **auto-repointed**, and the merged player is removed. **The merge preview lists the accounts it's about to rename.**

The identity rule: verify by EMAIL, never by name

Email is the only key that reliably identifies the same person across rosters — measured, an email reaches **22 rosters on average**, a roster-entry ID reaches **1** (one person carries ~11.5 different roster IDs). So: - Stamp the surviving **email** onto that person's roster entries - Never

rely on the roster ID for cross-roster matching - Never infer identity from an OAuth profile name — confirm with the person

The merge tool used to repoint by name, which meant one admin merging two same-named strangers could reassign an unrelated person's account. It repoints by stable identifier only now.

Why "I already deleted that player and he's still there"

- **A name-only delete cannot remove a player who has an id.** Tombstones match on `pid:<id>` for any entry that carries one, and only fall back to the name for legacy id-less entries
- **The player-upsert runs on every round start and un-tombstones players**, so cleaning rosters alone brings the name straight back. The old round that seeded the name has to be dealt with too

There is **no self-serve merge in the app** — every nickname split has required a hand-written database merge by an admin.

Roster Cleanup merges duplicate-name entries — run it when players report a stranger's round showing up in their list. (Tell the player to remove the row with "x" → **"Just my list"**, never "Delete for all.")

NOTE

After a merge or a roster cleanup, a phone still showing the retired name is holding a cached roster — a force-close and reopen clears it on the next sync.

Crew board moderation: admins can edit or delete any message. Deleting a message that has replies removes the whole thread.

Profile Privacy — What Changed and What It Breaks

Every signed-in user used to be able to read **every** profile row in the database — stored phone numbers, role, clubs, tracked shots, Pro flags and last-seen data. That's closed.

- A normal signed-in user sees **only their own profile row** (their own phone, clubs and handicap still show in Settings)
- Names for friend search, leaderboards and round participants come from a **restricted directory** exposing name, avatar and handicap fields and **no phone, role, clubs, shots or email**
- Anonymous callers get nothing
- **Admin screens are unaffected** — user management and player merge still list all accounts and phone numbers

Failure mode to watch: a denied read returns an **empty list, not an error**. If friend search or player names ever come back blank for a non-admin, that's the symptom. **Four accounts still**

on builds older than v991 will lose cross-user name lookup until they update — one on iOS and three on Android. All four can update now.

⚠ **The repo file `Tournament_read_access.sql` must never be run.** Its own header claims it's safe to re-run. Running it today would make **every tournament, roster, group, pairing and standing readable by every signed-in user**, silently and with no error. Treat it as **HISTORICAL — DO NOT RUN.**

Commissioner Actions That Used to Misfire on a Bad Connection

A whole class of admin and commissioner actions treated a **failed database read as an empty result**, which is the worst possible default on course wifi. All of these now refuse the action and say so:

Action	What it used to do
Launch a day's rounds	If the group-members read failed, every group was skipped — no rounds, no group codes, no message. The commissioner tapped launch and nothing happened. It now refuses outright: "Couldn't reach the groups — nothing was launched"
Notify all players	A failed read re-invited the entire field . It now sends none
Move a player into a slot	A failed read collapsed the next slot to 1 , colliding tee order. The move is refused
Persist standings	A failed read inserted duplicate match rows . The persist aborts
Remove a player	The post-delete verify read could fail and the function still reported "removed"

The same class of bug is why a number of player-facing toasts used to lie about saving — accepting a friend, removing a friend, posting a comment, accepting an invite, bragging to the crew feed, joining a round, changing stats visibility, and saving payment handles. They tell the truth now.

Deleting Courses, Rounds and Data

Course deletes:

- **Removals only stick via the tombstone overlay.** Removing an entry from the library additions blob does not stick, because clients union the cloud copy with their local cache. **Always write both the deletes list and the locked list.**
- **A tombstone alone does not stop a course surfacing** — its **contact and GPS rows must be removed too**

- Renaming a **seed** course that isn't in the additions blob requires the **name-override map**. A database-side rename deliberately doesn't touch the GPS mapping table
- Deleting more than **25 course cards in a single save** is refused as a suspected partial read
- **A course's visibility comes from the library plus the delete overlay** — not from whether a scorecard exists. A deleted course keeps its pars and tees so it can be restored, which means **any audit counting "courses with missing data" must exclude the delete overlay first**, or it counts the graveyard
- **A mapped course can be invisible to search.** The searchable library is `seed + additions - deletes`, but GPS mapping lives in a separate table the delete filter never touches. Courses with **no state on record** also vanish whenever a state filter is set; a text search brings them back

Round deletes:

- **A tombstone is what actually hides a round on every device** — the row delete is just cleanup
- Round deletion is **owner- or admin-only**. Rounds created before v991 have no recorded owner, so **only an admin can delete those rows**
- **Bulk writes from a non-admin account are capped at 25 rows per request.** Legitimate app behaviour never exceeds it; admin and server-side operations are exempt
- **The course delete/verified lists are admin-write only.** The code-review queue and state locks are deliberately excluded so Kevin can keep writing them without an admin role
- The admin **Delete round** dialog doesn't destroy the round when you dismiss it — Cancel, backdrop tap and Escape all used to resolve to the "Just my list" branch after the round had already been discarded

Rules for Data Audits and Bulk Operations

These are the standing rules learned the hard way. They belong in any sweep, import or audit.

- **userEdited: true protects hand-entered course cards from a state re-import.** Kevin's 17 minutes of Bethpage par/tee edits were destroyed by an override-mode sweep with no backup covering the window — the third documented instance of that failure class
- **Take a GPS snapshot BEFORE any destructive sweep.** One sweep cleared 401 pins and the only backup was taken after the clear
- **A database write that times out may still have committed.** Treat a timeout as unknown, not failed — verify every effect by counting residue before retrying anything non-idempotent
- **Resolve a course card as shard-then-monolith, never whichever copy the query returned.** Reading the legacy monolith produced a phantom "65 courses lost their pars across 19 states" finding that nearly triggered a 679-course "restore". Correct precedence showed **0 pars lost**
- **A cloud read that fails must not be blind-written over.** The guard is symmetric now across the course map, name overrides, detail overrides, queue attachments, state locks, import progress **and per-course GPS mapping**
- **Never batch-clear on a heuristic alone.** Individual verification flipped 5 of 81 wrong-map calls, which would have destroyed 5 correct maps

- **Log what a sweep skipped.** A silent cap reads as "we covered everything" when it didn't

How to prove a GPS map is on the wrong course:

- Comparing GPS centroids for proximity produces false positives (Winged Foot and Quaker Ridge genuinely sit 1 km apart)
- The reliable test is whether two courses **share actual hole coordinates** — any hole whose green centroid matches another course's to 6 decimals means one map was copied from the other
- **Geocode the course's library pin, not just its map.** In 9 of 13 checked cases the pin was correct and the map was the copy
- Evidence bar for calling a pin wrong: **more than 500 m** from the nearest mapped green
- **A course with no coordinates can never be distance-checked**, so a wrong mapping on it is invisible forever — backfilling coordinates from the centroid of its own green pins is what makes the check work at all

Re-mapping requires three gates, and no pin is ever forced:

1. A **qualifier match** — an East/West/North/South/colour/designer token in the library name must appear in the source slug
2. A **2 km geo check** against the library coordinate
3. A **sibling-duplicate check** rejecting any centroid within 250 m of an already-mapped course

Anything that fails goes to the code-review queue **with its actual reason** rather than being pinned anyway.

Duplicates: what is and isn't evidence

- **Matching name + yardage + rating is a SCREEN, not proof.** Bobby Jones GC exists in Sarasota FL and Atlanta GA, 745 km apart; Tam O'Shanter CC exists in NY and MI, 848 km apart. A **-2** id suffix means nothing — 8 of 9 such pairs were different courses in different states
- The reliable test is **GPS centroid distance cross-checked against the course's own contact address.** If the map drifts from the address, it's a **mis-map to re-map, not a duplicate to delete**
- **Before merging same-named entries, check the scorecards, not the names.** Of 138 "same course twice" groups, 16 were pairs of 9-hole cards and 33 had different par arrays. Only 82 were true duplicates — name-based dedupe would have destroyed 49 groups of real courses and real nines
- Some pairs must be **merged, not deleted** — a doubled-nine re-import with exactly halved ratings, or a men's/ladies' tee split where the second card holds tee rows the survivor lacks

Junk entries: what is and isn't evidence

- **"Having a scorecard" is the only reliable junk signal — not the name.** Filters on "Golf Center", "Golf Club & Fitness" and similar wrongly flagged 19 real courses. Reese Golf Center was deleted on exactly that heuristic and had to be restored — it's a full 18-hole regulation par-72 course
- Delete on the **absence of a scorecard/GPS holes**, not on the name

Nine-hole courses

- **Courses manually set to 9 holes stay at 9 holes**, and cards flagged user-edited are left alone even when they look truncated
- **The doubled-nine test**: before "restoring" a 9-hole course to 18 because its GPS map shows 18 holes, compare the GPS front nine against the GPS back nine. If they're identical, it's a genuine 9-hole course whose map was doubled
- **The greens are the evidence, not the pars**. 270 cards had identical front and back nine pars but only 10 had 9 distinct greens
- **Any completeness check that hardcodes 18 holes will keep manufacturing false tickets**

Do not bulk-correct GPS pars from scorecards. 1,891 courses have at least one par disagreement between their GPS row and their scorecard, and for ~866 the two sources appear to describe **different golf courses**. Overwriting them would make those courses pass the completeness check while their greens and targets still point at the wrong course — converting a visible problem into an invisible one. Correct only unambiguous single-hole typos.

Dormant By Design — Do Not Report As Broken

Four admin tools are complete in code but deliberately have **no buttons**: **Re-Map Hole**, **admin delete-a-player**, the **roster-cleanup/merge entry buttons**, and **reset-all-stats**. This is a deliberate decision, written into the source as a named block so audits stop re-filing them.

Known Limitations

- **There is no in-app per-tee par editor**. Per-tee par and stroke index can only arrive by CSV import
- **The 4-man (one-team) scramble handicap allowance is not implemented** — the checkbox is hidden in 4-man mode and that format plays gross
- **Junk auto-fill doesn't fire when junk is a tournament group bet** — the chips render and are tappable, but GIR / Arnie / Sandy must be tapped by hand
- **Field skin circles don't paint on the Event Leaderboard's full scorecard**
- **There is no event-wide N-team Ryder Cup or Scramble format** — no bracket, no round-robin, no fixture list. They settle per cart and feed the per-team cup table
- **A round record still stores only two team keys at launch**. Cosmetic now that team sides are read from the event roster, but worth knowing
- **Deleted scheduled rounds can come back** — they have no deletion tombstones (rounds, rosters and tournaments do), so a sync from a device that still has one can resurrect it. The same applies to round templates, multi-nine wiring and course GPS
- **A partial round doesn't archive to handicap history** — a round played to 15 of 18 holes doesn't count toward the handicap
- **Archiving truncates a player's score history to 200 rounds**

- **The shared roster snapshot is not an authoritative record of a finished round** — it holds truncated mid-round snapshots. It feeds no money and carries no handicap differential, so it's harmless, but don't audit against it
 - **The scheduled-rounds list is global with ownership checked by name, not account** — two users named "Mike Smith" can edit and delete each other's scheduled rounds
 - **The legacy roster tombstone list is one global row**, so one user deleting a legacy roster entry can tombstone the same name in another user's roster
-

Common Admin Workflows

Mapping a New Course (Admin)

1. **Admin tab** → **Courses card**
2. Check the state isn't **locked**
3. **Search for the course** (if not in the library, create it)
4. Tap the course card → **Guided Verify Hub**
5. **Step 1: Details** — name, city, state (optional phone/website)
6. **Step 2: Rating & Tees** → **Edit tees** — add tee boxes with men's and women's rating/slope, or paste a BlueGolf link into **"Auto-fill from BlueGolf"**. For ratings, the USGA is the authority
7. **Step 3: Pars** → **Edit pars** — tap to cycle par, type the stroke index (**a nine stores SI 1–9**)
8. **Step 4: GPS** → **Map course** — **4 taps per hole**: tee → target → front green → back green. On a 27- or 36-hole facility, map **one nine at a time** from the nine-first picker. **Map online** — if the cloud row can't be read, nothing is saved and the course parks in the retry queue
9. **Step 5: Fairway targets** — confirm every par 4/5 has one; add or move any with **Set / Update the fairway center**
10. Mark the course **complete** → it reads **Complete** in the library
11. When the whole state is finished, **"Lock — mark complete & freeze"** with a note

Working the Code Review Queue (Admin)

1. **Admin tab** → the queue (or **Where we stand** → the **Code Review Reject / In code review** tile)
 2. Read the card's **"Still needed"** panel, then **"History (n)"** for the full timeline
 3. Fix what you can; **Attach** a scorecard photo if it helps the next person
 4. **"Log work"** — what you fixed / what you couldn't do and why / what's still needed
 5. **"Mark complete"** or **"Send back"** — **a note is required for both**. Marking complete also closes the open review entry
 6. Remember what each state means: **Code Review** = Kevin submitted it to us; **Code Review Reject** = we sent it back to Kevin
-

Admin Tips & Tricks

- **Load the global snapshot** at the start of a session — the four tiles and the state bars tell you where the work actually is
 - **Check the state isn't locked** before you start — a state blocks every admin write
 - **Research course first** — or paste the BlueGolf link straight into "**Auto-fill from BlueGolf**". For **ratings** the USGA wins outright; for **pars** you need two GolfPass-independent sources to agree
 - **Map courses online.** If the cloud row can't be read, nothing is written and the course retries — that guard is what stops you wiping another admin's holes on course wifi
 - **On a 27- or 36-hole facility, map one nine at a time** from the nine-first picker, and make sure the per-nine `<id>#<nine>` rows exist — otherwise admin reads 0 of 27 no matter how much you map
 - **Never save a multi-nine config with placeholder pars or zero yardages** — it silently overrides a perfectly good scorecard, and there's no validity gate yet
 - **A multi-course club is not a three-nine** — each course needs its own rows and its own mapping
 - **Lead every per-tee import file with the men's card row**, and never import a "tee" whose par differs by 4 or more strokes — that's a different course
 - **Tap the compass** to snap the map back to north-up
 - **Confirm every par 4/5 has a target** before marking a course complete
 - **Log your work in the code-review queue** — a note is required to mark complete or send back, and marking complete closes the open entry
 - **Verify by email, never by name** when you're merging accounts or chasing a duplicate player
 - **Snapshot before you sweep**, treat a timed-out write as unknown, and never batch-clear on a heuristic alone
 - **If a whole small state suddenly reads Incomplete, reload the Admin tab** — that's the 40-id chunk bug, not your data
 - **Never run `Tournament_read_access.sql`** — it would open every tournament, roster and standing to every signed-in user
 - **Lock the state when it's done** and leave a note saying what "done" meant
-