

QueueFlow Pro

Device Management Portal

Administrator Guide

Version 4.1.0 | January 2026

PORTFOLIO SAMPLE — Content and product names are fictional and created for demonstration purposes only.

Overview

QueueFlow Pro is a customer visit management solution designed to streamline service delivery across branch networks. It enables organizations to manage customer flow efficiently, from the moment a customer arrives at a branch until their service is complete.

This guide covers the web-based Device Management Portal — a centralized interface that allows administrators to configure, monitor, and maintain all devices connected to the QueueFlow Pro system.

About This Manual

This manual is intended for system administrators responsible for managing QueueFlow Pro devices. It assumes familiarity with basic web-based interfaces and network concepts.

Definitions

The following terms, when used in this manual, have the following meanings:

Term	Definition
Customer	Any person visiting a branch to access a service — for example, a bank client or a patient at a clinic.
Device	Any hardware unit connected to the QueueFlow Pro system, such as a ticket kiosk or a counter display.
Branch	A physical location or office where services are delivered to customers.
Portal	The web-based interface used by administrators to manage devices and system settings.
Component	A software or hardware element registered within the Portal, such as a display unit or ticketing printer.

Instructional Icons

Note — Additional information that helps the user avoid issues or understand behavior better.

Warning — Situations presenting a condition that might cause a problem or data loss.

→ **Followed by** — The order of options or menus you must select to perform a step; for example: from the Navigation Menu, click Settings → Device Configuration → Display Options.

Getting Started

Logging In to the Portal

To access the Device Management Portal, open a supported web browser and navigate to:

`http://[ServerAddress]:[Port]/[OrganizationName]/DevicePortal`

On the login page, enter your Login Name and Password. Select your preferred language from the dropdown, then click Login.

Note Your Login Name and Password are provided by your system administrator. Contact your IT team if you are unable to log in.

Understanding the Portal Interface

After a successful login, the portal displays the main Device List screen. This screen provides an overview of all devices registered to your organization, including their current status and configuration details.

The top navigation bar provides access to the following areas:

- Device List — View and manage all registered devices.
- Branch Management — Assign devices to specific branches.
- System Settings — Configure global system preferences.
- Account Settings — Update your user profile and password.

Editing Your User Profile

All users can update their profile settings at any time. To do so:

1. Click on your username in the top-right corner of the screen.
2. Select Edit Profile from the dropdown menu.
3. Update the desired fields, such as your display language or password.
4. Click Save to apply the changes.

Note System accounts and network-authenticated users cannot change their passwords through the portal. Contact your administrator for password resets.

Managing Devices

The Device List

The Device List is the main working area of the portal. It displays all devices connected to the system, along with the following information:

Column	Description
Name	The display name assigned to the device.
Branch	The branch the device is assigned to.
Type	The device type, such as Kiosk, Counter Display, or Printer.
Status	The current operational status of the device (see Device Status section).
Version	The software version currently installed on the device.
Last Seen	The date and time the device last communicated with the server.

You can filter the device list by branch or device type. Use the Search bar to locate a specific device by name.

Device Status

Each device in the list displays a status indicator. The following statuses are possible:

Status	Description
Working	The device is online and operating normally.
Offline	The device cannot be reached. Check the network connection.
Restarting	A restart command has been issued. Refresh the page to see the updated status.
Faulty	The device has not sent a heartbeat signal within the expected time. Investigate the device.
Unknown	The device status could not be determined after a restart attempt.

Note Device statuses do not refresh automatically. Click the Refresh button or reload the page to see the latest status.

How to Add a New Device

To register a new device in the portal:

5. Click the Add Device button at the top of the Device List screen.
6. Select the Branch the device belongs to.
7. Select the Device Type from the dropdown.

8. Click Search. The portal will scan for connected devices of the selected type in the chosen branch.
9. From the results list, click on the device you want to register.
10. Review the default configuration and make any necessary adjustments.
11. Click Save to complete the registration.

Note All available devices in the selected branch will appear in the search results, including those already registered. Verify the device identity before saving to avoid duplicate entries.

How to Delete a Device

To remove a device from the portal:

12. Locate the device in the Device List.
13. Click the Delete icon next to the device name.
14. A confirmation message will appear. Click Confirm to proceed.

Deleting a device removes it from the portal and clears its configuration from the server. The device will stop receiving updates and commands until it is re-registered.

Remote Operations and Diagnostics

The portal provides remote management tools that allow administrators to diagnose and resolve device issues without requiring physical access to the branch.

From any device page, the following remote actions are available:

- Collect diagnostic data remotely.
- Capture a screenshot of the device display.
- Restart the device software or the device itself.

Collecting Diagnostic Data

Diagnostic data helps identify and resolve technical issues. To collect diagnostics for a device:

15. Open the Device List and click on the device you want to diagnose.
16. In the Diagnostics sidebar, select the data types you want to collect:
 - System Logs
 - Application Files
 - System Information (hardware specs, OS version, installed applications)
17. Click Collect. The button will show a Collecting... indicator while the process runs.
18. Once complete, click Download to save the diagnostics as a compressed ZIP file.

Note Collecting diagnostics again will overwrite the previous collection for that device, even if the new attempt fails. Download existing diagnostics before initiating a new collection if you need to retain them.

Taking a Screenshot

To capture a screenshot of a device's current display:

19. Open the device page.
20. In the Diagnostics sidebar, click Capture.
21. Wait for the capture to complete. A thumbnail preview will appear in the sidebar.
22. Click the thumbnail to view the full image. Click Download to save it.

If the device has multiple displays, a screenshot of each display is captured. Navigating away from or reloading the device page will clear the current screenshot.

Restarting a Device

Two restart options are available from the device page:

Restart Software — Restarts only the application running on the device. The device hardware remains on.

Restart PC — Performs a full hardware restart of the device.

After initiating a restart, the device status changes to Restarting. Refresh the page to check the updated status. If the restart is successful, the status will return to Working once the device sends a heartbeat signal.

Note Remote PC restart is not supported on Android-based devices. Use the Restart Software option for these devices instead.

PORTFOLIO SAMPLE — All product names, company names, and technical content in this document are fictional and created solely to demonstrate writing style and documentation structure.