
3Dfindit
powered by CADENAS



Panasonic
INDUSTRY


MSMF

CONTENT

Augmented Reality (AR) - Digital meets real	2
3D preview of MSMF	3
Integrate Panasonic Corporation, Motors for FA & Industrial Application catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Panasonic Corporation, Motors for FA & Industrial Application catalog	8

www.CADENAS.de
www.3Dfindit.com

VISIT US AT 3Dfindit.com NOW!




Panasonic
INDUSTRY

MSMF

AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world.
For more information, please click here or directly try yourself by scanning the QR code with your phone.






SCAN ME

Supported by

Supported by


Please scan the QR code above and open on AR-enabled device.
There is a possibility that the configuration will fail. If that happens, please try a different product.



Panasonic
INDUSTRY

MSMF

3D view



HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**

Zoom


Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.

Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.

Rotate


Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.




MSMF

CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.




To the plugins




Panasonic
INDUSTRY

MSMF

2D derivation




ISO view




Bill-Of-Materials

N°	Description	Amount
1	MSMF082L1U1	1




MSMF

Technical drawings



3Dfindit
powered by CADENAS




Panasonic
INDUSTRY

MSMF

Technical data

R (Rated output / W)	0.75 k
E (Encoder)	23bit Absolute Encoder
B (Brake)	No
EOS (End of shaft)	With key and tap
MIF (Motor I/F / Encoder I/F)	Connector
OS (Oil seal)	Yes (NBR)
PS (Power supply V)	200
MA (Special specifications)	Standard
CNSORDERNO (Order number)	MSMF082L1U1



Panasonic
INDUSTRY

MSMF

E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!



Learn more

Start course