Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 31/08/2026 Shift: C

Color: Q77 Thickness: 1.30 mm Batch: 39595

Time	Thickness Range: 1.17 – 1.43 Min (mm)	Thickness Range: 1.17 – 1.43 Max (mm)	Squareness	Edges	Color	Surface
22:25			0.00 mm	Complies		Complies
22:50			0.08 mm	Complies		Complies
23:15			0.10 mm	Complies		Complies
23:40	Q28	1.30	39605			
00:05	CHANGING		KNIVES			
00:30		↓	↓	↓	↓	↓
00:55	RESTART					
01:20			0.00 mm	Complies		Complies
01:45			0.05 mm	Complies		Complies
02:10			0.10 mm	Complies		Complies
02:35			0.06 mm	Complies		Complies
03:00			0.02 mm	Complies		Complies
03:25			0.00 mm	Complies		Complies
03:50			0.08 mm	Complies		Complies
04:15			0.10 mm	Complies		Complies
04:40			0.10 mm	Complies		Complies
05:05			0.05 mm	Complies		Complies
05:30	PRODUCTION		STOPPED			
05:55		↓	↓	↓	↓	↓

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	28	20	
23:00 – 00:00	28	6/6	Colour change
00:00 – 01:00	28	–	Prod Stopped
01:00 – 02:00	28	2/8	Restart
02:00 – 03:00	28	24	-4
03:00 – 04:00	28	26	-2
04:00 – 05:00	28	28	–
05:00 – 06:00	PRODUCTION STOPPED ↓	↓	↓
Total	180	112	-68

Remarks: *Colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 31/08/2026 Shift: B

Color: 977 Thickness: 1.30mm Batch: 39595

Time	Thickness Range: 1.17 – 1.43 Min (mm)	Thickness Range: 1.17 – 1.43 Max (mm)	Squareness	Edges	Color	Surface
14:25	BULK		0.05mm	Complies	BULK	Complies
14:50			0.09mm	Complies		Complies
15:15			0.06mm	Complies		Complies
15:40	DIY		0.05mm	Complies	DIY	Complies
16:05			0.07mm	Complies		Complies
16:30			0.10mm	Complies		Complies
16:55			0.04mm	Complies		Complies
17:20			0.07mm	Complies		Complies
17:45	PRODUCTION		STOPPED			
18:10	↓		↓	↓	↓	↓
18:35						
19:00						
19:25	RESTART				RESTART	
19:50	DIY		0.05mm	Complies	DIY	Complies
20:15			0.03mm	Complies		Complies
20:40			0.13mm	Complies		Complies
21:05			0.04mm	Complies		Complies
21:30			0.10mm	Complies		Complies
21:55			0.08mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	~~24~~ 8	25/10	
15:00 – 16:00	28	24	-4
16:00 – 17:00	28	27	-1
17:00 – 18:00	28	↓	↓
18:00 – 19:00	PROD – STOPPED		
19:00 – 20:00	28	14	-14
20:00 – 21:00	28	28	-
21:00 – 22:00	28	26	-2
Total	216	154	-62

Remarks: *No colour and thickness change
*Production stopped : Breakdown at punching press - Solenoid was mis-powering
Electrician - Elliot was called to attend to it

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 31/08/2026

Shift: A

Color: 210

Thickness: 1.60mm

Batch: 5175

SHEETING

Time	Thickness Range: 1.47–1.73 Min (mm)	Thickness Range: 1.47–1.73 Max (mm)	Squareness	Edges	Color	Surface
06:25						
06:50	1.54	1.59				
07:15	1.55	1.60				
07:40	1.52	1.58				
08:05	1.53	1.57				
08:30	1.50	1.57				
08:55	1.49	1.58				
09:20	1.53	1.59				
09:45	1.56	1.61				
10:10	1.54	1.63				
10:35	1.53	1.60				
11:00	1.52	1.60				
11:25	1.55	1.62				
11:50	1.56	1.65				
12:15	1.57	1.63				
12:40	1.50	1.60				
13:05	1.54	1.62				
13:30	1.55	1.58				
13:55	1.52	1.58				

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
Total		63 ROLLS	

Remarks: * No color change
* No thickness change

Checked By QAI: KAKABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 31/08/2026 Shift: A

Color: Q72 Thickness: 1.30mm Batch: 39585

Time	Thickness Range: 1.17–1.43 Min (mm)	Thickness Range: 1.17–1.43 Max (mm)	Squareness	Edges	Color	Surface
06:25		HEATING UP		MACHINE KT		
06:50						
07:15	RESTART PRODUCTION					
07:40			0.10mm	complies		complies
08:05			0.09mm	complies		complies
08:30			0.00 mm	complies		complies
08:55			0.02mm	complies		complies
09:20			0.00mm	Complies		Complies
09:45			0.02mm	Complies		Complies
10:10			0.08mm	complies		complies
10:35			0.05 mm	complies		complies
11:00			0.10 mm	complies		complies
11:25			0.00 mm	complies		complies
11:50	Q77	1.30	39595			
12:15	BG		0.10 mm	complies	BGK	complies
12:40			0.08 mm	complies		complies
13:05			0.05 mm	complies		complies
13:30			0.09mm	complies		complies
13:55			0.04mm	complies		complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
07:00 08:00	28	20	-8
08:00 09:00	28	28	–
09:00 10:00	28	26	-2
10:00 11:00	28	20	-8
11:00 12:00	28	4/5	colour change
12:00 13:00	48	35	-13
13:00 14:00	48	25	-23
Total	236	173	-63

Remarks: * Colour change
* No thickness change

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 28/08/2026

Shift: C

Color: Q72

Thickness: 1.30 mm

Batch: 39565

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
22:25	BLACK		0.06mm	Complies	BLACK	Complies
22:50			0.08 mm	Complies		Complies
23:15			0.03 mm	Complies		Complies
23:40			0.05mm	Complies		Complies
00:05			0.09 mm	Complies		Complies
00:30			0.07mm	Complies		Complies
00:55			0.10 mm	Complies		Complies
01:20	PRODUCTION STOPPED					
01:45	RESTART					
02:10	BLACK		0.04mm	Complies	BLACK	Complies
02:35			0.07mm	Complies		Complies
03:00			0.00mm	Complies		Complies
03:25			0.09mm	Complies		Complies
03:50			0.06mm	Complies		Complies
04:15	DRY		0.03mm	Complies	DRY	Complies
04:40			0.05mm	Complies		Complies
05:05			0.08mm	Complies		Complies
05:30			0.07mm	Complies		Complies
05:55			0.10mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 - 23:00	48	34	-14
23:00 - 00:00	48	41	-7
00:00 - 01:00	48	33	-15 (line 04)
01:00 - 02:00	48	28	-20
02:00 - 03:00	48	38	-10
03:00 - 04:00	48	40	-8
04:00 - 05:00	28	8/22	
05:00 - 06:00	28	26	-2
Total	344	270	-74

Remarks: No Thickness change and colour change

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 28/08/2026 Shift: B

Color: Q14 Thickness: 1.30mm Batch: 39575

Time	Thickness Range: 1.17 – 1.43 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	PRODUCTION STOPPED →					
14:50				breakdown at	mixing mill	
15:15	RESTART					
15:40			0.10mm	complies		complies
16:05			0.05mm	complies		complies
16:30			0.08mm	complies		complies
16:55			0.02mm	complies		complies
17:20			0.00mm	complies		complies
17:45			0.10mm	complies		complies
18:10			0.05mm	complies		complies
18:35			0.02mm	complies		complies
19:00			0.10mm	complies		complies
19:25			0.00mm	complies		complies
19:50	Q72	1.30	39585			
20:15			0.05mm	complies		complies
20:40			0.02mm	complies		complies
21:05			0.10mm	complies		complies
21:30			0.08mm	complies		complies
21:55			0.05mm	complies		complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	28	4	production stopped
15:00 – 16:00	28	21	-7
16:00 – 17:00	28	22	-6
17:00 – 18:00	28	23	-5
18:00 – 19:00	28	26	-2
19:00 – 20:00	28	10/5	colour change
20:00 – 21:00	48	41	-7
21:00 – 22:00	48	32	-16
Total	264	184	-80

Remarks: * colour change
* No thickness change

Checked By QAI: KARABO Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 28/08/2026 Shift: A

Color: 814 Thickness: 1.30mm Batch: 39575

Time	Thickness Range: 1.17–1.43 Min (mm)	Thickness Range: 1.17–1.43 Max (mm)	Squareness	Edges	Color	Surface
06:25			0.00 mm	Complies		Complies
06:50			0.02 mm	Complies		Complies
07:15			0.08 mm	Complies		Complies
07:40			0.00 mm	Complies		Complies
08:05			0.08 mm	Complies		Complies
08:30			0.10 mm	Complies		Complies
08:55			0.05 mm	Complies		Complies
09:20			0.00 mm	Complies		Complies
09:45			0.10 mm	Complies		Complies
10:10			0.08 mm	Complies		Complies
10:35			0.00mm	Complies		Complies
11:00			0.00 mm	Complies		Complies
11:25			0.08 mm	Complies		Complies
11:50			0.00mm	Complies		Complies
12:15			0.10 mm	Complies		Complies
12:40			0.08 mm	Complies		Complies
13:05			0.10 mm	Complies		Complies
13:30			0.08 mm	Complies		Complies
13:55			0.00mm	Complies		Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
06:00 07:00	48	~~32~~	-16
07:00 08:00	48	~~30~~	-18
08:00 09:00	48	~~38~~	-10
09:00 10:00	48	~~48~~	-8
10:00 11:00	48	36	-12
11:00 12:00	~~48~~	36	-12
12:00 13:00	28	24	-4
13:00 14:00	28	28	—
Total	344	263	-81

Remarks: * No colour change
* No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 27/08/2026 Shift: C

Color: Q72 Thickness: 2.50mm Batch: 39565

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
22:25	PRODUCTION STOPPED					
22:50	RESTART					
23:15	Q14	2.50mm	39575			
23:40	2.46	2.49	0.00mm	Complies	NO	Complies
00:05	2.43	2.48	0.00mm	Complies	NO	Complies
00:30	2146	2149	0.10mm	Complies	No	Complies
00:55	243	2146	0.11mm	Complies	No	Complies
01:20	PRODUCTION STOPPED: Breakdown at punching press					
01:45	RESTART					
02:10	2.45	2.49	0.06mm	Complies	No	Complies
02:35	2.43	2146	0.10mm	Complies	No	Complies
03:00	244	2147	0.108mm	Complies	NO	Complies
03:25	Q14	1.30	39575			
03:50	BLANK		0.10mm	Complies	BLANK	Complies
04:15			0.08mm	Complies		Complies
04:40			0.10mm	Complies		Complies
05:05			0.13mm	Complies		Complies
05:30			0.12mm	Complies		Complies
05:55			0.10mm	Complies		Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
22:00 23:00	36	13	-23
23:00 00:00	36	20	-16
00:00 01:00	36	32	-4
01:00 02:00	36	9	-27
02:00 03:00	36	15	-21
03:00 04:00	48	13/10	
04:00 05:00	48	40	-8
05:00 06:00	48	39	-9
Total	324	191	133

Remarks: *Colour change
*Thickness change
*Speed: 33Hz (2.50mm) 50Hz (1.30mm)

Checked By QAI: THATO ISENTO Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 27/08/2026 Shift: B

Color: Q72 Thickness: 2.50mm Batch: 39565

Time	Thickness Range: 2.37–2.63 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	2.42	2.47	0.02mm	complies	NO	complies
14:50	2.44	2.48	0.00 mm	complies	NO	complies
15:15	2.40	2.49	0.05mm	complies	NO	complies
15:40	2.43	2.47	0.10 mm	complies	NO	complies
16:05	2.41	2.48	0.08 mm	complies	NO	complies
16:30	2.42	2.46	0.05mm	complies	NO	complies
16:55	2.46	2.48	0.02 mm	complies	NO	complies
17:20	2.42	2.47	0.06 mm	complies	NO	complies
17:45	2.43	2.47	0.00 mm	complies	NO	complies
18:10	2.40	2.49	0.10 mm	complies	NO	complies
18:35	2.44	2.48	0.05 mm	complies	NO	complies
19:00	2.41	2.47	0.10 mm	complies	NO	complies
19:25	2.42	2.48	0.02 mm	complies	NO	complies
19:50	2.40	2.49	0.00 mm	complies	NO	complies
20:15	2.44	2.47	0.10 mm	complies	NO	complies
20:40	2.42	2.48	0.05 mm	complies	NO	complies
21:05	2.44	2.46	0.02 mm	complies	NO	complies
21:30	2.41	2.49	0.06 mm	complies	NO	complies
21:55	2.43	2.47	0.10 mm	complies	NO	complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	22	−14
15:00 16:00	36	28	−8
16:00 17:00	36	24	−12
17:00 18:00	36	28	−8
18:00 19:00	36	24	−12
19:00 20:00	36	28	−8
20:00 21:00	36	20	−16
21:00 22:00	36	22	−14
Total	288	196	−92

Remarks: * NO colour change
* NO thickness change
* material fall from mixing mill causing several line cuts. SPEED: 31 Hz

Checked By QAI: KARABO Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 27/08/2026

Shift: A

Color: 204

Thickness: 2.00mm

Batch: 5165

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
06:25	1.94	1.97	0.08 mm	Complies	NO	Complies
06:50	MARBLING	2.00	9272			
07:15	CHANGING		KNIVES			
07:40	↓		↓	↓	↓	↓
08:05	Q72	2.50	39565			
08:30	2.44	2.47	0.00 mm	Complies	NO	Complies
08:55	2.43	2.47	0.05 mm	Complies	NO	Complies
09:20	2.40	2.46	0.00mm	Complies	Slight shade variation	Complies
09:45	2.42	2.48	0.00 mm	Complies	NO	Complies
10:10	2.44	2.45	0.00mm	Complies	NO	Complies
10:35	2.40	2.47	0.05mm	Complies	NO	Complies
11:00	2.43	2.47	0.00 mm	Complies	NO	Complies
11:25	2.44	2.49	0.10mm	Complies	NO	Complies
11:50	2.42	2.47	0.08mm	Complies	NO	Complies
12:15	2.45	2.49	0.00mm	Complies	NO	Complies
12:40	2.44	2.48	0.10mm	Complies	NO	Complies
13:05	2.44	2.47	0.05mm	Complies	NO	Complies
13:30	2.42	2.47	0.00mm	Complies	NO	Complies
13:55	2.43	2.48	0.00mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	36	12	In 30 mins
07:00 08:00	MARBLING CHANGING	2.00 9272 KNIVES	
08:00 09:00	36	20	colour + thickness change
09:00 10:00	36	26	−10
10:00 11:00	36	28	−8
11:00 12:00	36	24	−12
12:00 13:00	36	20	Linecut −16
13:00 14:00	36	23	−13
Total	196	153	−43

Remarks: *Colour change
*Thickness change
*Material fall from mixing mill causing several line cuts. SPEED: 36 H²

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 26/09/2026 Shift: C

Color: 204 Thickness: 2100mm Batch: 5165

Time	Thickness Range: 1.87–2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
22:25	1.94	1.96	0.10mm	Complies	No	Complies
22:50	1.92	1.95	0.08mm	Complies	No	Complies
23:15	1.94	1.96	0.10mm	Complies	No	Complies
23:40	1.92	1.98	0.08mm	Complies	No	Complies
00:05	1.94	1.99	0.06mm	Complies	No	Complies
00:30	1.93	1.97	0.08mm	Complies	No	Complies
00:55	1.94	1.96	0.13mm	Complies	No	Complies
01:20	1.92	1.95	0.15mm	Complies	No	Complies
01:45	1.90	1.96	0.10mm	Complies	No	Complies
02:10	1.92	1.96	0.05mm	Complies	No	Complies
02:35	1.94	1.97	0.09mm	Complies	No	Complies
03:00	1.95	1.99	0.08mm	Complies	No	Complies
03:25	1.93	1.98	0.07mm	Complies	No	Complies
03:50	1.94	1.98	0.10mm	Complies	No	Complies
04:15	1.92	1.97	0.08mm	Complies	No	Complies
04:40	1.90	1.95	0.06mm	Complies	No	Complies
05:05	1.93	1.99	0.13mm	Complies	No	Complies
05:30	1.92	1.96	0.10mm	Complies	No	Complies
05:53	1.94	1.97	0.10mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	36	32	−4
23:00 – 00:00	36	32	−4
00:00 – 01:00	36	32	−4
01:00 – 02:00	36	34	+2
02:00 – 03:00	36	32	−4
03:00 – 04:00	36	30	−6
04:00 – 05:00	36	32	−4
05:00 – 06:00	36	30	−6
Total	288	254	−34

Remarks: * No colour change
* No thickness change
* Speed: 41 m²

Checked By QAI: THATO/SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 26/08/2026 Shift: B

Color: 207 Thickness: 2.00mm Batch: 5155

Time	Thickness Range: 1.87 – 2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	192	1.97	0.10mm	complies	NO	complies
14:50	1.94	1.99	0.05mm	complies	NO	complies
15:15	1.90	1.98	0.02mm	complies	NO	complies
15:40	1.94	1.96	0.00mm	Complies	NO	complies
16:05	1.91	1.97	0.03mm	complies	NO	complies
16:30	1.92	1.97	0.05mm	complies	NO	complies
16:55	1.92	1.98	0.10 mm	complies	NO	complies
17:20	1.93	1.99	0.02 mm	complies	NO	complies
17:45	1.90	1.96	0.05mm	complies	NO	complies
18:10	204	2.00	5165			
18:35	1.94	1.97	0.10 mm	complies	NO	complies
19:00	1.91	1.98	0.02 mm	complies	NO	complies
19:25	1.92	1.98	0.05 mm	complies	NO	complies
19:50	1.90	1.97	0.00 mm	complies	no	complies
20:15	1.92	1.99	0.05 mm	complies	no	complies
20:40	1.94	1.96	0.02 mm	complies	no	complies
21:05	1.90	1.97	0.03 mm	complies	no	complies
21:30	1.92	1.98	0.10 mm	complies	no	complies
21:55	1.93	1.96	0.02 mm	complies	no	complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	25	-11
15:00 16:00	36	28	-8
16:00 17:00	36	30	-6
17:00 18:00	36	13	colour change
18:00 19:00	36	32	-4
19:00 20:00	36	34	-2
20:00 21:00	36	28	-8
21:00 22:00	36	26	-10
Total	288	216	-72

Remarks: * Colour change
* No thickness change
* SPEED: 40 m²

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 26/08/2026

Shift: A

Color: 207

Thickness: 2.00mm

Batch: 5155

Time	Thickness Range: 1.87 - 2.13		Squareness	Edges	Color	Surface
	Min (mm)	Max (mm)				
06:25	1.90	1.98	0.00 mm	Complies	NO	Complies
06:50	1.94	1.97	0.08 mm	Complies	NO	Complies
07:15	1.94	1.96	0.05 mm	Complies	NO	Complies
07:40	1.92	1.97	0.10 mm	Complies	NO	Complies
08:05	1.94	1.98	0.08 mm	Complies	NO	Complies
08:30	1.93	1.97	0.02 mm	Complies	NO	Complies
08:55	1.92	1.99	0.05 mm	Complies	NO	Complies
09:20	1.94	1.97	0.00 mm	Complies	NO	Complies
09:45	1.93	1.96	0.08 mm	Complies	NO	Complies
10:10	193	1.97	0.10 mm	Complies	NO	Complies
10:35	1.94	1.97	0.08 mm	Complies	NO	Complies
11:00	1.94	1.97	0.00 mm	Complies	NO	Complies
11:25	1.92	1.95	0.08 mm	Complies	NO	Complies
11:50	194	1.97	0.00 mm	Complies	NO	Complies
12:15	194	1.98	0.02 mm	Complies	NO	Complies
12:40	1.91	1.96	0.05 mm	Complies	NO	Complies
13:05	1.93	1.97	0.00 mm	Complies	NO	Complies
13:30	1.94	1.97	0.08 mm	Complies	NO	Complies
13:55	1.94	197	0.00 mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	36	20	Line Cut
07:00 08:00	36	32	-4
08:00 09:00	36	32	-4
09:00 10:00	36	28	Line Cut -8
10:00 11:00	36	28	-8
11:00 12:00	36	22	-14
12:00 13:00	36	30	-6
13:00 14:00	36	23	Line cut -13
Total	288	215	-73

Remarks: *No colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 25/08/2026

Shift: C

Color: 210

Thickness: 2.00mm

Batch: 5145

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	1.94	1.97	0.08mm	Complies	No	Complies
22:50	1.95	1.99	0.03mm	Complies	No	Complies
23:15	1.96	1.98	0.07mm	Complies	No	Complies
23:40	1.92	1.95	0.04mm	Complies	No	Complies
00:05	1.93	1.97	0.05mm	Complies	No	Complies
00:30	1.94	1.96	0110mm	Complies	No	Complies
00:55	1.92	1.95	0103mm	Complies	No	Complies
01:20	1.90	1.97	0106mm	Complies	No	Complies
01:45	1.93	1.96	0110mm	Complies	No	Complies
02:10	1.96	1.99	0113mm	Complies	No	Complies
02:35	1.92	1.95	0110mm	Complies	No	Complies
03:00	1.91	1.95	0108mm	Complies	No	Complies
03:25	1.93	1.97	0.04mm	Complies	No	Complies
03:50	2.07	2.00mm	5155	~~Complies~~		
04:15	1.96	1.99	0.04mm	Complies	No	Complies
04:40	1.93	1.97	0.07mm	Complies	No	Complies
05:05	1.94	1.98	0.10mm	Complies	No	Complies
05:30	1.93	1.96	0.07mm	Complies	No	Complies
05:55	1.95	1.99	0.05mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	36	32	-4
23:00 – 00:00	36	28	-6
00:00 – 01:00	36	26	-8
01:00 – 02:00	36	28	-8
02:00 – 03:00	36	31	-5
03:00 – 04:00	36	23	-13
04:00 – 05:00	36	26	-10
05:00 – 06:000	36	22	-14
Total	288	216	-72

Remarks: * No Thickness change
* Colour change
* Speed 40Hz

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 25/08/2026 Shift: B

Color: 210 Thickness: 2.00mm Batch: S145

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	1.92	1.96	0.10mm	complies	NO	complies
14:50	1.91	1.98	0.05mm	complies	NO	complies
15:15	1.94	1.99	0.02mm	complies	NO	complies
15:40	1.92	1.97	0.00mm	complies	NO	complies
16:05	1.90	1.96	0.08mm	complies	NO	complies
16:30	1.94	1.98	0.10mm	complies	NO	complies
16:55	1.92	1.97	0.02mm	complies	NO	complies
17:20	1.93	1.97	0.05mm	complies	NO	complies
17:45	1.91	1.98	0.08mm	complies	NO	complies
18:10	1.92	1.99	0.10mm	complies	NO	complies
18:35	1.94	1.96	0.00mm	complies	NO	complies
19:00	1.92	1.97	0.05mm	complies	NO	complies
19:25	1.93	1.98	0.00mm	complies	NO	complies
19:50	1.91	1.99	0.02mm	complies	NO	complies
20:15	1.90	1.97	0.05mm	complies	NO	complies
20:40	1.92	1.99	0.08mm	complies	NO	complies
21:05	1.94	1.98	0.10mm	complies	NO	complies
21:30	1.90	1.97	0.05mm	complies	NO	complies
21:55	1.92	1.97	0.02mm	complies	NO	complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	26	-10
15:00 16:00	36	32	-4
16:00 17:00	36	28	-8
17:00 18:00	36	24	-12
18:00 19:00	36	30	-6
19:00 20:00	36	32	-4
20:00 21:00	36	28	-8
21:00 22:00	36	22	-14
Total	288	222	-66

Remarks: * No colour change
* No thickness change
* SPEED: 40H²

Checked By QAI: KAKABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 25/08/2026 Shift: A

Color: 210 Thickness: 2.50mm Batch: 5135

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2.44	2.47	0.05 mm	Complies	NO	Complies
06:50	2.42	2.47	0.00mm	Complies	NO	Complies
07:15	2.44	2.48	0.08 mm	Complies	NO	Complies
07:40	2.40	2.47	0.10 mm	Complies	NO	Complies
08:05	2.44	2.47	0.08mm	Complies	NO	Complies
08:30	2.40	2.47	0.00mm	Complies	NO	Complies
08:55	2.44	2.48	0.00 mm	Complies	NO	Complies
09:20	2.43	2.47	0.05 mm	Complies	NO	Complies
09:45	2.42	2.49	0.02mm	Complies	NO	Complies
10:10	CHANG	NG KNIVES				
10:35	↓	↓	↓	↓	↓	↓
11:00	210	200	5145			
11:25	1.92	1.97	0.00 mm	Complies	NO	Complies
11:50	1.94	1.95	0.08 mm	Complies	NO	Complies
12:15	1.94	1.97	0.02 mm	Complies	NO	Complies
12:40	1.93	1.97	0.00 mm	Complies	NO	Complies
13:05	1.94	1.99	0.00 mm	Complies	NO	Complies
13:30	1.94	1.97	0.10mm	Complies	NO	Complies
13:55	1.92	1.98	0.08mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 - 07:00	36	28	-8
07:00 - 08:00	36	28	-8
08:00 - 09:00	36	26	linecut -10
09:00 - 10:00	36	30	changing knives
10:00 - 11:00	↓	↓	↓
11:00 - 12:00	36	20	thickness change
12:00 - 13:00	36	32	-4
13:00 - 14:00	36	26	Line cut -10
Total	236	190	-46

Remarks: *No colour change
*Thickness change
SPEED: 32H² (2.50mm) 2.00mm: 40H²

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 24/08/2026

Shift: C

Color: Q49

Thickness: 2.50mm

Batch: 39555

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	2.49	2.50	0.04mm	Complies	NO	Complies
22:50	2.43	2.46	0.07mm	Complies	No	Complies
23:15	2.44	2.48	0.00mm	Complies	NO	Complies
23:40	2.46	2.49	0.05mm	Complies	NO	Complies
00:05	2.42	2.47	0.10mm	Complies	NO	Complies
00:30	2.42	2145	0.13mm	Complies	No	Complies
00:55	241	2.140	0.10mm	Complies	NO	Complies
01:20	2.43	2.47	0.08mm	Complies	No	Complies
01:45	2.45	2.49	0.03mm	Complies	NO	Complies
02:10	2.42	2.46	0.00mm	Complies	No	Complies
02:35	2441	2445	0.10mm	Complies	No	Complies
03:00	243	2446	0.08mm	Complies	NO	Complies
03:25	2.160	2.150	5135			
03:50	2143	2145	0.10mm	Complies	No	Complies
04:15	2144	2146	0.10mm	Complies	No	Complies
04:40	243	2148	0.08mm	Complies	No	Complies
05:05	240	2145	0.13mm	Complies	No	Complies
05:30	242	2148	0.10mm	Complies	NO	Complies
05:55	243	2147	0.06mm	Complies	NO	Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
22:00 23:00	36	25	-11
23:00 00:00	36	30	-6
00:00 01:00	36	26	-10
01:00 02:00	36	29	-7
02:00 03:00	36	35	-1
03:00 04:00	36	14	-22
04:00 05:00	36	28	-8
05:00 06:00	36	30	-6
Total	288	217	-71

Remarks: * No Thickness Change
* No Colour Change
* Speed . 33H²

Checked By QAI: THATO/SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 24/08/2026 Shift: B

Color: 202 Thickness: 2.50mm Batch: 5125

Time	Thickness Range: 2.37 – 2.63 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	2.42	2.47	0.05mm	complies	NO	complies
14:50	2.44	2.49	0.00 mm	complies	NO	complies
15:15	2.41	2.48	0.10 mm	complies	NO	complies
15:40	2.43	2.47	0.02 mm	complies	NO	complies
16:05	2.44	2.46	0.08 mm	complies	NO	complies
16:30	2.49	2.50	39555			
16:55	2.42	2.48	0.02mm	complies	NO	complies
17:20	2.46	2.47	0.05 mm	complies	NO	complies
17:45	2.40	2.47	0.00 mm	complies	Slight shade variation	complies
18:10	2.42	2.46	0.02 mm	complies	NO	complies
18:35	2.44	2.49	0.10 mm	complies	NO	complies
19:00	2.41	2.47	0.00 mm	complies	NO	complies
19:25	2.43	2.48	0.05 mm	complies	NO	complies
19:50	2.44	2.46	0.08 mm	complies	NO	complies
20:15	2.42	2.47	0.06 mm	complies	NO	complies
20:40	2.40	2.48	0.05 mm	complies	NO	complies
21:05	2.44	2.49	0.02 mm	complies	NO	complies
21:30	2.42	2.47	0.10 mm	complies	NO	complies
21:55	2.43	2.48	0.08 mm	complies	NO	complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	24	−12
15:00 – 16:00	36	28	−8
16:00 – 17:00	36	10/8	colour change
17:00 – 18:00	36	20	−16
18:00 – 19:00	36	30	−6
19:00 – 20:00	36	32	−4
20:00 – 21:00	36	32	−4
21:00 – 22:00	36		
Total	288	213	−75

Remarks: * Colour change
* NO thickness change
* SPEED: 32 H²

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 24/08/2026 Shift: A

Color: 202 Thickness: 2.50mm Batch: 5125

Time	Thickness Range: 2.37 – 2.63 Min (mm)	Thickness Range: 2.37 – 2.63 Max (mm)	Squareness	Edges	Color	Surface
06:30	2.44	2.46	0.00mm	Complies	NO	Complies
06:55	2.43	2.47	0.05mm	Complies	NO	Complies
07:20	2.44	2.47	0.02mm	Complies	NO	Complies
07:45	2.40	2.46	0.00mm	Complies	NO	Complies
08:10	2.44	2.45	0.08mm	Complies	NO	Complies
08:35	2.42	2.49	0.00mm	Complies	NO	Complies
09:00	2.41	2.47	0.08mm	Complies	NO	Complies
09:25	2.40	2.48	0.05mm	Complies	NO	Complies
09:50	PRODUCTION STOPPED – breakdown at mixing mill.					
10:15	RESTART					
10:40	PRODUCTION STOPPED – Conveyer belt 2 not working					
11:05	↓		↓		↓	
11:30	↓		↓		↓	
11:55	RESTART					
12:20	2.40	2.47	0.08mm	Complies	NO	Complies
12:45	2.44	2.47	0.00mm	Complies	NO	Complies
13:10	2.44	2.49	0.05mm	Complies	NO	Complies
13:35	2.40	2.47	0.00mm	Complies	NO	Complies
14:00	2.41	2.47	0.00mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 – 07:00	36	10	In 30 mins
07:00 – 08:00	36	28	-4
08:00 – 09:00	36	32	-24
09:00 – 10:00	36	22	Prod Stopped -4
10:00 – 11:00	36	12	Line Cut
11:00 – 12:00	36	10	Line Cut Prod Stopped
12:00 – 13:00	36	26	-10
13:00 – 14:00	36	30	-6
Total	216	170	-46

Remarks: * No colour change
* No thickness change
* Several line cuts due to material fall from mixing mill.

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 21/08/2026

Shift: C

Color: 207

Thickness: 20 mm

Batch: 5115

Time	Thickness Range: 2.37 – 2.63 Min (mm)	Thickness Range: 2.37 – 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	2.42	2.47	0.00 mm	Complies	no	Complies
22:50	2.40	2.48	0.05 mm	complies	NO	complies
23:15	2.44	2.48	0.02 mm	complies	NO	complies
23:40	2.41	2.46	0.10 mm	complies	NO	complies
00:05	2.44	2.49	0.08 mm	complies	NO	complies
00:30	2.42	2.48	0.00 mm	complies	Slight shade variation	complies
00:55	2.43	2.47	0.05 mm	complies	NO	complies
01:20	2.42	2.49	0.10 mm	complies	NO	complies
01:45	2.44	2.48	0.02 mm	complies	NO	complies
02:10	2.40	2.46	0.00 mm	complies	NO	complies
02:35	2.42	2.47	0.05 mm	complies	NO	complies
03:00	2.41	2.48	0.02 mm	complies	NO	complies
03:25	2.40	2.47	0.08 mm	complies	NO	complies
03:50	2.44	2.49	0.10 mm	complies	NO	complies
04:15	2.43	2.46	0.00 mm	complies	NO	complies
04:40	202	2.50	5125			
05:05	2.42	2.47	0.05 mm	complies	NO	complies
05:30	2.44	2.49	0.02 mm	complies	NO	complies
05:55	2.41	2.48	PRODUCTION	STOPPED		

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 23:00	36	26	-10
23:00 00:00	36	28	-8
00:00 01:00	36	36	-
01:00 02:00	36	28	-8
02:00 03:00	36	28	-8
03:00 04:00	36	28	-8
04:00 05:00	36	15/8	colour change
05:00 06:00	36	26	-10
Total	288	223	-65

Remarks: * Colour change
* NO thickness change
* SPEED: 33 Hz

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 21/08/2026

Shift: B

Color: 207

Thickness: 250mm

Batch: 5115

Time	Thickness Range: 2.37–2.63 Min (mm)	Thickness Range: 2.37–2.63 Max (mm)	Squareness	Edges	Color	Surface
14:25	2.44	2.47	0.00 mm	Complies	No	Complies
14:50	2.41	2.47	0.08 mm	Complies	No	Complies
15:15	2.42	2.45	0.10 mm	Complies	No	Complies
15:40	2.40	2.48	0.05 mm	Complies	No	Complies
16:05	2.44	2.47	0.00 mm	Complies	No	Complies
16:30	2.44	2.47	0.05 mm	Complies	No	Complies
16:55	2.44	2.45	0.10 mm	Complies	No	Complies
17:20	2.40	2.49	0.00mm	Complies	No	Complies
17:45	2.44	2.47	0.02mm	Complies	No	Complies
18:10	2.42	2.48	0.02mm	Complies	No	Complies
18:35	2.44	2.46	0.02mm	Complies	No	Complies
19:00	2.40	2.47	0.08mm	Complies	No	Complies
19:25	2.42	2.46	0.00 mm	Complies	No	Complies
19:50	2.44	2.47	0.08 mm	Complies	No	Complies
20:15	2.41	2.47	0.02 mm	Complies	No	Complies
20:40	2.40	2.48	0.10 mm	Complies	No	Complies
21:05	2.44	2.47	0.08mm	Complies	No	Complies
21:30	2.44	2.47	0.00 mm	Complies	No	Complies
21:55	2.44	2.48	0.10mm	Complies	No	Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
14:00 – 15:00	36	28	Line cuts
15:00 – 16:00	36	30	-6
16:00 – 17:00	36	32	-4
17:00 – 18:00	36	30	-6
18:00 – 19:00	36	26	-10
19:00 – 20:00	36	20	Line cuts -16
20:00 – 21:00	36	35	-
21:00 – 22:00	36	35	-1
Total	288	247	-41

Remarks: *No colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 21/08/2026 Shift: A

Color: 205 Thickness: 2.50mm Batch: S105

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2143	2146	0.10mm	Complies	NO	Complies
06:50	2140	2145	0.10mm	Complies	NO	Complies
07:15	2144	2146	0.08mm	Complies	Slight shade variation	Complies
07:40	2140	2145	0.06mm	Complies	11	Complies
08:05	2144	2147	0.02mm	Complies	11	Complies
08:30	2143	2146	0.10mm	Complies	11	Complies
08:55	2144	2149	0.06mm	Complies	NO	Complies
09:20	2143	2148	0.10mm	Complies	NO	Complies
09:45	241	2146	0.13mm	Complies	NO	Complies
10:10	2140	2145	0.13mm	Complies	NO	Complies
10:35	2143	2149	0.10mm	Complies	NO	Complies
11:00	2144	2147	0.08mm	Complies	NO	Complies
11:25	CHANGING KNIVES					
11:50	Inserting Shim on tile 2: Machine direction					
12:15	↓	↓	↓	↓	↓	↓
12:40						
13:05	↓			↓		↓
13:30	207	2556	S115			
13:55	241	2146	0.10mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	36	28	-8
07:00 08:00	36	28	-8
08:00 09:00	36	28	-8
09:00 10:00	36	30	-6
10:00 11:00	36	29	-7
11:00 12:00	36	7	prod stopped
13:30 14:00	36	15	-21
Total	252	165	-87

Remarks: * Colour change
* No thickness change * Inconsistent shade
205, 2.00mm S105, Tile 1 of this colour failed dimensional stability with the lowest reading (machine direction) being 298.25mm and highest transverse direction reading of 300.50mm

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 20/08/2026

Shift: C

Color: CL 72

Thickness: 2.00 mm

Batch: 39515

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	1.92	1.97	0.05 mm	Complies	NO	complies
22:50	2.05	2.00	5105			
23:15	1.94	1.97	0.00 mm	complies	NO	complies
23:40	1.92	1.98	0.05 mm	complies	NO	complies
00:05	1.91	1.96	0.02 mm	complies	NO	complies
00:30	1.90	1.99	0.10 mm	complies	NO	complies
00:55	1.93	1.97	0.08 mm	complies	NO	complies
01:20	1.94	1.98	0.05 mm	complies	NO	complies
01:45	1.92	1.96	0.10 mm	complies	NO	complies
02:10	1.92	1.98	0.02 mm	complies	NO	complies
02:35	1.94	1.97	0.05 mm	complies	NO	complies
03:00	1.91	1.97	0.00 mm	complies	NO	complies
03:25	1.93	1.99	0.02 mm	complies	NO	complies
03:50	1.92	1.98	0.08 mm	complies	NO	complies
04:15	1.91	1.97	0.05 mm	complies	NO	complies
04:40	1.92	1.98	0.00 mm	complies	NO	complies
05:05	2.05	2.50	5105			
05:30	2.42	2.48	0.05 mm	complies	NO	complies
05:55	2.40	2.49	0.00 mm	complies	NO	complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
22:00 23:00	36	14	
23:00 00:00	36	28	-8
00:00 01:00	36	32	-4
01:00 02:00	36	30	-6
02:00 03:00	36	26	-10
03:00 04:00	36	24	-12
04:00 05:00	36	28	-8
05:00 06:00	36	24	-12
Total	288	204	-84

Remarks: * No colour change * SPEED : 200 = 43 H² 250 = 33 H²
* Thickness change
* CL 72 2.00 39515 failed dimensional stability with a minimum of 298.74

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 20/08/2026 Shift: B

Color: CL72 Thickness: 200mm Batch: 39515

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	1.94	1.97	0.08mm	Complies	NO	Complies
14:50	1.92	1.97	0.00mm	Complies	NO	Complies
15:15	1.92	1.97	0.00mm	Complies	NO	Complies
15:40	1.94	1.97	0.04 mm	Complies	NO	Complies
16:05	1.94	1.97	0.05 mm	Complies	NO	Complies
16:30	1.90	1.98	0.05mm	Complies	NO	Complies
16:55	1.92	1.95	0.10 mm	Complies	NO	Complies
17:20	1.94	1.98	0.00mm	Complies	NO	Complies
17:45	1.94	1.97	0.02 mm	Complies	NO	Complies
18:10	1.93	1.97	0.08mm	Complies	NO	Complies
18:35	1.94	1.96	0.02 mm	Complies	NO	Complies
19:00	1.90	1.97	0.05 mm	Complies	Slight shade variation	Complies
19:25	1.91	1.99	0.08mm	Complies	NO	Complies
19:50	1.94	1.95	0.10 mm	Complies	Slight shade variation	Complies
20:15	1.94	1.97	0.08 mm	Complies	NO	Complies
20:40	1.92	1.97	0.08mm	Complies	NO	Complies
21:05	1.94	1.98	0.10mm	Complies	NO	Complies
21:30	1.94	1.97	0.00mm	Complies	NO	Complies
21:55	1.94	1.97	0.08mm	Complies	NO	Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
14:00 – 15:00	36	24	Line cut −12
15:00 – 16:00	36	32	−4
16:00 – 17:00	36	32	−4
17:00 – 18:00	36	30	−6
18:00 – 19:00	36	28	−8
19:00 – 20:00	36	26	−10
20:00 – 21:00	36	30	−6
21:00 – 22:00	36	25	Line cut
Total	288	227	−61

Remarks: *No colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 20/08/2026 Shift: A

Color: CL72 Thickness: 2100mm Batch: 39515

Time	Thickness Range: 1.87–2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
06:25	1.94	1.97	0.05mm	Complies	NO	Complies
06:50	1.92	1.99	0.09mm	Complies	No	Complies
07:15	1.95	1.98	0.06mm	Complies	NO	Complies
07:40	1.96	1.98	0.04mm	Complies	No	Complies
08:05	1.93	1.97	0.00mm	Complies	NO	Complies
08:30	194	196	0:10mm	Complies	No	Complies
08:55	192	195	0:10mm	Complies	No	Complies
09:20	193	195	0:08mm	Complies	NO	Complies
09:45	1.96	1.97	0.05mm	Complies	NO	Complies
10:10	194	196	0:10mm	Complies	No	Complies
10:35	192	198	0:08mm	Complies	No	Complies
11:00	190	195	0:10mm	Complies	No	Complies
11:25	1.95	1.98	0.06mm	Complies	No	Complies
11:50	193	196	0:10mm	Complies	No	Complies
12:15	192	195	0:08mm	Complies	No	Complies
12:40	190	196	0:10mm	Complies	No	Complies
13:05	192	197	0:08mm	Complies	No	Complies
13:30	194	195	0:10mm	Complies	No	Complies
13:55	195	199	0:08mm	Complies	No	Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
06:00 07:00	36	28	-8
07:00 08:00	36	38	+2
08:00 09:00	36	36	—
09:00 10:00	36	34	-2
10:00 11:00	36	32	-4
11:00 12:00	36	28	-8
12:00 13:00	36	32	-4
13:00 14:00	36	31	-5
Total	288	259	-29

Remarks: * No colour change
* No thickness change
* Speed 48 Hz
* Experienced power cut

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 19/08/2026 Shift: C

Color: CL72 Thickness: 2.50mm Batch: 39515

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	CHANGING		KNIVES			
22:50						
23:15	RESTART					
23:40	2.45	2.47	0.00 mm	complies	NO	complies
00:05	2.42	2.49	0.10 mm	complies	NO	complies
00:30	2.46	2.48	0.02 mm	complies	NO	complies
00:55	2.41	2.48	0.05 mm	complies	NO	complies
01:20	2.46	2.49	0.10 mm	complies	NO	complies
01:45	2.42	2.50	0.02 mm	complies	NO	complies
02:10	2.43	2.47	0.00 mm	complies	NO	Rough
02:35	PRODUCTION STOPPED -			Breakdown at punching press		
03:00						
03:25						
03:50	RESTART					
04:15	2.41	2.47	0.00 mm	complies	NO	complies
04:40	2.42	2.49	0.10 mm	complies	NO	complies
05:05	2.44	2.48	0.02 mm	complies	NO	complies
05:30	2.42	2.46	0.08 mm	complies	NO	complies
05:55	CL72	2.00	39515			

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
23:00 00:00	36	20	-16
00:00 01:00	36	14	unc cuts -22
01:00 02:00	36	18	-18
02:00 03:00	36	production stopped	
03:00 04:00	36	8	-28
04:00 05:00	36	20	-16
05:00 06:00	36	20/4	thickness change
Total	252		

Remarks: * no colour change
* Thickness change
* SPEED: 2.50mm 33M² 2.00mm

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 19/08/2026 Shift: B

Color: CL54 Thickness: 2.00mm Batch: 39545

Time	Thickness Range: 1.87-2.13 Min (mm)	Thickness Range: 1.87-2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	1.90	1.97	0.05 mm	Complies	NO	Complies
14:50	1.94	1.95	0.10 mm	Complies	Slight shade variation	Complies
15:15	1.94	1.98	0.00 mm	Complies	NO	Complies
15:40	1.92	1.99	0.08 mm	Complies	NO	Complies
16:05	1.94	1.97	0.05 mm	Complies	NO	Complies
16:30	1.93	1.97	0.02 mm	Complies	NO	Complies
16:55	1.92	1.96	0.00 mm	Complies	NO	Complies
17:20	1.90	1.95	0.10 mm	Complies	NO	Complies
17:45	1.94	1.97	0.08 mm	Complies	Slight shade variation	Complies
18:10	1.94	1.97	0.00 mm	Complies	NO	Complies
18:35	1.94	1.97	0.05 mm	Complies	NO	Complies
19:00	1.93	1.99	0.00 mm	Complies	NO	Complies
19:25	1.93	1.97	0.10 mm	Complies	NO	Complies
19:50	1.90	1.98	0.10 mm	Complies	NO	Complies
20:15	1.91	1.97	0.05 mm	Complies	NO	Complies
20:40	1.90	1.97	0.08 mm	Complies	NO	Complies
21:05	1.91	1.97	0.02 mm	Complies	NO	Complies
21:30	1.94	1.96	0.00 mm	Complies	NO	Complies
21:55	CHANGING KNIVES					

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	30	-6
15:00 16:00	36	32	-4
16:00 17:00	36	32	-4
17:00 18:00	36	32	-4
18:00 19:00	36	36	-
19:00 20:00	36	36	-
20:00 21:00	36	32	-4
21:00 22:00	36	25	changing knives
Total	288	255	-33

Remarks: *No colour change
*No thickness change
* Line Speed : 45 H²

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 19/08/2026 Shift: A

Color: CL12 Thickness: 2100mm Batch: 39535

Time	Thickness Range: 1.87–2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
06:25	1.99	2.01	0.04mm	Complies	NO	Complies
06:50	1.97	1.99	0.07mm	Complies	NO	Complies
07:15	1.96	1.98	0.03mm	Complies	NO	Complies
07:40	1.96	2.00	0.04mm	Complies	NO	Complies
08:05	1.96	2.01	0.08mm	Complies	NO	Complies
08:30	1.95	1.99	0.07mm	Complies	NO	Complies
08:55	1.93	1.96	0.10mm	Complies	NO	Complies
09:20	195	197	0.06mm	Complies	NO	Complies
09:45	193	196	0.08mm	Complies	NO	Complies
10:10	192	198	0.10mm	Complies	NO	Complies
10:35	190	195	0.08mm	Complies	NO	Complies
11:00	CL54	2100	39545			
11:25	194	196	0.10mm	Complies	NO	Complies
11:50	190	195	0.06mm	Complies	NO	Complies
12:15	193	197	0.10mm	Complies	NO	Complies
12:40	192	195	0.08mm	Complies	NO	Complies
13:05	194	197	0.10mm	Complies	NO	Complies
13:30	192	196	0.06mm	Complies	NO	Complies
13:55	197	2100	0.02mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	36	32	-4
07:00 08:00	36	28	-8
08:00 09:00	36	18	Prod stopped
09:00 10:00	36	28	-8
10:00 11:00	36	36	—
11:00 12:00	36	24	Changing colour
12:00 13:00	36	34	-2
13:00 14:00	36	33	-3
Total	288	233	-55

Remarks: * Colour change
* No Thickness
* Speed 45.12
* Production stopped for 20mins - Punching press got stuck

Checked By QAI: SENTO ITHATO Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 18/08/2026 Shift: C

Color: CL 12 Thickness: 2.00mm Batch: 39535

	Thickness Range: 1.87 - 2.13						Number of Boxes Produced Per Hour			
Time	Min (mm)	Max (mm)	Squareness	Edges	Color	Surface	Time	Target	Actual	Difference
22:25	1.92	1.97	0.05mm	Complies	NO	Complies	22:00 23:00	36	24	-12
22:50	1.94	1.99	0.02 mm	Complies	NO	Complies	23:00 00:00	36	28	-8
23:15	1.90	1.96	0.10 mm	Complies	NO	Complies	00:00 01:00	36	32	-4
23:40	1.92	1.97	0.00 mm	Complies	Slight shade variation	Complies	01:00 02:00	36	28	-8
00:05	1.94	1.98	0.02 mm	Complies	NO	Complies	02:00 03:00	36	30	-6
00:30	1.91	1.98	0.08 mm	Complies	NO	Complies	03:00 04:00	36	24	-12
00:55	1.94	1.97	0.10 mm	Complies	NO	Complies	04:00 05:00	36	26	-10
01:20	1.92	1.99	0.05 mm	Complies	NO	Complies	05:00 06:00	36	30	-6
01:45	1.90	1.97	0.00 mm	Complies	NO	Complies				
02:10	1.93	1.96	0.02mm	Complies	NO	Complies	Total	288	222	-66
02:35	1.92	1.99	0.10 mm	Complies	NO	Complies				
03:00	1.94	1.97	0.08mm	Complies	NO	Complies				
03:25	1.91	1.96	0.10 mm	Complies	NO	Complies				
03:50	1.93	1.99	0.05 mm	Complies	NO	Complies				
04:15	1.90	1.98	0.00mm	Complies	NO	Complies				
04:40	1.94	1.96	0.02 mm	Complies	NO	Complies				
05:05	1.92	1.97	0.10 mm	Complies	NO	Complies				
05:30	1.91	1.98	0.08mm	Complies	NO	Complies				
05:55	1.92	1.96	0.10mm	Complies	NO	Complies				

Remarks: * NO colour change
* NO thickness change * SPEED: 42 Hz
* Rejected box 1-12 due to dark shade and recycled them. material fall from mixing mill causing several line cuts.

Checked By QAI: KARABO Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 18/08/2026

Shift: B

Color: CL 49

Thickness: 2.0 mm

Batch: 39525

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	1.94	1.97	0.08 mm	Complies	NO	Complies
14:50	1.90	1.97	0.10 mm	Complies	NO	Complies
15:15	1.92	1.98	0.05 mm	Complies	NO	Complies
15:40	1.90	1.97	0.10 mm	Complies	NO	Complies
16:05	1.94	1.97	0.05 mm	Complies	NO	Complies
16:30	1.92	1.97	0.10 mm	Complies	NO	Complies
16:55	1.94	1.98	0.08 mm	Complies	NO	Complies
17:20	1.90	1.97	0.00 mm	Complies	NO	Complies
17:45	1.94	1.97	0.08 mm	Complies	NO	Complies
18:10	1.94	1.96	0.10 mm	Complies	NO	Complies
18:35	1.92	1.97	0.00 mm	Complies	NO	Complies
19:00	1.94	1.97	0.00 mm	Complies	NO	Complies
19:25	1.94	1.95	0.05 mm	Complies	NO	Complies
19:50	1.93	1.98	0.08 mm	Complies	NO	Complies
20:15	MARBLING 2.00 9101 & CHANGING KNIVES					
20:40	↓	↓	↓	↓	↓	↓
21:05	↓	↓	↓	↓	↓	↓
21:30	↓	↓	↓	↓	↓	↓
21:55	↓	↓	↓	↓	↓	↓

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	24	−12
15:00 – 16:00	36	28	−8
16:00 – 17:00	36	24	−12
17:00 – 18:00	36	28	−8
18:00 – 19:00	36	36	−
19:00 – 20:00	36	27	in 55 mins
20:00 – 21:00	MARBLING 2.00 9101 CHANGING KNIVES		
21:00 – 22:00	↓	↓	↓
Total	200	167	−33

Remarks: * Colour change
* No thickness change
* Material fell from mixing mill causing several line cuts

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 18/05/2026 Shift: A

Color: 210 Thickness: 2.00mm Batch: 39505

Time	Thickness Range: 1.87 – 2.13 Min (mm)	Thickness Range: 1.87 – 2.13 Max (mm)	Squareness	Edges	Color	Surface
06:25	1.91	1.95	0.05mm	Complies	NO	Complies
06:50	1.93	1.97	0.03mm	Complies	NO	Complies
07:15	210	2.00mm	5095			
07:40	1.94	1.96	0.10mm	Complies	NO	Complies
08:05	1.92	1.95	0.06mm	Complies	NO	Complies
08:30	1.93	1.97	0.10mm	Complies	NO	Complies
08:55	1.95	1.98	0.06mm	Complies	NO	Complies
09:20	1.96	1.99	0.07mm	Complies	NO	Complies
09:45	1.98	1.99	0.04mm	Complies	NO	Complies
10:10	1.93	1.96	0.08mm	Complies	NO	Complies
10:35	CL49 2.00 39525					
11:00	1.93	1.96	0.10mm	Complies	NO	Complies
11:25	1.92	1.96	0.13mm	Complies	NO	Complies
11:50	1.94	1.95	0.15mm	Complies	NO	Complies
12:15	1.92	1.98	0.10mm	Complies	NO	Complies
12:40	1.91	1.95	0.10mm	Complies	NO	Complies
13:05	1.94	1.97	0.13mm	Complies	NO	Complies
13:30	1.92	1.96	0.10mm	Complies	NO	Complies
13:55	1.90	1.95	0.13mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 – 07:00	36	22	14
07:00 – 08:00	36	32	-4
08:00 – 09:00	36	36	-
09:00 – 10:00	36	32	-4
10:00 – 11:00	36	7/16	Change colour
11:00 – 12:00	36	33	-3
12:00 – 13:00	36	30	-6
13:00 – 14:00	36	33	-3
Total	288	241	47

Remarks: & Colour change
& No thickness change
& Speed 145 M2 210, 2.00mm 39505 failed dimensions with a minimum of 299.94 (machine direction)

Checked By QAI: THATO / SENTO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

17/08/2026

Shift: C

210

Thickness: 2.00mm

Batch: 39505

Time	Thickness Range: 1.87 – 2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
22:25	1.94	1.98	0.10mm	complies	NO	complies
22:50	1.92	1.97	0.05mm	complies	slight shade variation	complies
23:15	1.90	1.97	0.02 mm	complies	NO	complies
23:40	1.92	1.99	0.08 mm	complies	NO	complies
00:05	1.93	1.96	0.10mm	complies	NO	complies
00:30	1.94	1.99	0.05 mm	complies	NO	complies
00:55	1.92	1.97	0.02 mm	complies	NO	complies
01:20	1.90	1.98	0.10 mm	complies	NO	complies
01:45	1.91	1.96	0.08 mm	complies	NO	complies
02:10	1.94	1.99	0.10mm	complies	NO	complies
02:35	1.92	1.97	0.05 mm	complies	NO	complies
03:00	1.93	1.97	0.02mm	complies	NO	complies
03:25	1.91	1.98	0.10 mm	complies	NO	complies
03:50	1.94	1.99	0.05 mm	complies	NO	complies
04:15	1.92	1.96	0.08 mm	complies	NO	complies
04:40	1.94	1.97	0.02 mm	complies	NO	complies
05:05	1.92	1.97	0.06 mm	complies	NO	complies
05:30	1.93	1.98	0.10 mm	complies	NO	complies
05:55	1.94	1.97	0.05mm	complies	NO	complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	36	27	-9
23:00 – 00:00	36	26	-10
00:00 – 01:00	36	30	-6
01:00 – 02:00	36	32	-4
02:00 – 03:00	36	32	-4
03:00 – 04:00	36	28	-8
04:00 – 05:00	36	32	-4
05:00 – 06:00	36	29	-7
Total	288	236	-52

Remarks: # no colour change
* no thickness change
210 2.00 39505 box 1 – 63 rejected due to light shade. 210 2.00 39505 failed dimensional stability

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 17/08/2026 Shift: B

Color: 210 Thickness: 2.50mm Batch: 39505

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	2.40	2.48	0.00 mm	Complies	NO	Complies
14:50	2.44	2.46	0.25 mm	Complies	NO	Complies
15:15	2.44	2.47	0.08 mm	Complies	NO	Complies
15:40	2.40	2.47	0.00 mm	Complies	NO	Complies
16:05	2.42	2.47	0.02 mm	Complies	NO	Complies
16:30	2.41	2.46	0.00 mm	Complies	NO	Complies
16:55	2.44	2.47	0.05 mm	Complies	NO	Complies
17:20	2.42	2.47	0.00 mm	Complies	NO	Complies
17:45	2.44	2.46	0.10 mm	Complies	NO	Complies
18:10	2.44	2.48	0.08 mm	Complies	NO	Complies
18:35	2.40	2.48	0.10 mm	Complies	NO	Complies
19:00	2.42	2.47	0.00 mm	Complies	NO	Complies
19:25	2.42	2.47	0.05 mm	Complies	NO	Complies
19:50	2.44	2.49	0.00 mm	Complies	NO	Complies
20:15	210	2.00	39505			
20:40	1.92	1.97	0.00 mm	Complies	NO	Complies
21:05	1.94	1.97	0.10 mm	Complies	NO	Complies
21:30	1.94	1.97	0.05 mm	Complies	NO	Complies
21:55	1.92	1.98	0.00 mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	28	-8 Line cut
15:00 16:00	36	28	-8
16:00 17:00	36	30	-6
17:00 18:00	36	28	-8
18:00 19:00	36	34	-2
19:00 20:00	36	32	-4
20:00 21:00	36	24	Thickness change
21:00 22:00	36	33	-3
Total	288	245	-43

Remarks: * No colour change
* Thickness change
* Pallet 1 of 210 2.50 39505 rejected due to dark shade and recycled.

Checked By QAI: BETTY Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 17/08/2026

Shift: A

Color: 210

Thickness: 2.50mm

Batch: 39505

Time	Thickness Range: 2.37–2.63 Min (mm)	Thickness Range: 2.37–2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2.43	2.45	0.04mm	complies	No	Complies
06:50	2.41	2.47	0.07mm	complies	No	Complies
07:15	2.44	2.49	0.03mm	complies	No	Complies
07:40	2.45	2.48	0.08mm	complies	No	complies
08:05	2.41	2.47	0.05mm	complies	No	complies
08:30	2.46	2.50	0.06mm	complies	No	complies
08:55	2.43	2.45	0.09mm	complies	Slight ~~colour~~ shade change	complies
09:20	2.44	2.46	0.10mm	Complies	11	complies
09:45	2.45	2.50	0.13mm	Complies	11	complies
10:10	2.43	2.46	0.08mm	Complies	No	Complies
10:35	2.45	2.49	0.06mm	Complies	No	Complies
11:00	2.43	2.47	0.02mm	Complies	No	Complies
11:25	2.45	2.48	0.10mm	Complies	No	Complies
11:50	2.41	2.46	0.10mm	Complies	No	Complies
12:15	2.42	2.47	0.09mm	Complies	No	Complies
12:40	2.45	2.47	0.06mm	Complies	No	Complies
13:05	2.42	2.45	0.10mm	Complies	No	Complies
13:30	2.43	2.46	0.09mm	Complies	No	Complies
13:55	2.47	2.55	0.08mm	Complies	No	Complies

Time	Number of Boxes Produced Per Hour: Target	Actual	Difference
06:30 – 07:00	36	10	-26
07:00 – 08:00	36	24	-12
08:00 – 09:00	36	32	-4
09:00 – 10:00	36	24	-12 (line cuts)
10:00 – 11:00	36	32	-4
11:00 – 12:00	36	28	-8
12:00 – 13:00	36	28	-8
13:00 – 14:00	36	36	—
Total	288	214	-74

Remarks: *No colour change
*No thickness change
*Slight shade variation observed
*Speed: 36 Hz

Checked By QAI: SENTO THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 14/08/2026 Shift: C

Color: Q89 Thickness: 2.00mm Batch: 39485

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	1.94	1.97	0.05 mm	Complies	No	Complies
22:50	Q89	2.00	39495			
23:15	1.90	1.96	0.08 mm	Complies	No	Complies
23:40	1.94	1.97	0.00 mm	Complies	No	Complies
00:05	1.92	1.97	0.02mm	Complies	No	Complies
00:30	MARBLING	2.00	9101			
00:55						
01:20						
01:45						
02:10						
02:35						
03:00						
03:25						
03:50						
04:15						
04:40						
05:05	CL 210	2.50	39505			
05:30	2.44	2.47	0.00mm	Complies	Slight shade variation	Complies
05:55	2.42	2.47	0.08 mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	36	4/20	−12
23:00 – 00:00	36	28	Line cut
00:00 – 01:00	36	11	Marbling 01:00
01:00 – 02:00			
02:00 – 03:00			
03:00 – 04:00			
04:00 – 05:00			
05:00 – 06:00	36	18	−18
Total	108	81	−27

Remarks: *Colour change
~~*~~ thickness change
*Extra mix was dark and different from the first mix, so we changed batch and restarted the order.
Q89 2.00 39485 failed dimensional stability with a minimum of 29810 Cmachine direction

Checked By QAI: BETTY Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 14/08/2026 Shift: B

Color: Q19 Thickness: 1.30mm Batch: 39465

CPW: 79 kg

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
14:25	BULK		0.10mm	Complies	BULK	Complies
14:50			0.10mm	Complies		Complies
15:15	1.28	1.30	39475			
15:40			0.04mm	Complies	BLK	Complies
16:05	BLK		0.08mm	Complies		Complies
16:30			0.09mm	Complies		Complies
16:55			0.05mm	Complies		Complies
17:20			0.10mm	Complies		Complies
17:45			0.06mm	Complies		Complies
18:10			0.07mm	Complies		Complies
18:35			0.10mm	Complies		Complies
19:00	Q89	2.00	39485			
19:25	1.94	1.97	0.03mm	Complies	NO	Complies
19:50	1.97	1.99	0.06mm	Complies	NO	Complies
20:15	1.92	1.96	0.04mm	Complies	NO	Complies
20:40	1.91	1.95	0.07mm	Complies	NO	Complies
21:05	1.95	1.96	0.10mm	Complies	slight shade variation	Complies
21:30	1.92	1.98	0.13mm	Complies	"	Complies
21:55	1.94	1.96	0.10mm	Complies	"	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 - 15:00	48	32	-16
15:00 - 16:00	48	36	-12
16:00 - 17:00	48	45	-3
17:00 - 18:00	48	41	-7
18:00 - 19:00	48	28	Changing colour
19:00 - 20:00	36	28	-8
20:00 - 21:00	36	32	-4
21:00 - 22:00	36	35	-1
Total	348	277	-71

Remarks: * Colour change
* Thickness change
* Size variation observed (Separated boxes 63–99 (Q89) - Extra mix done
Colour
* Speed: 41 Hz
Reserved it for recycling (37 boxes)

Checked By QAI: SENTO / TATO

Supervisor: THEMBANI / MALO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 14/08/2026 Shift: A

Color: Q10 Thickness: 1.30mm Batch: 39455

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
06:25			0.10mm	complies	BULK	complies
06:50	BULK		0.08mm	complies		complies
07:15			0.05mm	complies		complies
09:40	CHANGING KNIVES / MARBLING - 9215 2:00					
08:05						
08:30						
08:55						
09:20						
09:45	Q19	1.30	39465			
10:10			0.12mm	complies		complies
10:35			0.10mm	complies		complies
11:00			0.08mm	complies		complies
11:25			0.05mm	complies		complies
11:50			0.02mm	complies		complies
12:15			0.10mm	complies		complies
12:40			0.12mm	Rough		complies
13:05			0.08mm	Rough		complies
13:30			0.05mm	complies		complies
13:55			0.02mm	complies		complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	48	44	-4
07:00 08:00	48	15	Thickness/ colour change
09:35 10:00	48	12	
10:00 11:00	48	35	-10
11:00 12:00	48	36	-12
12:00 13:00	48	34	-14
13:00 14:00	48	37	-11
Total	336	216	-120

Remarks: * Colour change
* Thickness change
* Speed: 50 H^2

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 13/08/2026 Shift: C

Color: Q05 Thickness: 1.30mm Batch: 391445

Time	Thickness Range: 1.17 – 1.43 Min (mm)	Thickness Range: 1.17 – 1.43 Max (mm)	Squareness	Edges	Color	Surface
22:25	Q10	1.30	0.08 mm	Complies	BLACK	Complies
22:50			0.05 mm	Complies		Complies
23:15			0.00 mm	Complies		Complies
23:40			0.05 mm	Complies		Complies
00:05			0.00 mm	Complies		Complies
00:30			0.02 mm	Complies		Complies
00:55			0.10 mm	Complies		Complies
01:20			0.05 mm	Complies		Complies
01:45			0.00 mm	Complies		Complies
02:10	Q10	1.30	391455			
02:35			0.10 mm	Complies	BLACK	Complies
03:00			0.08 mm	Complies		Complies
03:25			0.00 mm	Complies		Complies
03:50			0.05 mm	Complies		Complies
04:15			0.00 mm	Complies		Complies
04:40			0.10 mm	Complies		Complies
05:05			0.08 mm	Complies		Complies
05:30			0.05 mm	Complies		Complies
05:55			0.00 mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	48	42	−6
23:00 – 0000	48	48	−
00:00 – 01:00	48	44	−4
01:00 – 02:00	48	27/-	Colour Change
02:00 – 03:00	48	48	−
03:00 – 04:00	48	44	−4
04:00 – 05:00	48	40	−8
05:00 – 06:00	48	40	−8
Total	384	337	−47

Remarks: *Colour change
*NO thickness change
SPEED: 50M²

Checked By QAI: BETTY Supervisor: MAIKO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 13/08/2026

Shift: B

Color: Q46

Thickness: 1.30mm

Batch: 39425

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
14:25	BULK		0.03mm	Complies	BULK	Complies
14:50			0.04mm	Complies		Complies
15:15			0.06mm	Complies		Complies
15:40	Q83	1.30	39435			
16:05	BULK		0.00mm	Complies	BULK	Complies
16:30			0.09mm	Complies		Complies
16:55			0.07mm	Complies		Complies
17:20			0.04mm	Complies		Complies
17:45			0.06mm	Complies		Complies
18:10			0.09mm	Complies		Complies
18:35			0.04mm	Complies		Complies
19:00			0.07mm	Complies		Complies
19:25			0.04mm	Complies		Complies
19:50			0.08mm	Complies		Complies
20:15			0.03mm	Complies		Complies
20:40	Q05	1.3	39445			
21:05	BULK		0.10mm	Complies	BULK	Complies
21:30			0.10mm	Complies		Complies
21:55			0.13mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 - 15:00	48	41	-7
15:00 - 16:00	48	12/25	-11
16:00 - 17:00	48	42	-6
17:00 - 18:00	48	43	-5
18:00 - 19:00	48	41	-7
19:00 - 20:00	48	43	-5
20:00 - 21:00	48	24/7	
21:00 - 22:00	48	46	-2
Total	384	324	-60

Remarks: * Colour change
& No thickness change
e Speed 50.00Hz

Checked By QAI: SENTO THATO

Supervisor: THEMBANI MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 13/08/2026 Shift: A

Color: Q38 Thickness: 1.30mm Batch: 39415

Time	Thickness Range: 1.17–1.43 Min (mm)	Thickness Range: 1.17–1.43 Max (mm)	Squareness	Edges	Color	Surface
06:25	〃	〃	0.10mm	Complies	〃	complies
06:50	〃	〃	0.05mm	complies	〃	complies
07:15	PRODUCTION STOPPED –		welding conveyor tray			
07:40	RESTART →					→
08:25	〃		0.02mm	complies		complies
08:30	〃	〃	0.08mm	complies	〃	complies
08:55	〃	〃	0.10mm	complies	〃	complies
09:20	〃	〃	0.05mm	complies	〃	complies
09:45	Q46	1.30	39425	→	→	→
10:10	〃		0.12mm	complies		complies
10:35	〃		0.10mm	complies	〃	complies
11:00	〃		0.08mm	complies		complies
11:25	〃		0.00mm	complies		complies
11:50	〃		0.05mm	complies		complies
12:15	〃		0.10mm	complies		complies
12:40	〃		0.00mm	complies		complies
13:05	〃		0.02mm	complies		complies
13:30	〃		0.10mm	complies		complies
13:55	〃		0.05mm	complies		complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
06:00 – 07:00	28	23	-5
07:00 – 08:00	28	11	prod-stopped
08:00 – 09:00	28	28	–
09:00 – 10:00	28	16/10	colour change
10:00 – 11:00	48	42	-6
11:00 – 12:00	48	40	-8
12:00 – 13:00	48	40	-8
13:00 – 14:00	48	36	-12
Total	304	246	-58

Remarks: * Colour change
* no thickness change
* Speed: 50 Hz

Checked By QAI: KARABO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 12/08/2026

Shift: C

Color: 938

Thickness: 1.30mm

Batch: 39415

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
22:25			0.05 mm	Complies		Complies
22:50			0.10 mm	Complies		Complies
23:15			0.08 mm	Complies		Complies
23:40			0.00 mm	Complies		Complies
00:05			0.08 mm	Complies		Complies
00:30			0.10 mm	Complies		Complies
00:55			0.05 mm	Complies		Complies
01:20			0.02 mm	Complies		Complies
01:45			0.02 mm	Complies		Complies
02:10			0.08 mm	Complies		Complies
02:35			0.00 mm	Complies		Complies
03:00			0.08 mm	Complies		Complies
03:25			0.10 mm	Complies		Complies
03:50			0.00 mm	Complies		Complies
04:15			0.00 mm	Complies		Complies
04:40			0.08 mm	Complies		Complies
05:05			0.10 mm	Complies		Complies
05:30			0.00 mm	Complies		Complies
05:55			0.00 mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 – 23:00	48	42	-6
23:00 – 00:00	48	38	-10
00:00 – 01:00	48	3/18	Bulk DIY
01:00 – 02:00	28	30	+2
02:00 – 03:00	28	28	-
03:00 – 04:00	28	28	-
04:00 – 05:00	28	28	-
05:00 – 06:00	28	28	-
Total	253	243	-10

Remarks: *No Colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 12/08/2026

Shift: B

Color: Q41

Thickness: 1.30mm

Batch: 39405

Time	Thickness Range: 1.17 – 1.43 Min (mm)	Thickness Range: 1.17 – 1.43 Max (mm)	Squareness	Edges	Color	Surface
14:25			0.06 mm	Complies		Complies
14:50			0.06 mm	Complies		Complies
15:15			0.00 mm	Complies		Complies
15:40			0.10 mm	Complies		Complies
16:05			0.09 mm	Complies		Complies
16:30			0.02 mm	Complies		Complies
16:55			0.03mm	Complies		Complies
17:20			0.05mm	Complies		Complies
17:45			0.06 mm	Complies		Complies
18:10			0.04 mm	Complies		Complies
18:35			0.09 mm	Complies		Complies
19:00			0.08mm	Complies		Complies
19:25	Q38	1.30	39415			
19:50	B		0.10mm	Complies	B	Complies
20:15			0.10mm	Complies		Complies
20:40			0.08mm	Complies		Complies
21:05			0.06mm	Complies		Complies
21:30			0.10mm	Complies		Complies
21:55			0.10mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	28	27	-1
15:00 – 16:00	28	27	-1
16:00 – 17:00	28	29	+1
17:00 – 18:00	28	27	-1
18:00 – 19:00	28	26	-2
19:00 – 20:00	~~48~~	3/36	-12
20:00 – 21:00	48	44	-4
21:00 – 22:00	48	37	-11
Total	284	256	-28

Remarks: * Colour change
* No thickness change
* Speed: 50,00 #2

Checked By QAI: SENTO/THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 12/08/2026 Shift: A

Color: Q05 Thickness: 1.30mm Batch: 39395

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
06:25			0.10mm	Complies		Complies
06:50			0.05 mm	Complies		Complies
07:15			0.02 mm	Complies		Complies
07:40			0.05 mm	Complies		Complies
08:05			0.10 mm	Complies		Complies
08:30			0.05mm	Complies		Complies
08:55			0.02mm	Complies		Complies
09:20			0.10 mm	Complies		Complies
09:45			0.08 mm	Complies		Complies
10:10			0.05mm	Complies		Complies
10:35			0.00mm	Complies		Complies
11:00			0.02 mm	Complies		Complies
11:25			0.10mm	Complies		Complies
11:50			0.05mm	Complies		Complies
12:15	PRODUCTION	STOPPED				
12:40		↓	↓	↓	↓	
13:05	Q41	1.30	39405			
13:36	〃	〃	0.10mm	Complies	〃	Complies
13:55	〃	〃	0.08mm	Complies	〃	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	28	24	-4
07:00 08:00	28	22	-6
08:00 09:00	28	28	-
09:00 10:00	28	28	-
10:00 11:00	28	26	-2
11:00 12:00	28	20	-8
13:00 14:00	28	21	-7
Total	196	169	-27

Remarks: * Colour change
* No thickness change * Speed: 50H²
* Production stopped removing wrong mix from the silo and prepared another mix - Q41

Checked By QAI: KARABO Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 11/08/2026 Shift: C

Color: 810 Thickness: 1.30mm Batch: 39385

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
22:25			0.10mm	Complies		Complies
22:50			0.08 mm	Complies		Complies
23:15			0.05 mm	Complies		Complies
23:40			0.00 mm	Complies		Complies
00:05			0.08 mm	Complies		Complies
00:30			0.00 mm	Complies		Complies
00:55			0.00 mm	Complies		Complies
01:20			0.06 mm	Complies		Complies
01:45			0.10 mm	Complies		Complies
02:10			0.05 mm	Complies		Complies
02:35			0.10 mm	Complies		Complies
03:00			0.08 mm	Complies		Complies
03:25			0.05 mm	Complies		Complies
03:50			0.08 mm	Complies		Complies
04:15			0.10 mm	Complies		Complies
04:40			0.08 mm	Complies		Complies
05:05			0.00 mm	Complies		Complies
05:30			0.05 mm	Complies		Complies
05:55	0.95	1.30	39395			

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 23:00	28	28	–
23:00 00:00	28	28	–
00:00 01:00	28	28	–
01:00 02:00	28	28	–
02:00 03:00	28	28	–
03:00 04:00	28	18/9	DIY BULK
04:00 05:00	48	46	-2
05:00 06:00	48	10/6	BULK DIY
Total	~~246~~	229	-17

Remarks: * Colour change
* No thickness change
Speed : 50Hz

Checked By QAI: BETTY

Supervisor: MAIKO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 11/08/2026 Shift: B

Color: Q10 Thickness: 1.50mm Batch: 39385

Time	Thickness Range: 1.17 - 1.43 Min (mm)	Thickness Range: 1.17 - 1.43 Max (mm)	Squareness	Edges	Color	Surface
14:25			0.03mm	complies		complies
14:50			0.00mm	complies		complies
15:15			0.04mm	complies		complies
15:40			0.07mm	complies		complies
16:05			0.05mm	complies		complies
16:30			0.09mm	complies		complies
16:55			0.10mm	complies		complies
17:20			0.04mm	complies		complies
17:45			0.05mm	complies		complies
18:10			0.10mm	complies		complies
18:35			0.08mm	complies		complies
19:00			0.02mm	complies		complies
19:25			0.05mm	complies		complies
19:50			0.10mm	complies		complies
20:15			0.02mm	complies		complies
20:40			0.05mm	complies		complies
21:05			0.08mm	complies		complies
21:30						
21:55						

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
14:00 – 15:00	48	42	-6
15:00 – 16:00	48	32	-16 (lime cuts)
16:00 – 17:00	48	34	-14
17:00 – 18:00	48	14/16	
18:00 – 19:00	28	29	+1
19:00 – 20:00	28	28	–
20:00 – 21:00	28	29	+1
21:00 – 22:00	28	28	–
Total	304	252	-52

Remarks: * NO colour change
* NO thickness change
Speed: 50H²

Checked By QAI: THATO / KARABO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 11/08/2026

Color: KK28

Thickness: 2100mm

Shift: A

Batch: 39375

Time	Thickness Range: 1.87–2.13 Min (mm)	Thickness Range: 1.87–2.13 Max (mm)	Squareness	Edges	Color	Surface
06:25	1.94	1.96	0.00mm	Complies	NO	Complies
06:50	1.93	1.98	0.00mm	Complies	NO	Complies
07:15	CHANGING DIE BLOCK TO 300×300mm					
07:40	Thembani's		Shift meeting			
08:05						
08:30						
08:55						
09:20						
09:45						
10:10						
10:35	Marbling	2100mm		9101		
11:00						
11:25						
11:50	Q10	1.30mm	39385			
12:15	BULK		0.10mm	Complies	BULK	Complies
12:40			0.13mm	Complies		Complies
13:05			0.10mm	Complies		Complies
13:30			0.15mm	Complies		Complies
13:55			0.13mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 – 07:00	30	19	-11
12:00 – 13:00	48	38	-10
13:00 – 14:00	48	40	-8
Total	126	97	-29

Remarks: * Colour change
* Thickness change
* Speed: 42 Hz (KK28) Q10 speed: 50 Hz

Checked By QAI: SENTO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 10/08/2026

Shift: C

Color: 205

Thickness: 2.00mm

Batch: 5085

600X600

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	1.94	1.97	0.00mm	Complies	No	Complies
22:50	1.93	1.97	0.00mm	Complies	No	Complies
23:15	1.94	1.98	0.00 mm	Complies	Slight shade variation	Complies
23:40	1.92	1.95	0.00 mm	Complies	No	Complies
00:05	1.90	1.97	0.00mm	Complies	No	Complies
00:30	1.94	1.97	0.00mm	Complies	No	Complies
00:55	1.94	1.97	0.00mm	Complies	No	Complies
01:20	1.91	1.95	0.00 mm	Complies	No	Complies
01:45	1.93	1.98	0.00 mm	Complies	No	Complies
02:10	1.92	1.97	0.00mm	Complies	No	Complies
02:35	1.94	1.98	0.00 mm	Complies	No	Complies
03:00	1.94	1.97	0.00 mm	Complies	No	Complies
03:25	1.90	1.99	0.00 mm	Complies	No	Complies
03:50	1.92	1.97	0.00 mm	Complies	No	Complies
04:15	1.94	1.97	0.00mm	Complies	No	Complies
04:40	1.94	1.96	0.00mm	Complies	No	Complies
05:05	1.94	1.98	0.00mm	Complies	No	Complies
05:30	KK 28	2.00	39375			
05:55	1.94	1.97	0.00mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 - 23:00	30	16	in 35 mins
23:00 - 00:00	30	24	-6
00:00 - 01:00	30	28	-2
01:00 - 02:00	30	24	-6
02:00 - 03:00	30	24	-6
03:00 - 04:00	30	24	-6
04:00 - 05:00	30	24	-6
05:00 - 06:00	30	5/17	Colour Change
Total	240	186	-54

Remarks: *~~No~~ colour change
*No thickness change
*Speed = 40 H²

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 10/08/2026 Shift: B

Color: 204 Thickness: 2.00 mm Batch: 5075

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	1.92	1.97	0.04 mm	Complies	NO	Complies
14:50	1.95	1.99	0.00 mm	Complies	NO	Complies
15:15	1.91	1.95	0.05mm	Complies	NO	Complies
15:40	1.93	1.97	0.03mm	Complies	NO	Complies
16:05	1.95	1.98	0.04mm	Complies	NO	Complies
16:30	1.97	1.99	0.05mm	Complies	NO	Complies
16:55	1.91	1.96	0.06mm	Complies	NO	Complies
17:20	1.94	1.98	0.07mm	Complies	NO	Complies
17:45	1.95	2.00	0.00mm	Complies	NO	Complies
18:10	1.93	1.99	0.05mm	Complies	NO	Complies
18:35	MARBLING		2.00 9246	1 Changing block 300x300 → 600x600		
19:00	↓		↓	↓		
19:25						
19:50						
20:15						
20:40	MARBLING		2.00 9201	→	→	→
21:05	↓		↓	↓	↓	
21:30						
21:55						

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	26	-10
15:00 – 16:00	36	40	+4
16:00 – 17:00	36	34	-2
17:00 – 18:00	36	40	+4
18:00 – 19:00	36 Marbling	14	Colour change 9246
19:00 – 20:00	↓	↓	
20:00 – 21:00	marbling		9201
21:00 – 22:00	↓		↓
Total	180	154	-26

Remarks: 4 colour change
4 no thickness change
speed 43 H² & 45 H²

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 10/08/2026 Shift: A

Color: 202 Thickness: 20mm Batch: 5055

Time	Thickness Range: 1.87–2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
06:50	1.94	1.96	0.08mm	Complies	No	Complies
07:15	1.92	1.95	0.10mm	Complies	No	Complies
07:40	1.95	1.99	0.10mm	Complies	No	Complies
08:05	1.94	1.97	0.13mm	Complies	No	Complies
08:30	1.98	1.98	0.10mm	Complies	No	Complies
08:55	1.94	1.96	0.13mm	Complies	No	Complies
09:20	1.95	1.99	0.10mm	Complies	No	Complies
09:45	1.92	1.96	0.10mm	Complies	No	Complies
10:10	2.10	2.100	5065			
10:35	1.94	1.96	0.15mm	Complies	No	Complies
11:00	1.92	1.97	0.13mm	Complies	No	Complies
11:25	1.95	1.99	0.10mm	Complies	No	Complies
11:50	1.95	1.96	0.10mm	Complies	No	Complies
12:15	1.94	1.96	0.13mm	Complies	No	Complies
12:40	1.95	1.99	0.15mm	Complies	No	Complies
13:05	1.95	1.97	0.10mm	Complies	No	Complies
13:30	2.04	2.100	5075			
10:55	1.93	1.97	0.13mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
07:00 08:00	36	32	-4
08:00 09:00	36	32	-4
09:00 10:00	36	20	Changing colour
10:00 11:00	36	24	-12
11:00 12:00	36	36	—
12:00 13:00	36	37	+1
13:00 14:00	36	16	-20
Total	288	197	-91

Remarks: Colour change
& No thickness change
& Speed 43 Hz

Checked By QAI: SENTO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 07/08/2026 Shift: C

Color: 202 Thickness: 2.00mm Batch: 5045

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	1.93	1.99	0.03mm	Complies	NO	Complies
22:50	1.95	1.98	0.00mm	Complies	NO	Complies
23:15	1.90	1.97	0.05mm	Complies	NO	Complies
23:40	1.95	1.98	0.06mm	Complies	No	Complies
00:05	1.92	1.97	0.04mm	Complies	NO	Complies
00:30	1.93	1.95	0.07mm	Complies	No	Complies
00:55	202	2.00mm	5045			
01:20	1.96	1.99	0.08mm	Complies	NO	Complies
01:45	1.93	1.95	0.07mm	Complies	NO	Complies
02:10	1.96	2.00	0.04mm	Complies	NO	Complies
02:35	1.93	1.97	0.05mm	Complies	NO	Complies
03:00	1.95	1.96	0.07mm	Complies	No	Complies
03:25	1.97	1.99	0.09mm	Complies	No	Complies
03:50	1.92	1.96	0.10mm	Complies	NO	Complies
04:15	1.94	1.99	0.03mm	Complies	No	Complies
04:40	1.95	1.97	0.04mm	Complies	No	Complies
05:05	1.95	1.98	0.05mm	Complies	NO	Complies
05:30	1.92	1.96	0.00mm	Complies	No	Complies
05:55	1.93	1.99	0.07mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 - 23:00	36	38	+2
23:00 - 00:00	36	34	-2
00:00 - 01:00	36	38	+2
01:00 - 02:00	36	34	-2
02:00 - 03:00	36	30	-6
03:00 - 04:00	36	36	-
04:00 - 05:00	36	40	+4
05:00 - 06:00	36	34	-2
Total	288	284	-4

Remarks: No thickness and colour change

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 07/08/2026 Shift: B

Color: 202 Thickness: 200mm Batch: 5095

Time	Thickness Range: 1.87-2.13 Min (mm)	Thickness Range: 1.87-2.13 Max (mm)	Squareness	Edges	Color	Surface
14:25	194	196	0.10mm	Complies	No	Complies
14:50	192	195	0.13mm	Complies	No	Complies
15:15	194	196	0.10mm	Complies	No	Complies
15:40	195	198	0.08mm	Complies	No	Complies
16:05	194	196	0.10mm	Complies	No	Complies
16:30	191	195	0.13mm	Complies	No	Complies
16:55	195	196	0.13mm	Complies	No	Complies
17:20	193	198	0.10mm	Complies	No	Complies
17:45	194	199	0.13mm	Complies	No	Complies
18:10	190	196	0.15mm	Complies	No	Complies
18:35	194	198	0.10mm	Complies	No	Complies
19:00	192	196	0.10mm	Complies	No	Complies
19:25	193	195	0.06mm	Complies	No	Complies
19:50	190	197	0.08mm	Complies	No	Complies
20:15	195	199	0.10mm	Complies	No	Complies
20:40	194	196	0.10mm	Complies	No	Complies
21:05	193	196	0.15mm	Complies	No	Complies
21:30	196	199	0.13mm	Complies	No	Complies
21:55	194	198	0.12mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 15:00	36	31	-5
15:00 16:00	36	33	-3
16:00 17:00	36	32	-4
17:00 18:00	36	37	+1
18:00 19:00	36	35	-1
19:00 20:00	36	35	-1
20:00 21:00	36	36	—
21:00 22:00	36	34	-2
Total	288	271	-17

Remarks: No Colour Change
No Thickness Change

Checked By QAI: SEITO

Supervisor: ITHEMBAHI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 07/08/2026

Shift: A

Color: 9212

Thickness: 2.0mm

Batch: 9212

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
06:25	↓		↓	↓	↓	↓
06:50	202	2.00	5035	→	→	→
07:15	1.92	1.96	0.08mm	Complies	NO	Complies
07:40	1.90	1.97	0.00 mm	Complies	NO	Complies
08:05	1.94	1.98	0.00 mm	Complies	NO	Complies
08:30	1.94	1.99	0.10 mm	Complies	NO	Complies
08:55	1.94	1.98	0.05mm	Complies	NO	Complies
09:20	1.91	1.96	0.00 mm	Complies	NO	Complies
09:45	1.92	1.96	0.05mm	Complies	NO	Complies
10:10	1.94	1.95	0.02 mm	Complies	NO	Complies
10:35	1.93	1.97	0.00 mm	Complies	NO	Complies
11:00	1.94	1.97	0.10 mm	Complies	NO	Complies
11:25	1.94	1.97	0.08mm	Complies	NO	Complies
11:50	1.94	1.99	0.13 mm	Complies	NO	Complies
12:15	202	2.00	5045	→	→	→
12:40	1.90	1.97	0.10 mm	Complies	NO	Complies
13:05	1.94	1.97	0.00 mm	Complies	NO	Complies
13:30	1.94	1.97	0.00 mm	Complies	NO	Complies
13:55	1.94	1.95	0.00 mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 marbling 2.00 9212			
07:00 ↓ ↓ ↓			
07:00 →			colour change
08:00	36	36	-
08:00			
09:00	36	40	+4
09:00			
10:00	36	32	-4
10:00			
11:00	36	32	-4
11:00			
12:00	36	28	-8
12:00			
13:00	36	29	-7
13:00			
14:00	36	28	-8
→			
Total	272	225	-47

Remarks: *Colour change
* No thickness change
* SPEED - 44 Hz

Checked By QAI: BETTY

Supervisor: MAICO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 06/08/2026 Shift: C

Color: 207 Thickness: 2.50 mm Batch: 5025

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	2.44	2.47	0.08 mm	complies	NO	complies
22:50	2.41	2.45	0.04 mm	complies	NO	complies
23:15	2.43	2.44	0.05 mm	complies	NO	complie
23:40	2.46	2.49	0.07 mm	complies	NO	complies
00:05	2.45	2.48	0.03 mm	complie	NO	complies
00:30	2.46	2.49	0.04 mm	complies	NO	complie
00:55	2.43	2.47	0.09 mm	complie	NO	complies
01:20	207	2.00 mm	5025			
01:45	1.95	1.99	0.06 mm	complies	NO	complie
02:10	1.93	1.98	0.07 mm	complies	NO	complie
02:35	1.95	1.98	0.03 mm	complies	NO	complies
03:00	1.97	1.99	0.05 mm	complie	NO	complies
03:25	1.94	1.97	0.08 mm	complies	NO	complies
03:50	1.97	1.98	0.09 mm	complie	NO	complie
04:15	1.92	1.96	0.03 mm	complies	NO	complies
04:40	1.95	1.99	0.04 mm	complies	NO	complies
05:05	CHANGING KNIVES / MARBLING				2.00 9212	
05:30						
05:55						

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
~~22:00~~ 23:00	36	19	-17
23:00 00:00	36	36	-
00:00 01:00	36	32	-4
01:00 02:00	36	16	-20
02:00 03:00	36	36	-
03:00 04:00	36	36	-
04:00 05:00	36	25	-11
05:00 06:00	marbling		
Total	252	200	52

Remarks: * NO colour ~~chart~~ change
* Thickness change
* Separated the first 24 boxes of 207 2.00 5025 due to light shade and reserved them for ~~st~~ recycling. replaced box 1 with number 25 following the sequence of numbers to make order of 84 boxes → 105

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 06/08/2026 Shift: B

Color: KK12 Thickness: 2.50mm Batch: 29355

Time	Thickness Range: 2.37–2.63 Min (mm)	Thickness Range: 2.37–2.63 Max (mm)	Squareness	Edges	Color	Surface
14:25	2.43	2.46	0.10mm	Complies	NO	Complies
14:50	2.44	2.49	0.10mm	Complies	NO	Complies
15:15	2.43	2.48	0.13mm	Complies	NO	Complies
15:40	2.45	2.50	0.10mm	Complies	NO	Complies
16:05	2.43	2.47	0.13mm	Complies	NO	Complies
16:30	2.44	2.45	0.10mm	Complies	NO	Complies
16:55	2.40	2.46	0.13mm	Complies	NO	Complies
17:20	2.02	2.50	SQUARENESS 0.13mm	Complies	NO	Complies
17:45	2.45	2.47		problem		
18:10	PROD	STOPS	– Electrical			
18:35	RESTART			RESTART		
19:00	2.41	2.45	0.10mm	Complies	NO	Complies
19:25	2.43	2.46	0.10mm	Complies	NO	Complies
19:50	2.45	2.46	0.13mm	Complies	NO	Complies
20:15	2.43	2.45	0.15mm	Complies	NO	Complies
20:40	2.42	2.46	0.13mm	Complies	NO	Complies
21:05	2.40	2.49	0.10mm	Complies	NO	Complies
21:30	2.44	2.47	0.13mm	Complies	NO	Complies
21:55	2.46	2.46	0.10mm	Complies	NO	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	32	−4
15:00 – 16:00	36	32	−4
16:00 – 17:00	36	28	−8
17:00 – 18:00	36	9/20	
18:00 – 19:00	36	16	−20
19:00 – 20:00	36	26	−10
20:00 – 21:00	36	33	−3
21:00 – 22:00	36	34	−2
Total	288	230	

Remarks: * No thickness change
* No colour change
* Frequent power cuts – led to low production

Checked By QAI: SOTO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 06/08/2026

Shift: A

Color: KH2

Thickness: 2.50mm

Batch: 39355

Time	Thickness Range: 2.37–2.63 Min (mm)	Thickness Range: 2.37–2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2.44	2.46	0.08 mm	Complies	No	Complies
06:50	2.40	2.47	0.00 mm	Complies	No	Complies
07:15	2.42	2.47	0.08 mm	Complies	No	Complies
07:40	2.44	2.48	0.05 mm	Complies	No	Complies
08:05	2.41	2.47	0.08 mm	Complies	No	Complies
08:30	2.44	2.45	0.10 mm	Complies	No	Complies
08:55	2.44	2.47	0.00 mm	Complies	No	Complies
09:20	2.40	2.49	0.08 mm	Complies	No	Complies
09:45	2.40	2.48	0.05 mm	Complies	No	Complies
10:10	2.41	2.46	0.02mm	Complies	No	Complies
10:35	2.42	2.48	0.00mm	Complies	No	Complies
11:00	2.44	2.45	0.10 mm	Complies	No	Complies
11:25	2.43	2.47	0.00mm	Complies	No	Complies
11:50	2.44	2.47	0.08mm	Complies	No	Complies
12:15	2.40	2.49	0.10mm	Complies	No	Complies
12:40	2.41	2.47	0.13mm	Complies	No	Complies
13:05	2.40	2.47	0.08mm	Complies	No	Complies
13:30	2.43	2.46	0.00mm	Complies	No	Complies
13:55	2.44	2.48	0.05 mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 – 07:00	36	32	-4
07:00 – 08:00	36	36	–
08:00 – 09:00	36	36	–
09:00 – 10:00	36	36	–
10:00 – 11:00	36	35	-1
11:00 – 12:00	36	36	–
12:00 – 13:00	36	36	–
13:00 – 14:00	36	36	–
Total	288	283	-5

Remarks: *No colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 05/08/2026

Shift: C

Color: KK12

Thickness: 2.50mm

Batch: 39355

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	2.42	2.47	0.00mm	Complies	No	Complies
22:50	2.45	2.48	0.03 mm	Complies	No	Complies
23:15	2.40	2.46	0.07 mm	Complies	No	Complies
23:40	2.43	2.47	0.05 mm	Complies	No	Complies
00:05	2.45	2.49	0.04 mm	Complies	No	Complies
00:30	2.49	2.51	0.05 mm	Complies	No	Complies
00:55	2.41	2.48	0.04mm	Complies	No	Complies
01:20	2.44	2.49	0.09mm	Complies	No	Complies
01:45	2.47	2.49	0.05mm	Complies	No	Complies
02:10	2.41	2.46	0.04mm	Complies	No	Complies
02:35	2.43	2.45	0.05mm	Complies	No	Complies
03:00	2.41	2.47	0.08mm	Complies	No	Complies
03:25	2.47	2.50	0.04mm	Complies	No	Complies
03:50	2.43	2.49	0.03mm	Complies	No	Complies
04:15	2.41	2.47	0.09 mm	Complies	No	Complies
04:40	2.44	2.48	0.06mm	Complies	No	Complies
05:05	2.44	2.47	0.04mm	Complies	No	Complies
05:30	2.43	2.45	0.00mm	Complies	No	Complies
05:55	2.47	2.50	0.09mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 23:00	36	28	-8
23:00 00:00	36	32	-4
00:00 01:00	36	40	+4
01:00 02:00	36	34	-2
02:00 03:00	36	34	-2
03:00 04:00	36	34	-2
04:00 05:00	36	38	+2
05:00 06:00	36	32	-4
Total	288	272	-16

Remarks: No Thickness and colour change

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 05/08/2026 Shift: B

Color: KK12 Thickness: 250mm Batch: 39355

	Thickness					
	Range: 2.37 – 2.63					
Time	Min (mm)	Max (mm)	Squareness	Edges	Color	Surface
14:25	2.43	2.46	0.10mm	Complies	No	Complies
14:50	2.45	2.50	0.08mm	Complies	No	Complies
15:15	CHANGING		KNIVES			
15:40	Replacing broken bolts of hydraulic cylinder for punching press					
16:05						
16:30						
16:55						
17:20						
17:45	RESTART				RESTART	
18:10	2.42	2.47	0.08mm	Complies	No	Complies
18:35	2.40	2.45	0.10mm	Complies	No	Complies
19:00	2.43	2.46	0.10mm	Complies	No	Complies
19:25	2.44	2.45	0.15mm	Complies	No	Complies
19:50	2.41	2.46	0.13mm	Complies	No	Complies
20:15	2.43	2.45	0.15mm	Complies	No	Complies
20:40	2.40	2.44	0.10mm	Complies	No	Complies
21:05	2.45	2.50	0.11mm	Complies	No	Complies
21:30	2.40	2.47	0.13mm	Complies	No	Complies
21:55	2.52	2.49	0.13mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	27	-9
17:45 – 18:00	36	7	Prod stopped
18:00 – 19:00	36	32	-4
19:00 – 20:00	36	31	-5
20:00 – 21:00	36	32	-4
21:00 – 22:00	36	33	-3
Total	216	162	-54

Remarks: No colour change
No thickness change

Checked By QAI: SENTO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 05/08/2026 Shift: A

Color: KK12 Thickness: 2.50mm Batch: 39355

Time	Thickness Range: 2.37-2.63 Min (mm)	Thickness Range: 2.37-2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2.40	2.47	0.08 mm	Complies	NO	Complies
06:50	2.44	2.45	0.05 mm	Complies	NO	Complies
07:15	2.43	2.47	.000 mm	Complies	NO	Complies
07:40	2.40	2.45	0.00 mm	Complies	NO	Complies
08:05	2.40	2.48	0.08mm	Complies	No	Complies
08:30	2.42	2.47	0.06 mm	Complies	NO	Complies
08:55	2.41	2.46	0.00mm	Complies	No	Complies
09:20	2.44	2.47	0.00mm	Complies	NO	Complies
09:45	2.43	2.47	0.05mm	Complies	NO	Complies
10:10	2.41	2.46	0.10mm	Complies	NO	Complies
10:35	2.42	2.48	0.08 mm	Complies	NO	Complies
11:00	2.44	2.47	0.05mm	Complies	NO	Complies
11:25	2.44	2.49	0.02mm	Complies	No	Complies
11:50	2.40	2.45	0.10mm	Complies	NO	Complies
12:15	2.42	2.46	0.00mm	Complies	NO	Complies
12:40	2.43	2.48	0.08mm	Complies	NO	Complies
13:05	2.44	2.47	0.05mm	Complies	NO	Complies
13:30	2.40	2.47	0.08mm	Complies	NO	Complies
13:55	2.41	2.49	0.05 mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	36	36	-
07:00 08:00	36	32	-4
08:00 09:00	36	32	-4
09:00 10:00	36	32	-4
10:00 11:00	36	30	-6
11:00 12:00	36	30	-6
12:00 13:00	36	28	Line Cut -8
13:00 14:00	36	27	Line Cut
Total	288	247	-41

Remarks: * No colour change
* No thickness change

Checked By QAI: BETTY

Supervisor: MAILO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 04/08/2026 Shift: C

Color: KK12 Thickness: 2.50mm Batch: 39355

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
22:25	2.40	2.46	0.03mm	Complies	NO	Complies
22:50	2.43	2.48	0.07mm	Complies	No	Complies
23:15	2.47	2.50	0.04mm	Complies	No	Complies
23:40	2.45	2.49	0.07mm	Complies	No	Complies
00:05	2.42	2.44	0.05mm	Complies	No	Complies
00:30	2.45	2.49	0.04mm	Complies	No	Complies
00:55	2.43	2.47	0.03mm	Complies	No	Complies
01:20	2.41	2.46	0.06mm	Complies	No	Complies
01:45	2.45	2.47	0.03mm	Complies	No	Complies
02:10	2.47	2.51	0.05mm	Complies	No	Complies
02:35	2.44	2.49	0.07mm	Complies	No	Complies
03:00	2.43	2.47	0.04mm	Complies	No	Complies
03:25	2.41	2.44	0.03mm	Complies	No	Complies
03:50	2.45	2.49	0.04mm	Complies	No	Complies
04:15	2.46	2.50	0.04mm	Complies	No	Complies
04:40	2.43	2.48	0.07mm	Complies	No	Complies
05:05	2.47	2.52	0.05mm	Complies	No	Complies
05:30	2.41	2.46	0.05mm	Complies	No	Complies
05:55	2.45	2.48	0.06mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 - 23:00	36	32	4
23:00 - 00:00	36	31	5
00:00 - 01:00	36	33	3
01:00 - 02:00	36	36	-
02:00 - 03:00	36	32	4
03:00 - 04:00	36	36	-
04:00 - 05:00	36	36	-
05:00 - 06:00	36	34	2
Total	288	270	18

Remarks: No colour and thickness change

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 04/08/2026 Shift: B

Color: KK12 Thickness: 2.50mm Batch: 39355

Time	Thickness Range: 2.37–2.63 Min (mm)	Thickness Range: 2.37–2.63 Max (mm)	Squareness	Edges	Color	Surface
14:25	2.43	2.46	0.10mm	Complies	No	Complies
14:50	2.40	2.45	0.13mm	Complies	No	Complies
15:15	2.44	2.47	0.15mm	Complies	No	Complies
15:40	2.41	2.45	0.13mm	Complies	No	Complies
16:05	2.40	2.48	0.10mm	Complies	No	Complies
16:30	2.43	2.47	0.13mm	Complies	No	Complies
16:55	2.44	2.49	0.13mm	Complies	No	Complies
17:20	2.41	2.46	0.10mm	Complies	No	Complies
17:45	2.41	2.45	0.10mm	Complies	No	Complies
18:10	2.45	2.55	0.13mm	Complies	No	Complies
18:35	2.46	2.48	0.15mm	Complies	No	Complies
19:00	2.45	2.50	0.10mm	Complies	No	Complies
19:25	2.40	2.48	0.13mm	Complies	No	Complies
19:50	2.45	2.55	0.15mm	Complies	No	Complies
20:15	2.45	2.49	0.10mm	Complies	No	Complies
20:40	2.41	2.45	0.13mm	Complies	No	Complies
21:05	2.43	2.46	0.08mm	Complies	No	Complies
21:30	2.44	2.49	0.10mm	Complies	No	Complies
21:55	2.45	2.52	0.06mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	36	28	-8
15:00 – 16:00	36	34	-2
16:00 – 17:00	36	26	-10
17:00 – 18:00	36	28	-8
18:00 – 19:00	36	24	-12
19:00 – 20:00	36	32	-4
20:00 – 21:00	36	29	-7
21:00 – 22:00	36	33	-3
Total	288	234	-54

Remarks: * No Colour change
* No Thickness change

Checked By QAI: SENTO

Supervisor: THEMBA H

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 04/08/2026 Shift: A

Color: KK14 Thickness: 2.50mm Batch: 39345

Time	Thickness Range: 2.37 - 2.63 Min (mm)	Thickness Range: 2.37 - 2.63 Max (mm)	Squareness	Edges	Color	Surface
06:25	2.44	2.47	0.08 mm	Complies	NO	Complies
06:50	2.42	2.48	008 mm	Complies	NO	Complies
07:15	2.42	2.46	0.00mm	Complies	NO	Complies
07:40	2.44	2.47	0.10 mm	Complies	NO	Complies
08:05	2.41	2.47	0.00 mm	Complies	NO	Complies
08:30	2.42	2.47	002 mm	Complies	NO	Complies
08:55	2.44	2.45	0.00 mm	Complies	NO	Complies
09:20	2.41	2.48	0.10mm	Complies	NO	Complies
09:45	KK 12	2.50	39355			
10:10	2.40	2.47	0.00 mm	Complies	NO	Complies
10:35	2.44	2.47	0.05mm	Complies	NO	Complies
11:00	2.40	2.46	0.08 mm	Complies	NO	Complies
11:25	2.41	2.47	0.10 mm	Complies	NO	Complies
11:50	2.460	2.45	0.00 mm	Complies	NO	Complies
12:15	2.44	249	0.00 mm	Complies	NO	Complies
12:40	2.41	2.46	0.10 mm	Complies	NO	Complies
13:05	2.42	2.47	0.08mm	Complies	NO	Complies
13:30	2.44	2.47	0.05mm	Complies	NO	Complies
13:55	2.43	247	0.00 mm	Complies	NO	Complies

Number of Boxes Produced Per Hour

Time	Target	Actual	Difference
06:00 07:00	36	28	wire cut -8
07:00 08:00	36	30	-6
08:00 09:00	36	28	wirecut -8
09:00 10:00	36	9/-	Colour change
10:00 11:00	36	30	-6
11:00 12:00	36	30	-6
12:00 13:00	36	32	-4
13:00 14:00	36	36	-
Total	288	223	-65

Remarks: *Colour Change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAIGO

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 03/08/2026 Shift: C

Color: marbling Thickness: 2-00 mm Batch: 9212

CPW: 82 Kg

Time	Thickness Range: 1.87 - 2.13 Min (mm)	Thickness Range: 1.87 - 2.13 Max (mm)	Squareness	Edges	Color	Surface
22:25	marbling 2.00	9212				
22:50	KK 14	2.90mm	39345			
23:15	~~2.46~~	~~2.49~~	0.04mm	Complies	No	Complies
23:40	2.43	2.47	0.05mm	Complies	No	Complies
00:05	2.41	2.47	0.00mm	Complies	No	Complies
00:30	2.42	2.48	0.07mm	Complies	No	Complies
00:55	2.47	2.49	0.08mm	Complies	No	Complies
01:20	2.44	2.46	0.05mm	Complies	No	Complies
01:45	2.43	2.49	0.04mm	Complies	No	Complies
02:10	2.41	2.46	0.07mm	Complies	No	Complies
02:35	2.44	2.47	0.03mm	Complies	No	Complies
03:00	2.42	2.47	0.00mm	Complies	No	Complies
03:25	2.47	2.48	0.09mm	Complies	No	Complies
03:50	2.43	2.50	0.04mm	Complies	No	Complies
04:15	2.46	2.49	0.05mm	Complies	No	Complies
04:40	2.41	2.45	0.03mm	Complies	No	Complies
05:05	2.42	2.46	0.07mm	Complies	No	Complies
05:30	2.46	2.49	0.08mm	Complies	No	Complies
05:55	2.45	2.47	0.05mm	Complies	No	Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
22:00 23:00	36	8	28
23:00 00:00	36	28	8
00:00 01:00	36	28	8
01:00 02:00	36	28	8
02:00 03:00	36	32	4
03:00 04:00	36	32	4
04:00 05:00	36	32	4
05:00 06:00	36	33	33
Total	288	221	67

Remarks: No Thickness and colour change

Checked By QAI: THATO

Supervisor: DANIEL

Kalahari Floor Tiles (Pty) Ltd
Quality Control Checksheet (Online Control)

Date: 03/08/2026 Shift: B

Color: Q77 Thickness: 13.0mm Batch: 39315

Time	Thickness Range: 11.7–14.3 Min (mm)	Thickness Range: 11.7–14.3 Max (mm)	Squareness	Edges	Color	Surface
14:25	Q28	13.0	39325			
14:50	B		0.10mm	Complies	B	Complies
15:15			0.13mm	Complies		Complies
15:40	U		0.10mm	Complies	U	Complies
16:05			0.15mm	Complies		Complies
16:30	L		0.12mm	Complies	L	Complies
16:55			0.10mm	Complies		Complies
17:20	Q83	13.0	39335			
17:45	B		0.10mm	Complies	B	Complies
18:10			0.13mm	Complies		Complies
18:35	U		0.10mm	Complies	U	Complies
19:00			0.10mm	Complies		Complies
19:25	L		0.15mm	Complies	L	Complies
19:50			0.15mm	Complies		Complies
20:15			0.10mm	Complies		Complies
20:40	CHANGING		KNIVES / Marbling 200		9212	
21:05						
21:30						
21:55						

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
14:00 – 15:00	48	7/26	Changing Colour
15:00 – 16:00	48	39	-9
16:00 – 17:00	48	42	-6
17:00 – 18:00	48	10	Changing Color
18:00 – 19:00	48	38	-10
19:00 – 20:00	48	43	-5
20:00 – 21:00	48	24	
Total	336	229	

Remarks: 2. Colour change
* Thickness change

Checked By QAI: SENTO

Supervisor: THEMBANI

Kalahari Floor Tiles (Pty) Ltd

Quality Control Checksheet (Online Control)

Date: 03/08/2026 Shift: A

Color: 954 Thickness: 1.30 mm Batch: 39295

Time	Thickness Range: 1.17–1.43 Min (mm)	Thickness Range: 1.17–1.43 Max (mm)	Squareness	Edges	Color	Surface
06:50	B		0.00 mm	Complies	B	Complies
07:15	B		0.05 mm	Complies		Complies
07:40	U		0.10 mm	Complies	U	Complies
08:05			0.08 mm	Complies		Complies
08:30	L		0.00 mm	Complies	L	Complies
08:55			0.02 mm	Complies		Complies
09:20	977	1.30	39315			
09:45			0.08 mm	Complies	B	Complies
10:10	B		0.10 mm	Complies		Complies
10:35			0.05 mm	Complies	U	Complies
11:00	U		0.00 mm	Complies		Complies
11:25			0.10 mm	Complies	L	Complies
11:50	L		0.08 mm	Complies		Complies
12:15			0.05 mm	Complies		Complies
12:40			0.10 mm	Complies	K	Complies
13:05	K		0.00 mm	Complies		Complies
13:30			0.08 mm	Complies		Complies
13:55			0.05 mm	Complies		Complies
			0.00 mm	Complies		Complies

Number of Boxes Produced Per Hour			
Time	Target	Actual	Difference
06:00 07:00	48	50	in 10 mins
07:00 08:00	48	48	-
08:00 09:00	48	~~48~~ 44	Colour change
09:00 10:00	48	46	-2
10:00 11:00	48	46	-2
11:00 12:00	48	48	-
12:00 13:00	48	48	-
13:00 14:00	48	39	-9
Total	338	279	-59

Remarks: *Colour change
*No thickness change

Checked By QAI: BETTY

Supervisor: MAIKO