

```
Shape circle = new Circle();  
circle.draw();  
}  
}
```

② *

```
public interface Shape {  
    String color = "red";  
    void draw();  
}
```

```
public class Rectangle implement Shape {  
    @Override  
    public void draw() {  
        System.out.println("Draw " + color + "  
rectangle");  
    }  
}
```



```
public String getColor() {  
    return "red";  
}  
}
```

Trần Hữu Nhân 1250080184

B1)

```
interface Mail {  
    void sendMail();  
    void log();  
}
```

```
class MailImpl implements Mail {  
    @Override  
    public void sendMail() {  
        System.out.println("Dang gui mail...");  
    }  
}
```

NH

CHS BEC

```
Shape rect = new Rectangle();  
rect.draw();  
System.out.println("---");  
Shape circle = new Circle();  
circle.draw();
```

```
}
```

```
public interface Shape {  
    String color = "red";  
    void draw();
```

```

    public void draw() {
        System.out.println("Vẽ hình chữ nhật");
    }
}

public class Circle implements Shape {
    @Override
    public void draw() {
        System.out.println("Draw" + color + "
circle");
    }
}

public class ShapeApp {
    public static void main(String[] args) {

```

```

③ class HangSanXuat {
    String tenHangSanXuat;
    public HangSanXuat (String ten) {
        this.tenHangSanXuat = ten;
    }
}

```

```

abstract class PhuongTienDiChuyen {
    String loaiPhuongTien;
    HangSanXuat hang;
    public PhuongTienDiChuyen (String loai, hang
    HangSanXuat hang) {
        this.loaiPhuongTien = loai;
        this.hang = hang;
    }
    abstract double layVanToc();
}

```

```

class XeOto extends PhuongTienDiChuyen {
    public XeOto (HangSanXuat hang) {
        super("Xe Oto Oto", hang);
    }
}

```

```
System.out.println("Xe 2: Xe Van Txe");  
System.out.println("Xe 3: Xe Van Txe");  
}
```

```
}
```

B3. ~~hai~~

```
public void hoiDau () {  
    System.out.println("Hoi dau");  
}
```

```
public void tangToc () {  
    System.out.println("Tang Toc");  
}
```

```
public void dungLai () {  
    System.out.println("Dung Lai");  
}
```

```
public abstract double layVanTxe ();
```

```
}
```

KẾT T

```
public class Main {
    public static void main (String [] args) {
        HangSanXuat h = new HangSanXuat ("Toyota");
        PhuongTienDiChuyen xe1 = new XeOto (h);
        PhuongTienDiChuyen xe2 = new MayBay (h);
        PhuongTienDiChuyen xe3 = new XeDap (h);
        System.out.println (xe1.layVanToc ());
        System.out.println (xe2.layVanToc ());
        System.out.println (xe3.layVanToc ());
    }
}
```

```
public void batDau () {
    System.out.println ("Bat dau");
}
```

```
public void tangToc () {
    System.out.println ("Tang Toc");
}
```

```

@Override
public double layVanToc() {
    return 100;
}

class MayBay extends PhuongTienDiChuyen {
    public MayBay (HangSanXuat hang) {
        super ("May bay", hang);
    }
    @Override
    public double layVanToc () {
        return 800;
    }
}

class XeDap extends PhuongTienDiChuyen {
    public XeDap (HangSanXuat hang) {
        super ("Xe dap", hang);
    }
    @Override
    public double layVanToc () {
        return 20;
    }
}

```

```

@Override
public void accelerate() {
    speed += 20;
}
@Override
public String toString() {
    return "BMW-" + color + "-" + speed;
}
}

```

```

class Civic extends Car {
    public Civic(String color, double speed) {
        super(color, speed);
    }
    @Override
    public void accelerate() {
        speed += 15;
    }
    @Override
    public String toString() {
        return "Civic-" + color + "-" + speed;
    }
}

```

KETO THINH

2026.03.18 14:55

REDMI Turbo 4

```
class Car {  
    String color;  
    double speed;  
    public Car (String color, double speed) {  
        this.color = color;  
        this.speed = speed;  
    }  
    public void accelerate () {  
        speed += 10;  
    }  
    public String getColor () {  
        return color;  
    }  
    public double getSpeed () {  
        return speed;  
    }  
}
```

```
class Bmw extends Car {  
    public Bmw (String color, double speed) {  
        super (color, speed);  
    }  
}
```

TINH

CHỦ BẾC

2026.03.18 14:55

REDMI Turbo 4

```

        this.x = x;
        this.y = y;
        this.xSpeed = xSpeed;
        this.ySpeed = ySpeed;
    }

    @Override
    public void moveUp() { y -= ySpeed; }

    @Override
    public void moveDown() { y += ySpeed; }

    @Override
    public void moveLeft() { x -= xSpeed; }

    @Override
    public void moveRight() { x += xSpeed; }

    @Override
    public String toString() {
        return "(" + x + ", " + y + ")";
    }
}

```

```

class MoveableCircle implements Moveable {
    int radius;
    MoveablePoint center;
}

```

```

public class Main {
    public static void main (String [] args) {
        Car bmw = new Bmw ("B", 50);
        Car civic = new Civic ("C", 40);
        bmw.accelerate ();
        civic.accelerate ();
        System.out.println (bmw);
        System.out.println (civic);
    }
}

```

⑤

```

interface Moveable {
    void moveUp ();
    void moveDown ();
    void moveLeft ();
    void moveRight ();
}

class MoveablePoint implements Moveable {
    int x, y;
    int xSpeed, ySpeed;
    public MoveablePoint (int x, int y, int xSpeed,
        int ySpeed) {

```

```

public MoveableCircle (MoveablePoint center, int
radius) {
    this.center = center;
    this.radius = radius;
}
@Override
public void moveUp () {center.moveUp ();}
@Override
public void moveDown () {center.moveDown ();}
@Override
public void moveLeft () {center.moveLeft ();}
@Override
public void moveRight () {center.moveRight ();}
@Override
public String toString () {
    return "Circle" + center + "r = " + radius ;
}
}

```

KIE ♥ THIN

```
public class Main {  
    public static void main (String[] args) {  
        MoveableCircle c = new MoveableCircle(  
            MoveablePoint (0,0, 2, 2), 5);  
        c.moveRight ();  
        c.moveUp ();  
        System.out.println(c);  
    }  
}
```