
Hackathon Contest 2021 – Online Programming Part FPT University February 27th, 2021



Problem E Posterize

Time Limit: 2 seconds Memory Limit: 512 Megabytes





Problem description

Pixels in a digital picture can be represented with three integers in the range 0 to 255 that indicate the intensity of the red, green, and blue colors. To compress an image or to create an artistic effect, many photo-editing tools include a "posterize" operation which works as follows. Each color channel is examined separately; this problem focuses only on the red channel. Rather than allow all integers from 0 to 255 for the red channel, a posterized image allows at most k integers from this range. Each pixel's original red intensity is replaced with the nearest of the allowed integers. The photo-editing tool selects a set of k integers that minimizes the *sum of the squared errors* introduced across all pixels in the original image. If there are n pixels that have original red values r_1, \ldots, r_n , and k allowed integers v_1, \ldots, v_k , the sum of squared errors is defined as.

$$\sum_{i=1}^n \min_{i \le j \le k} (r_i - v_j)^2.$$

Your task is to compute the minimum achievable sum of squared errors, given parameter k and a description of the red intensities of an image's pixels.

Input

The first line of the input contains two integers d ($1 \le d \le 256$), the number of distinct red values that occur in the original image, and k ($1 \le k \le d$), the number of distinct red values allowed in the posterized image.

The remaining d lines indicate the number of pixels of the image having various red values. Each such line contains two integers r ($0 \le r \le 255$) and p ($1 \le p \le 2^{26}$), where r is a red intensity value and p is the number of pixels having red intensity r. Those d lines are given in increasing order of red value.



Hackathon Contest 2021 – Online Programming Part FPT University February 27th, 2021



Output

Display the sum of the squared errors for an optimally chosen set of k allowed integer values.

Example:

Input	Output	
2 1	66670000	
50 20000		
150 10000		

Input	Output
2 2	0
50 20000	
150 10000	

Input	Output
4 2	37500000
0 30000	
25 30000	
50 30000	
255 30000	