BT1:

```
abstract class XeMay {
  abstract void brake();
  void thongtin() {
    System.out.println("Day la 1 chuc xe may");
class XeMayTheThao extends XeMay {
  @Override
  void brake() {
    System.out.println("Xe may the thao");
  }
}
class XeMayLeoNui extends XeMay {
  @Override
  void brake() {
    System.out.println("Xe may leo nui");
  }
}
class Main {
  public static void main(String[] args) {
    XeMayTheThao m1 = new XeMayTheThao();
    m1.brake();
    XeMayLeoNui m2 = new XeMayLeoNui();
    m2.brake();
  }
}
```

Scanned with CamScanner

BT2:

```
abstract class Shape {
  public abstract void draw();
  public String getcolor (){
    return "Mau do";
  }
}
class Rectangle extends Shape {
  @Override
  public void draw (){
    System.out.println ("Ve hinh chu nhat voi: " + getcolor());
  }
}
class Circle extends Shape {
  @ Override
  public void draw (){
    System.out.println ("Ve hinh tron voi: " + getcolor());
  }
}
public class ShapeApp {
  public static void main (String[] args){
    Shape r1 = new Rectangle();
    r1.draw();
    Shape c1 = new Circle();
    c1.draw();
  }
}
```

Scanned with CamScanner

Bài tập tuần 8:

Bài 1:

Main.java abtract class HinhHoc {

public final float PI = 3.14f;

String ten;

float chuvi;

Scanned with CamScanner

```
float dientich;
float thetich;
public HinhHoc(); {}
void xuatTen(){
    System.out.println("Ten hinh: "+ten);
}
abtract void tinhChuVi();
abtract void tinhDientich();
void tinhThetich(){}
}
class HinhTron extends HinhHoc{
    @Override
    float Bankinh;
    public HinhTron(){
        ten="Hinh Tron";
    }
    void nhapBankinh(){
        Scanner sc=new Scanner(System.in);
        System.out.println("Nhap ban kinh:");
        bankinh=sc.nextfloat();
    }
    void tinhChuVi(){
        Chuvi=2*PI*bankinh;
        System.out.println("Chuvi:"+Chuvi);
    }
    void tinhDientich(){
        Dientich=PI*bankinh*bankinh;
        System.out.println("Dientich:"+Dientich);
    }
}
```

HONGHA
Scanned with CamScanner

```
class HinhTru extends HinhTron{
  @Override
   float ChieuCao;
   void nhapChieuCao(){
     Scanner sc = new Scanner(System.in);
     System.out.println("Nhap chieu cao:");
     ChieuCao = nextFloat();
   }
  void tinhTheTich(){
    TheTich = dientich * ChieuCao;
    System.out.println("Thetich:"+thetich);
    }
}
class HinhChuNhat extends HinhHoc {
   @Override
   float dai;
   float rong;
   public HinhChuNhat(){
     ten = "HinhChuNhat";
   }
   void nhapCD();
     Scanner sc = new Scanner(System.in);
     System.out.println("Nhap CD:");
     CD = next float;
   }
   void nhapCR;
     Scanner sc = new Scanner(System.in);
     System.out.println("Nhap CR:");
     CR = next float;
   }
```

Scanned with CamScanner

```
void tinhChuVi (){
  ChuVi = (dai + rong) * 2;
  System.out.println (" Chu vi: " + chuvi);
}
void tinhDienTich (){
  Dientich = dai * rong;
  System.out.println (" DienTich: " + dientich);
}
}
class HinhVuong extends HinhChuNhat {
  @Override
   void nhapCanh(){
      Scanner sc = new Scanner (System.in);
      System.out.println (" Nhap Canh: ");
      Dai = rong = sc.nextFloat();
      }
}
class Main {
  public static void main (String [] args) {
     HinhTron ht = new HinhTron ();
     ht.nhapBanKinh();
     ht.tinhChuVi ();
     ht. tinhDienTich ();
     HinhChuNhat hcn = new HinhChuNhat();
     hcn.nhapCD ();
     hcn.nhapCR ();
     hcn.tinhDientich ();
     hcn.tinhChuvi();
     HinhTru htr = new HinhTru ();
     htr.nhapBanKinh();
```

HONG HA
Scanned with CamScanner

```
htr.nhapChieuCao ();
htr.tinhDienTich ();
htr.tinhTheTich ();
HinhVuong hv = new HinhVuong ();
hv.nhapCanh ();
hv.tinhChuVi ();
hv.tinhDienTich ();
}
```

Scanned with CamScanner

BT2:

```
abstract class Person {
    private String name;
    private String address;
    public Person (String name, String address){
        this. name = name;
        this. address = address;
    }
    public void setname (String name){
        this. name = name;
    }
    public String getname (){
        return name;
    }
    public void setaddress (String address){
        this. address = address;
    }
    public String getaddress (){
        return address;
    }
    public abstract void display ();
}
public class Employee extends Person {
    private int salary;
    public int salary;
    public Employee (String name, String address, int salary){
        super (name, address);
        this. salary = salary;
    }
    @ Override
    public void display (){
        System. out. println ("Employee Name: " + get name ());
        System. out. println ("Employee Address: " + getaddress ()
        System. out. println ("Employee Salary: " + salary);
    }
}
public class Customer extends Person {
```

Just write it
Scanned with CamScanner

```
    private int balance;
    public Customer (String name, String address, int balance){
        super (name, address);
        this. balance = balance;
    }
    @ Override
    public void display (){
        System. out. println (" Customer Name: " + getname());
        System. out. println (" Customer Address: " + getaddress());
        System. out. println (" Customer Balance: " + balance);
    }
}
public class Main{
    public static void main (String [] args) {
        Employee emp = new Employee (" Nguyen Van A",
                " 123 Main St, Hanoi ", 50000);
        System. out. println (" Employee Datails ");
        emp. display ();
        System. out. println ();
        Customer cust = new Customer (" Tran Thi B ", " 456
                Side St, HCM ", 10000);
        System. out. println (" Customer Details "),
        cust. display ();
    }
}
```

Bài 5:

```
abstract class PhuongTienDiChuyen{
    protected String loaiphuongtien;
    public void batdau (){
        System. out. println (" Bat dau di chuyen ");
    }
    public void tangtoc (){
        System.out. println (" Tang toc ");
    }
    public void dunglai (){
        System. out. println (" Dung lai ");
```

Scanned with CamScanner

TITLE:

Date:

```
    }
    abstract double layvantoc();
}
class MayBay extends PhuongTienDiChuyen{
    @Override
    private string loainhienlieu;
    public void catcanh(){
        System.out.println("May bay cat canh");
    }
    public void hacanh(){
        System.out.println("May bay ha canh");
    }
    public double layvantoc(){
        return 800;
    }
}
class XeOTo extends PhuongTienDiChuyen{
    @Override
    private String loainhienlieu;
    public double layvantoc(){
        return 120;
    }
}
class XeDap extends PhuongTienDiChuyen{
    @Override
    public double layvantoc(){
        return 25;
    }
}
class Main{
    public static void main(String [] args){
        MayBay mb = MayBay();
        System.out.println("Van toc may bay: "
                                    +mb.layvantoc());
```

Scanned with CamScanner

```
    XeOTo oto = new XeOTo();
    System.out.println("Van toc xe oto:" + oto.layVanToc());
    XeDap xd = new XeDap();
    System.out.println("Vantocxedap:" + xd.layVanToc());
  }
}
```

Scanned with CamScanner