TITLE: Date:

Câu 1:

```
public class Nguoi {
    private String ho;
    private String ten;
    private Date ngaythangnamsinh;
    public void nhapthongtin ( ){
        Scanner sc = new Scanner (System.in)
        System. out. print ( " Nhap ho: ");
        this. ho = sc. nextLine ();
        System. out. print ( " Nhap ten: ");
        this. ten = sc. nextLine ();
        System. out. print ( " Nhap ngay thang nam sinh : ");
        this. ngaythangnamsinh = sc. nextLine ();
    }
    public void hienthithongtin ( ){
        System. out. println( " Ho ten: " + this. ho + " " +
                                        this. ten);
        System. out. println( " Ngay thang nam sinh: " +
                                this. ngaythangnamsinh);
    }
    public String getho ( ){
        return ho;
    }
    public void setho ( String ho){
        this. ho = ho;
    }
    public String getten ( ){
        return ten;
    }
    public void setten ( String ten){
        this. ten = ten;
    }
    public String getngaythangnamsinh ( ){
        return ngaythangnamsinh;
    }
    public void setngaythangnamsinh ( String ngaythangnamsinh){
```

Just write it

Được quét bằng CamScanner

TITLE:

Date:

```
    this.ngaythangnamsinh = ngaythangnamsinh;
  }
}
```

Câu 2

```
public class SinhVien extends Nguoi {
  private String masv;
  private double diemtb;
  @Override
  public void nhapthongtin (){
    Scanner sc = new Scanner (System.in);
    super.nhapthongtin ();
    System.out.print ("Nhap ma sv: ");
    this.masv = sc.nextLine ();
    System.out.print ("Nhap diem tb: ");
    this.diemtb = sc.nextDouble ();
  }
  @Override
  public void hienthithongtin (){
    super.hienthithongtin ();
    System.out.println ("Ma sv: " + this.masv);
    System.out.println ("Dem tb: " + this.diemtb);
  }
  public String getmasv (){
    return masv;
  }
  public void setmasv (String masv){
    this.masv = masv;
  }
  public double getdiemtb (){
    return diemtb;
  }
  public void setdiemtb (double diemtb) {
    this.diemtb = diemtb;
  }
  public String getHoten (){
    return getho () + " " + getten ();
```

Just write it

Được quét bằng CamScanner

TITLE:

Date:

```
}
}
Câu 3:
public class QuanLySinhVien {
    public static void main (String [ ] args){
        Scanner sc = new Scanner (System.in);
        ArrayList < SinhVien > dssv = new ArrayList < > ();
        System.out.print (" Nhap so luong sinh vien n (n <=
                                                  : ");
        int n = sc.nextInt ();
        for (int i = 0; i <n; i++){
            System.out.println (" \n Nhap sinh vien thu " +
                                  (i + 1) + " ");
            sv.nhap ()
            dssv.add (sv);
        }
        Collections.sort (dssv, new comparator <sinh vien>(){
            @Override
            public int compare (SinhVien sv1, SinhVien sv2){
                return sv1.getHoten().compareto ignoreCase(
                                        sv2.getHoten());
            }
        }
        System.out.println (" \n Danh sach sau khi sap xep
                                theo ten ");
        for (SinhVien sv : dssv){
            sv.xuat();
        }
        if (!dssv.isEmpty ()){
            double maxdtb = dssv.get (0).getdtb ();
            for (SinhVien sv : dssv){
                if (sv.getdtb() > maxdtb){
                    maxdtb = sv.getdtb ();
                }
            }
            System.out.println (" \n Sinh vien co dtb trung binh
                                cao nhat (" + maxdtb + ") ");
```

Just write it

Được quét bằng CamScanner

TITLE:

Date:

```
for (sinhvien sv : dssv){
    if (sv.getdiemtb() == maxdiem){
        sv.xuat();
    }
}
}
}
}
}
```

Được quét bằng CamScanner