Bài tập 1:

```
interface Mail {
  void senMail();
  void log();
}
class MailImpl implements Mails
  @Override
  public void sendMail() {
    System.out.println("Dang gui mail");
  }
  @Override
  public void log() {
    System.out.println("Dang ghi log");
  }
}
class Main {
  public static void main (String [] args) {
    MailImpl mail = new MailImpl;
    mail.senMail();
    mail.log();
  }
}
```

Scanned with CamScanner

Bài tập 2:

```
interface Shape {
    String color = "red";

    void draw();
}
class Rectangle implements Shape {
```

Scanned with CamScanner

```
private double width;
private double height;

@Override
public void draw(){
  System.out.println("Draw" + color + "rectangle");
}
class Circle implement Shape {
  private double radius;
  @Override
  public void draw(){
    System.out.println("Draw" + color + "circle");
  }
}
public class ShapeApp {
  public static void main (String[] args){
    Shape rect = new Rectangle();
    rect.draw();
    System.out.println("
    Shape circle = new Circle();
    circle.draw()
  }
}
```

Scanned with CamScanner

Bài tập 3

```
public class HangSanXuat {
  private String tenHangSanXuat;
  private String tenQuocGia;
  public HangSanXuat (string tenHangSanXuat, String
                                          tenQuocGia) {
    this. tenHangSanXuat = tenHangSanXuat;
    this. tenQuocGia = tenQuocGia;
  }
  public String gettenHangSanXuat () {
    return tenHangSanXuat;
  }
}
abstract class PhuongTienDiChuyen {
  protected String loaiPhuongTien;
  protected HangSanXuat = hangSanXuat;
  public String layTenHangSanXuat () {
    return hangSanXuat. gettenHangSanXuat ();
```

Scanned with CamScanner

```
}
public void TangToc (){
  System.out.println ("Dang tang toc");
}
public void BatDau (){
  System.out.println ("Bat dau khoi hanh");
}
public void DungLai (){
  System.out.println ("Da dung lai");
}
public abstract double LayVanToc (){
}
}
public class MayBay extends PhuongTienDiChuyen {
  private String loaiNhienLieu;
  public MayBay (HangSanXuat hangSanXuat, String loaiNhienLieu){
    super ("May bay", hangSanXuat);
    this.loaiNhienLieu = loaiNhienLieu;
  }
  public void CatCanh (){
    System.out.println ("May bay cat canh");
  }
  public void HaCanh (){
    System.out.println("May bay ha canh");
  }
  @Override
  public double layVanToc (){
    return 800.0;
  }
}
public class XeOTo extends PhuongTienDiChuyen {
  private String loaiNhienLieu;
  public XeOTo (HangSanXuat, hangSanXuat, String loaiNhienLieu){
    super ("XeOTo", hangSanXuat);
```

Scanned with CamScanner

```
    this.loaiNhienLieu = loaiNhienLieu;
}
@Override
public double layVanToc(){
    return 100.0;
}
public class XeDap extends PhuongTienDiChuyen{
    public XeDap(HangSanXuat, hangSanXuat){
        super("Xe Dap", hangSanXuat);
    }
    @Override
    public double layVanToc(){
        return 20.0;
    }
}
class Main{
    public static void main(String[] args){
        HangSanXuat h1 = new HangSanXuat("Boeing",
                                         "USA");
        Maybay mb = new MayBay(h1, "Xang may bay");
        System.out.println("Hang san xuat: " +
                           mb.layTenHangSanXuat());
        System.out.println("Van toc: " + mb.layVanToc() +
                           "km/h");
        mb.CatCanh();
    }
}
```

Bài tập 4:

```
public class Car{
  protected String color;
  protected double speed;
  public Car (String color, double speed){
    this.color = color;
    this.speed = speed;
  }
  void accelerate (){
    System.out.println("Xe dang tang toc");
  }
  public String getcolor (){
    return color;
  }
  public double getspeed (){
    return speed;
  }
}
public class BMW extends Car{
  public BMW (String color, double speed){
    super (color, speed);
  }
  @Override
  public void accelerate (){
    this.speed += 20;
    System.out.println("BMW tang toc manh! Toc do hien
                        tai: " + this.speed);
  }
  @Override
  public String toString (){
```

```
    } return "BMW [Mau sac: " + color + ", Toc do: " + speed + "]";
}
public class Civic extends Car {
    public Civic (String color, double speed) {
        super (color, speed);
    }
    @Override
    public void accelerate () {
        this.speed += 10;
        System.out.println ("Civic tang toc. Toc do hien tai: "
                                + this.speed);
    }
    @Override
    public String toString () {
        return "Civic [Mau sac: " + color + ", Toc do:
                                " + speed + "]";
    }
}
class Main {
    public static void main (String [ ] args) {
        BMW car1 = new BMW ("Den", 100);
        Civic car2 = new Civic ("Trang", 80);
        car1.accelerate ();
        System.out.println (car1.toString ());
        car2.accelerate ();
        System.out.println (car2.toString ());
    }
```

Scanned with CamScanner