
## GitHub CI /CD Workflow






## ReactJS App CI / CD


Push code to GitHub. Then GitHub perform the Continuous Integration and Continuous Deployment (docker container)

End user consume the container app

Using GitHub Action to integrate the Cl / CD process



## CI / CD in action



## To run the container

- \$ docker pull smarttvminix/consume-api:1.0.0
- \$ docker run –it –p 3000:3000 smarttvminix/consumeapi:1.0.0

```
PS D:\development\FintechSG\playground\DevOps> docker pull smarttvminix/consume-api:1.0.0
1.0.0: Pulling from smarttvminix/consume-api
e7c96db7181b: Already exists
773afe93be0d: Already exists
223db68b3560: Already exists
609526630549: Already exists
91b48269910e: Pull complete
a7ca31aebf16: Pull complete
a4a9412d56cd: Pull complete
d6380ffa155b: Pull complete
574c5be9bcef: Pull complete
Digest: sha256:9cafe41ca602a377c9ce5aca425feb45805c46d4815b050477f6e069dd63c405
Status: Downloaded newer image for smarttvminix/consume-api:1.0.0
docker.io/smarttvminix/consume-api:1.0.0
PS D:\development\FintechSG\playground\DevOps> docker run -it -p 3000:3000 smarttvminix/consume-api:1.0.0
```