

# 1. Description

## 1.1. Project

Project Name	vccgnd_bluepill_stm32f103cb
Board Name	custom
Generated with:	STM32CubeMX 6.15.0
Date	08/07/2025


### 1.2. MCU

MCU Series	STM32F1
MCU Line	STM32F103
MCU name	STM32F103CBTx
MCU Package	LQFP48
MCU Pin number	48

## 1.3. Core(s) information

Core(s)	Arm Cortex-M3

## 2. Pinout Configuration




# 3. Pins Configuration

Pin Number LQFP48	Pin Name	Pin Type		Label
LQFF40	(function after reset)		Function(s)	
1	VBAT	Power		
2	PC13-TAMPER-RTC *	I/O	GPIO_Output	USER_LED
5	PD0-OSC_IN	I/O	RCC_OSC_IN	
6	PD1-OSC_OUT	I/O	RCC_OSC_OUT	
7	NRST	Reset		
8	VSSA	Power		
9	VDDA	Power		
10	PA0-WKUP	I/O	ADC1_IN0	
11	PA1	I/O	ADC1_IN1	
12	PA2	I/O	ADC1_IN2	
13	PA3	I/O	ADC1_IN3	
14	PA4	I/O	ADC1_IN4	
15	PA5	I/O	ADC1_IN5	
16	PA6	I/O	ADC1_IN6	
17	PA7	I/O	ADC1_IN7	
18	PB0	I/O	ADC1_IN8	
19	PB1	I/O	ADC1_IN9	
20	PB2 *	I/O	GPIO_Analog	BOOT1
21	PB10	I/O	I2C2_SCL	
22	PB11	I/O	I2C2_SDA	
23	VSS	Power		
24	VDD	Power		
25	PB12	I/O	SPI2_NSS	
26	PB13	I/O	SPI2_SCK	
27	PB14	I/O	SPI2_MISO	
28	PB15	I/O	SPI2_MOSI	
30	PA9	I/O	USART1_TX	
31	PA10	I/O	USART1_RX	
34	PA13	I/O	SYS_JTMS-SWDIO	SYS_SWDIO
35	VSS	Power		
36	VDD	Power		
37	PA14	I/O	SYS_JTCK-SWCLK	SYS_SWCLK
42	PB6	I/O	I2C1_SCL	
43	PB7	I/O	I2C1_SDA	
44	воото	Boot		
47	VSS	Power		

Pin Number LQFP48	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
48	VDD	Power		

<sup>\*</sup> The pin is affected with an I/O function

# 4. Clock Tree Configuration



## 1. Power Consumption Calculator report

#### 1.1. Microcontroller Selection

Series	STM32F1
Line	STM32F103
MCU	STM32F103CBTx
Datasheet	DS5319_Rev17

### 1.2. Parameter Selection

Temperature	25
Vdd	3.3

### 1.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


## 1.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.3	3.3
Voltage Source	Battery	Battery
Range	No Scale	No Scale
Fetch Type	FLASH	n/a
CPU Frequency	72 MHz	0 Hz
Clock Configuration	HSE PLL	Regulator LP
Clock Source Frequency	8 MHz	0 Hz
Peripherals	ADC1 APB1-Bridge APB2- Bridge GPIOA GPIOB GPIOC GPIOD I2C1 I2C2 SPI2 USART1	
Additional Cons.	0 mA	0 mA
Average Current	33.92 mA	14 µA
Duration	0.1 ms	0.9 ms
DMIPS	61.0	0.0
Та Мах	98.84	105
Category	In DS Table	In DS Table

### 1.5. Results

Sequence Time	1 ms	Average Current	3.4 mA
Battery Life	1 month, 11 days,	Average DMIPS	61.0 DMIPS
	3 hours		

### 1.6. Chart



## 2. Software Project

### 2.1. Project Settings

Name	Value
Project Name	vccgnd_bluepill_stm32f103cb
Project Folder	/store/EmbedTools/STM32CubeMX/vccgnd_bluepill/vccgnd_bluepill_stm32f103c
Toolchain / IDE	CMake
Firmware Package Name and Version	STM32Cube FW_F1 V1.8.6
Application Structure	Advanced
Generate Under Root	No
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

### 2.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy all used libraries into the project folder
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	Yes
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power	Yes
consumption)	
Enable Full Assert	Yes

### 2.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	SystemClock_Config	RCC
2	MX_GPIO_Init	GPIO
3	MX_USART1_UART_Init	USART1
4	MX_ADC1_Init	ADC1
5	MX_I2C1_Init	I2C1
6	MX_I2C2_Init	I2C2
7	MX_SPI2_Init	SPI2

## 3. Peripherals and Middlewares Configuration

3.1. ADC1 mode: IN0 mode: IN1

mode: IN3

mode: IN2

mode: IN5 mode: IN6 mode: IN7

mode: IN8 mode: IN9

mode: Temperature Sensor Channel

mode: Vrefint Channel3.1.1. Parameter Settings:

#### ADCs\_Common\_Settings:

Mode Independent mode

ADC\_Settings:

Data AlignmentRight alignmentScan Conversion ModeDisabledContinuous Conversion ModeDisabledDiscontinuous Conversion ModeDisabled

ADC\_Regular\_ConversionMode:

Enable Regular Conversions Enable
Number Of Conversion 1

External Trigger Conversion Source Regular Conversion launched by software

Rank 1

Channel Channel 0
Sampling Time 1.5 Cycles

ADC\_Injected\_ConversionMode:

Enable Injected Conversions Disable

WatchDog:

Enable Analog WatchDog Mode false

### 3.2. I2C1 I2C: I2C

#### 3.2.1. Parameter Settings:

#### **Master Features:**

I2C Speed Mode Fast Mode \*

I2C Clock Speed (Hz) 400000

Fast Mode Duty Cycle Duty cycle Tlow/Thigh = 2

**Slave Features:** 

Clock No Stretch Mode Disabled

Primary Address Length selection 7-bit

Dual Address Acknowledged Disabled

Primary slave address 0

General Call address detection Disabled

### 3.3. I2C2 I2C: I2C

#### 3.3.1. Parameter Settings:

#### **Master Features:**

I2C Speed Mode Fast Mode \*

I2C Clock Speed (Hz) 400000

Fast Mode Duty Cycle Duty cycle Tlow/Thigh = 2

**Slave Features:** 

Clock No Stretch Mode Disabled
Primary Address Length selection 7-bit
Dual Address Acknowledged Disabled
Primary slave address 0

General Call address detection Disabled

#### 3.4. RCC

High Speed Clock (HSE): Crystal/Ceramic Resonator

#### 3.4.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3

Prefetch Buffer Enabled

Flash Latency(WS) 2 WS (3 CPU cycle)

**RCC Parameters:** 

HSI Calibration Value 16
HSE Startup Timout Value (ms) 100
LSE Startup Timout Value (ms) 5000

#### 3.5. SPI2

**Mode: Full-Duplex Master** 

Hardware NSS Signal: Hardware NSS Output Signal

3.5.1. Parameter Settings:

**Basic Parameters:** 

Frame Format Motorola

Data Size 16 Bits \*

First Bit MSB First

**Clock Parameters:** 

Prescaler (for Baud Rate) 2

Baud Rate 18.0 MBits/s \*

Clock Polarity (CPOL) Low
Clock Phase (CPHA) 1 Edge

**Advanced Parameters:** 

CRC Calculation Disabled

NSS Signal Type Output Hardware

3.6. SYS

**Debug: Serial Wire** 

**Timebase Source: SysTick** 

3.7. **USART1** 

Mode: Asynchronous

3.7.1. Parameter Settings:

**Basic Parameters:** 

Baud Rate 115200

Word Length 8 Bits (including Parity)

Parity None Stop Bits 1

**Advanced Parameters:** 

Data Direction Receive and Transmit

Over Sampling 16 Samples

<sup>\*</sup> User modified value

# 4. System Configuration

## 4.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
ADC1	PA0-WKUP	ADC1_IN0	Analog mode	n/a	n/a	
ADOT	PA1	ADC1_IN1	Analog mode	n/a	n/a	
	PA2	ADC1_IN2	Analog mode	n/a	n/a	
	PA3	ADC1_IN3	Analog mode	n/a	n/a	
	PA4	ADC1_IN4	Analog mode	n/a	n/a	
	PA5	ADC1_IN5	Analog mode	n/a	n/a	
	PA6	ADC1_IN6	Analog mode	n/a	n/a	
	PA7	ADC1_IN7	Analog mode	n/a	n/a	
	PB0	ADC1_IN8	Analog mode	n/a	n/a	
	PB1	ADC1_IN9	Analog mode	n/a	n/a	
I2C1	PB6	I2C1_SCL	Alternate Function Open Drain	n/a	High *	
	PB7	I2C1_SDA	Alternate Function Open Drain	n/a	High *	
I2C2	PB10	I2C2_SCL	Alternate Function Open Drain	n/a	High *	
	PB11	I2C2_SDA	Alternate Function Open Drain	n/a	High *	
RCC	PD0- OSC_IN	RCC_OSC_IN	n/a	n/a	n/a	
	PD1- OSC_OUT	RCC_OSC_OUT	n/a	n/a	n/a	
SPI2	PB12	SPI2_NSS	Alternate Function Push Pull	n/a	High *	
	PB13	SPI2_SCK	Alternate Function Push Pull	n/a	High *	
	PB14	SPI2_MISO	Input mode	No pull-up and no pull-down	n/a	
	PB15	SPI2_MOSI	Alternate Function Push Pull	n/a		
0)/0					High *	CVC CMDIC
SYS	PA13	SYS_JTMS- SWDIO	n/a	n/a	n/a	SYS_SWDIO
	PA14	SYS_JTCK- SWCLK	n/a	n/a	n/a	SYS_SWCLK
USART1	PA9	USART1_TX	Alternate Function Push Pull	n/a	High *	
	PA10	USART1_RX	Input mode	No pull-up and no pull-down	n/a	
GPIO	PC13- TAMPER- RTC	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	USER_LED
	PB2	GPIO_Analog	Analog mode	n/a	n/a	BOOT1

## 4.2. DMA configuration

nothing configured in DMA service

## 4.3. NVIC configuration

## 4.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable interrupt	true	0	0	
Hard fault interrupt	true	0	0	
Memory management fault	true	0	0	
Prefetch fault, memory access fault	true	0	0	
Undefined instruction or illegal state	true	0	0	
System service call via SWI instruction	true	0	0	
Debug monitor	true	0	0	
Pendable request for system service	true	0	0	
System tick timer	true	15	0	
RCC global interrupt	true	0	0	
ADC1 and ADC2 global interrupts	true	0	0	
I2C1 event interrupt	true	0	0	
I2C1 error interrupt	true	0	0	
I2C2 event interrupt	true	0	0	
I2C2 error interrupt	true	0	0	
SPI2 global interrupt	true	0	0	
USART1 global interrupt	true	0	0	
PVD interrupt through EXTI line 16	unused			
Flash global interrupt	unused			

## 4.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Prefetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	true	false
Debug monitor	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true
RCC global interrupt	false	true	false
ADC1 and ADC2 global interrupts	false	true	true
I2C1 event interrupt	false	true	true
I2C1 error interrupt	false	true	true
I2C2 event interrupt	false	true	true

Enabled interrupt Table	Select for init	Generate IRQ	Call HAL handler
	sequence ordering	handler	
I2C2 error interrupt	false	true	true
SPI2 global interrupt	false	true	true
USART1 global interrupt	false	true	true

<sup>\*</sup> User modified value

# 5. System Views

5.1. Category view

5.1.1. Current

## 6. Docs & Resources

Type Link

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f1\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f1-ibis.zip

System View https://www.st.com/resource/en/svd/stm32f1\_svd.zip

Description

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_embedded\_software\_solutions.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_eval-

tools\_portfolio.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_stm8\_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_software\_development\_tools.pdf

Presentations https://www.st.com/resource/en/product\_presentation/microcontrollers-

stm32-family-overview.pdf

Brochures https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-

and-smart-i-os.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/fldpstpfc11120.pdf

Product https://www.st.com/resource/en/certification\_document/1239988349.pdf

Certifications

Product https://www.st.com/resource/en/certification\_document/stm32\_authenticat

Certifications ion\_can.pdf

Security Bulletin https://www.st.com/resource/en/technical\_note/tn1489-security-bulletin-

tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1709-emc-design-

guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2586-getting-started-

with-stm32f10xxx-hardware-development-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3095-stevalisv002v1-stevalisv002v2-3-kw-gridconnected-pv-system-based-on-the-stm32f103xx-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3108-stlm75-firmware-library-for-the-stm32f10x-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3128-stm32embedded-graphic-objectstouchscreen-library-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3422-migration-of-microcontroller-applications-from-stm32f1-to-stm32l1-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3427-migrating-a-microcontroller-application-from-stm32f1-to-stm32f2-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3429-stm32-proprietary-code-protection-overview-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an3970-plm-smartplug-v2-getting-started-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4068-st7580-power-line-communication-systemonchip-design-guide-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4070-250-w-grid-connected-microinverter-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4076-two-or-three-shunt-resistor-based-current-sensing-circuit-design-in-3phase-inverters-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4088-migrating-between-stm32f1-and-stm32f0-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4228-migrating-from-stm32f1-series-to-stm32f3-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4649-migrating-from-stm32f1-series-to-stm32l4-series--stm32l4-series-microntrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4724-stm32cube-firmware-examples-for-stm32f1-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4904-migration-of-microcontroller-applications-from-stm32f1-series-to-stm32f4-access-lines-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4989-stm32-

- microcontroller-debug-toolbox-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4899-stm32microcontroller-gpio-hardware-settings-and-lowpower-consumptionstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4838-introduction-to-memory-protection-unit-management-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5537-how-to-use-adcoversampling-techniques-to-improve-signaltonoise-ratio-on-stm32-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2548-introduction-to-dma-controller-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4908-getting-started-with-usart-automatic-baud-rater-detection-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5156-introduction-to-

security-for-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5543-guidelines-for-

enhanced-spi-communication-on-stm32-mcus-and-mpus-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/cd00211314-how-to-

optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2639-soldering-

recommendations-and-package-information-for-leadfree-ecopack2-mcus-

and-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3154-how-to-use-can-

protocol-in-bootloader-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4566-how-to-extend-

the-dac-performance-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2557-stm32f10x-

for related Tools inapplication-programming-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2592-achieving-32bit-

for related Tools timer-resolution-with-software-expansion-for-stm32cube-and-standard-

& Software peripheral-library-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2594-eeprom-

for related Tools emulation-in-stm32f10x-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application note/an2598-smartcard-

for related Tools interface-with-stm32f10x-and-stm32l1xx-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2629-stm32f101xx-

for related Tools stm32f102xx-and-stm32f103xx-lowpower-modes-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2656-stm32f10xxx-

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2668-improving-

for related Tools stm32f1-series-stm32f3-series-and-stm32lx-series-adc-resolution-by-

& Software oversampling-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2739-how-to-use-the-

for related Tools highdensity-stm32f103xx-microcontroller-to-play-audio-files-with-an-

& Software external-is-audio-codec-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2784-using-the-for related Tools highdensity-stm32f10xxx-fsmc-peripheral-to-drive-external-memories-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2790-tft-lcd-

for related Tools interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2820-driving-bipolar-for related Tools stepper-motors-using-a-mediumdensity-stm32f103xx-microcontroller-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2821-clockcalendar-

for related Tools implementation-on-the-stm32f10xxx-microcontroller-rtc-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2824-stm32f10xxx-ic-

for related Tools optimized-examples-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2841-led-dimming-

for related Tools implemented-on-stm32-microcontroller-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application note/an2868-stm32f10xxx-

for related Tools internal-rc-oscillator-hsi-calibration-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an2931-implementing-

for related Tools the-adpcm-algorithm-in-highdensity-stm32f103xx-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2953-how-to-migrate-for related Tools from-the-stm32f10xxx-firmware-library-v203-to-the-stm32f10xxx-standard-

& Software peripheral-library-v300-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3012-getting-started-for related Tools with-uclinux-for-stm32f10x-highdensity-devices-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3078-stm32-

for related Tools inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3109-communication-

for related Tools peripheral-fifo-emulation-with-dma-and-dma-timeout-in-stm32f10x-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3116-stm32s-adc-

for related Tools modes-and-their-applications-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3174-implementing-for related Tools receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-

& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3240-ultrasound-hv-

for related Tools pulser-demonstration-board-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3241-qvga-tftlcd-for related Tools direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3307-guidelines-for-for related Tools obtaining-iec-60335-class-b-certification-for-any-stm32-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3970-plm-smartplug-

for related Tools v2-getting-started-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an3991-how-to-drive-

for related Tools multiple-stepper-motors-with-the-I6470-motor-driver-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4075-stevalifp016v2-

for related Tools iolink-communication-master-transceiver-demonstration-board-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4323-getting-started-

for related Tools with-stemwin-library-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4435-guidelines-for-for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4453-implementing-for related Tools the-adpcm-algorithm-in-stm32l1xx-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4499-stm32--

for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4578-16channels-led-

for related Tools driver-with-independent-pwm-dimming-control-based-on-led7708-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-

for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4724-stm32cube-

for related Tools firmware-examples-for-stm32f1-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-

for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5698-adapting-thefor related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

other-safety-standards-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4502-stm32-

for related Tools smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5952-how-to-use-

for related Tools cmake-in-stm32cubeide-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5054-how-to-performfor related Tools secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application note/an6179-how-tofor related Tools integrate-the-stl-firmware-into-a-time-critical-user-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an6127-getting-started-

for related Tools with-stm32h7rx7sx-mcus-in-stm32cubeide-stmicroelectronics.pdf

& Software

**Device Option** https://www.st.com/resource/en/device\_option\_list/opl\_stm32f103\_128k.zi

Lists

**Errata Sheets** https://www.st.com/resource/en/errata\_sheet/es096-stm32f101x8b-

stm32f102x8b-and-stm32f103x8b-mediumdensity-device-limitations-

stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/cd00161566.pdf

https://www.st.com/resource/en/programming\_manual/pm0056-**Programming** Manuals stm32f10xxx20xxx21xxxl1xxxx-cortexm3-programming-manual-

stmicroelectronics.pdf

**Programming** https://www.st.com/resource/en/programming\_manual/pm0075-

Manuals stm32f10xxx-flash-memory-microcontrollers-stmicroelectronics.pdf Reference https://www.st.com/resource/en/reference manual/rm0008-stm32f101xx-Manuals stm32f102xx-stm32f103xx-stm32f105xx-and-stm32f107xx-advancedarmbased-32bit-mcus-stmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn0516-overview-of-the-& Articles stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledualfoc-sdk-v40-stmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical note/tn1163-description-of-& Articles wlcsp-for-microcontrollers-and-recommendations-for-its-usestmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical note/tn1204-tape-and-reel-& Articles shipping-media-for-stm32-microcontrollers-in-bga-packagesstmicroelectronics.pdf Technical Notes https://www.st.com/resource/en/technical\_note/tn1205-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn1206-tape-and-reelshipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-& Articles stmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn1207-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical note/tn1208-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssoppackages-stmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical note/tn1433-reference-device-& Articles marking-schematics-for-stm32-microcontrollers-and-microprocessorsstmicroelectronics.pdf User Manuals https://www.st.com/resource/en/user manual/um1561-stevalisv003v1firmware-user-manual-stmicroelectronics.pdf User Manuals https://www.st.com/resource/en/user manual/um1573-st7540-power-linemodem-firmware-stack-stmicroelectronics.pdf