

# 1. Description

## 1.1. Project

Project Name	vccgnd_bluepill_stm32f072c8
Board Name	custom
Generated with:	STM32CubeMX 6.15.0
Date	08/07/2025


### 1.2. MCU

MCU Series	STM32F0
MCU Line	STM32F0x2
MCU name	STM32F072C8Tx
MCU Package	LQFP48
MCU Pin number	48

## 1.3. Core(s) information

Core(s)	Arm Cortex-M0

## 2. Pinout Configuration




# 3. Pins Configuration

Pin Number LQFP48	Pin Name (function after reset)	Pin Type	Alternate Function(s)	Label
1	VBAT	Power		
2	PC13 *	I/O	GPIO_Output	USER_LED
5	PF0-OSC_IN	I/O	RCC_OSC_IN	
6	PF1-OSC_OUT	I/O	RCC_OSC_OUT	
7	NRST	Reset		
8	VSSA	Power		
9	VDDA	Power		
10	PA0	I/O	ADC_IN0	
11	PA1	I/O	ADC_IN1	
12	PA2	I/O	ADC_IN2	
13	PA3	I/O	ADC_IN3	
14	PA4	I/O	ADC_IN4	
15	PA5	I/O	ADC_IN5	
16	PA6	I/O	ADC_IN6	
17	PA7	I/O	ADC_IN7	
18	PB0	I/O	ADC_IN8	
19	PB1	I/O	ADC_IN9	
23	VSS	Power		
24	VDD	Power		
30	PA9	I/O	USART1_TX	
31	PA10	I/O	USART1_RX	
34	PA13	I/O	SYS_SWDIO	SYS_SWDIO
35	VSS	Power		
36	VDDIO2	Power		
37	PA14	I/O	SYS_SWCLK	SYS_SWCLK
44	воото	Boot		
47	VSS	Power		
48	VDD	Power		

<sup>\*</sup> The pin is affected with an I/O function

## 4. Clock Tree Configuration



Page 4

## 1. Power Consumption Calculator report

### 1.1. Microcontroller Selection

Series	STM32F0
Line	STM32F0x2
MCU	STM32F072C8Tx
Datasheet	DS9826_Rev5

### 1.2. Parameter Selection

Temperature	25
Vdd	3.6

### 1.3. Battery Selection

Battery	Li-SOCL2(A3400)
Capacity	3400.0 mAh
Self Discharge	0.08 %/month
Nominal Voltage	3.6 V
Max Cont Current	100.0 mA
Max Pulse Current	200.0 mA
Cells in series	1
Cells in parallel	1


## 1.4. Sequence

Step	Step1	Step2
Mode	RUN	STOP
Vdd	3.6	3.6
Voltage Source	Battery	Battery
Range	No Scale	No Scale
Fetch Type	FLASH	n/a
CPU Frequency	48 MHz	0 Hz
Clock Configuration	HSI	Regulator LP
Clock Source Frequency	48 MHz	0 Hz
Peripherals	ADC GPIOA GPIOB GPIOC GPIOF SYS/COMP1:High_Speed USART1	
Additional Cons.	0 mA	0 mA
Average Current	16.46 mA	6.5 µA
Duration	0.1 ms	0.9 ms
DMIPS	0.0	0.0
Ta Max	101.8	105
Category	In DS Table	In DS Table

### 1.5. Results

Sequence Time	1 ms	Average Current	1.65 mA
Battery Life	2 months, 24	Average DMIPS	0.0 DMIPS
	days, 17 hours		

### 1.6. Chart



## 2. Software Project

### 2.1. Project Settings

Name	Value
Project Name	vccgnd_bluepill_stm32f072c8
Project Folder	/store/EmbedTools/STM32CubeMX/vccgnd_bluepill/vccgnd_bluepill_stm32f072c
Toolchain / IDE	CMake
Firmware Package Name and Version	STM32Cube FW_F0 V1.11.5
Application Structure	Advanced
Generate Under Root	No
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

### 2.2. Code Generation Settings

Name	Value
STM32Cube MCU packages and embedded software	Copy all used libraries into the project folder
Generate peripheral initialization as a pair of '.c/.h' files	No
Backup previously generated files when re-generating	Yes
Keep User Code when re-generating	Yes
Delete previously generated files when not re-generated	Yes
Set all free pins as analog (to optimize the power consumption)	Yes
Enable Full Assert	Yes

### 2.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name
1	SystemClock_Config	RCC
2	MX_GPIO_Init	GPIO
3	MX_USART1_UART_Init	USART1
4	MX_ADC_Init	ADC

## 3. Peripherals and Middlewares Configuration

3.1. ADC

mode: IN0
mode: IN1
mode: IN2
mode: IN3
mode: IN4
mode: IN5
mode: IN6
mode: IN7
mode: IN8

mode: Temperature Sensor Channel

mode: Vrefint Channel mode: Vbat Channel

#### 3.1.1. Parameter Settings:

#### ADC\_Settings:

mode: IN9

Clock Prescaler Synchronous clock mode divided by 4 \*

Resolution ADC 12-bit resolution
Data Alignment Right alignment

Scan Conversion Mode Forward

Continuous Conversion Mode Disabled

Discontinuous Conversion Mode Disabled

DMA Continuous Requests Disabled

End Of Conversion Selection End of single conversion

Overrun behaviour Overrun data preserved

Low Power Auto Wait Disabled
Low Power Auto Power Off Disabled

ADC\_Regular\_ConversionMode:

Sampling Time 1.5 Cycles

External Trigger Conversion Source Regular Conversion launched by software

External Trigger Conversion Edge None

WatchDog:

Enable Analog WatchDog Mode false
Low Threshold 0

#### 3.2. RCC

#### High Speed Clock (HSE): Crystal/Ceramic Resonator

#### 3.2.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3
Prefetch Buffer Enabled

Flash Latency(WS) 1 WS (2 CPU cycle)

**RCC Parameters:** 

HSE Startup Timout Value (ms) 100 LSE Startup Timout Value (ms) 5000

#### 3.3. SYS

mode: Debug Serial Wire Timebase Source: SysTick

#### 3.4. **USART1**

**Mode: Asynchronous** 

#### 3.4.1. Parameter Settings:

#### **Basic Parameters:**

Baud Rate 38400

Word Length 8 Bits (including Parity)

Parity None Stop Bits 1

**Advanced Parameters:** 

Data Direction Receive and Transmit

Over Sampling 16 Samples
Single Sample Disable

**Advanced Features:** 

Auto Baudrate Disable

TX Pin Active Level Inversion Disable

RX Pin Active Level Inversion Disable

Data Inversion Disable

TX and RX Pins Swapping Disable

Overrun Enable

DMA on RX Error Enable

vccgnd_	_bluepill_	_stm32f072c8	Project
		Configuration	Report

MSB First	Disable
* User modified value	

# 4. System Configuration

## 4.1. GPIO configuration

IP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
ADC	PA0	ADC_IN0	Analog mode	No pull-up and no pull-down	n/a	
	PA1	ADC_IN1	Analog mode	No pull-up and no pull-down	n/a	
	PA2	ADC_IN2	Analog mode	No pull-up and no pull-down	n/a	
	PA3	ADC_IN3	Analog mode	No pull-up and no pull-down	n/a	
	PA4	ADC_IN4	Analog mode	No pull-up and no pull-down	n/a	
	PA5	ADC_IN5	Analog mode	No pull-up and no pull-down	n/a	
	PA6	ADC_IN6	Analog mode	No pull-up and no pull-down	n/a	
	PA7	ADC_IN7	Analog mode	No pull-up and no pull-down	n/a	
	PB0	ADC_IN8	Analog mode	No pull-up and no pull-down	n/a	
	PB1	ADC_IN9	Analog mode	No pull-up and no pull-down	n/a	
RCC	PF0-OSC_IN	RCC_OSC_IN	n/a	n/a	n/a	
	PF1- OSC_OUT	RCC_OSC_OUT	n/a	n/a	n/a	
SYS	PA13	SYS_SWDIO	n/a	n/a	n/a	SYS_SWDIO
	PA14	SYS_SWCLK	n/a	n/a	n/a	SYS_SWCLK
USART1	PA9	USART1_TX	Alternate Function Push Pull	No pull-up and no pull-down	High *	
	PA10	USART1_RX	Alternate Function Push Pull	No pull-up and no pull-down	High *	
GPIO	PC13	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	USER_LED

### 4.2. DMA configuration

nothing configured in DMA service

## 4.3. NVIC configuration

## 4.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority
Non maskable interrupt	true	0	0
Hard fault interrupt	true	0	0
System service call via SWI instruction	true	0	0
Pendable request for system service	true	0	0
System tick timer	true	3	0
RCC and CRS global interrupts	true	0	0
ADC and COMP interrupts (COMP interrupts through EXTI lines 21 and 22)	true	0	0
USART1 global interrupt / USART1 wake-up interrupt through EXTI line 25	true	0	0
PVD and VDDIO2 supply comparator interrupts through EXTI lines 16 and 31		unused	
Flash global interrupt		unused	

## 4.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
System service call via SWI instruction	false	true	false
Pendable request for system service	false	true	false
System tick timer	false	true	true
RCC and CRS global interrupts	false	true	false
ADC and COMP interrupts (COMP interrupts through EXTI lines 21 and 22)	false	true	true
USART1 global interrupt / USART1 wake- up interrupt through EXTI line 25	false	true	true

### \* User modified value

# 5. System Views

5.1. Category view

5.1.1. Current

## 6. Docs & Resources

Type Link

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f0\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f0\_svd.zip

Description

Presentations https://www.st.com/resource/en/product\_presentation/gt\_stm32f0-l0.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_embedded\_software\_solutions.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_eval-

tools\_portfolio.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_stm8\_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-usb-c-pd-

solutions-presentation.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_software\_development\_tools.pdf

Presentations https://www.st.com/resource/en/product\_presentation/microcontrollers-

stm32-family-overview.pdf

Brochures https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-

and-smart-i-os.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/fldpstpfc11120.pdf

Product https://www.st.com/resource/en/certification\_document/stm32\_authenticat

Certifications ion\_can.pdf

Security Bulletin https://www.st.com/resource/en/technical\_note/tn1489-security-bulletin-

tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1709-emc-design-

guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an2606-stm32-

microcontroller-system-memory-boot-mode-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an2945-stm8s-andstm32-mcus-a-consistent-832bit-product-line-for-painless-migrationstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3371-using-the-hardware-realtime-clock-rtc-in-stm32-f0-f2-f3-f4-and-l1-series-of-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4067-calibratingstm32f0x1-stm32f0x2-and-stm32f0x8-lines-internal-rc-oscillatorsstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4080-getting-started-with-stm32f0x1x2x8-hardware-development-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4088-migrating-between-stm32f1-and-stm32f0-series-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4099-implementation-of-transmitters-and-receivers-for-infrared-remote-control-protocols-with-mcus-of-the-stm32f0-and-stm32f3-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4617-migrating-between-stm32f0-and-stm32l0-microcontrollers-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4705-migration-guidelines-from-pic18-to-stm32f0-series-with-software-expansion-for-stm32cube-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4711-usb-audio-bridge-example-with-stm32f0-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4735-stm32cube-firmware-examples-for-stm32f0-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5145-migration-of-applications-from-stm32f0-series-to-stm32g0-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4991-how-to-wake-up-an-stm32-microcontroller-from-lowpower-mode-with-the-usart-or-the-lpuart-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4879-introduction-to-

- usb-hardware-and-pcb-guidelines-using-stm32-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5537-how-to-use-adcoversampling-techniques-to-improve-signaltonoise-ratio-on-stm32-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2548-introduction-to-dma-controller-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3236-how-to-increase-the-number-of-touchkeys-for-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3960-guidelines-for-esd-for-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4299-how-to-improve-conducted-noise-robustness-for-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4310-how-to-choose-the-sampling-capacitor-for-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4312-how-to-design-surface-sensors-for-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4316-how-to-tune-touch-sensing-applications-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4759-introduction-to-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4908-getting-started-with-usart-automatic-baud-rater-detection-for-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5156-introduction-to-security-for-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5543-guidelines-for-enhanced-spi-communication-on-stm32-mcus-and-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/cd00211314-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2639-solderingrecommendations-and-package-information-for-leadfree-ecopack2-mcusand-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4566-how-to-extend-the-dac-performance-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5105-getting-started-with-touch-sensing-control-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2656-stm32f10xxx-for related Tools | lcd-glass-driver-firmware-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an3078-stm32-for related Tools inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an3116-stm32s-adcfor related Tools modes-and-their-applications-stmicroelectronics.pdf & Software

Application Notes https://www.st.com/resource/en/application\_note/an3174-implementing-for related Tools receivers-for-infrared-remote-control-protocols-using-stm32f10xxx& Software microcontrollers-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3307-guidelines-for-for related Tools obtaining-iec-60335-class-b-certification-for-any-stm32-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4055-clock-

for related Tools configuration-tool-for-stm32f0xx-microcontrollers--stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4061-eeprom-for related Tools emulation-in-stm32f0xx-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4065-stm32f0xx-for related Tools inapplication-programming-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4066-developing-an-

for related Tools hdmicec-network-using-an-stm32f0xx-microcontroller-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4067-calibrating-for related Tools stm32f0x1-stm32f0x2-and-stm32f0x8-lines-internal-rc-oscillators-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4100-designing-a-

for related Tools smartcard-interface-using-an-stm32f05xx-microcontroller-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4113-managing-the-

for related Tools driver-enable-signal-for-rs485-and-iolink-communications-with-the-

& Software stm32f05x-usart-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4235-i2c-timing-for related Tools configuration-tool-for-stm32f3xxxx-and-stm32f0xxxx-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4323-getting-started-

for related Tools with-stemwin-library-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4435-guidelines-for-for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4499-stm32--

for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4705-migration-for related Tools guidelines-from-pic18-to-stm32f0-series-with-software-expansion-for-

& Software stm32cube-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4735-stm32cube-

for related Tools firmware-examples-for-stm32f0-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4834-implementation-for related Tools of-transmitters-and-receivers-for-infrared-remote-control-protocols-with-

& Software stm32cube-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5464-position-control-

for related Tools of-a-threephase-permanent-magnet-motor-using-xcubemcsdk-or-

& Software xcubemcsdkful-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5698-adapting-the-for related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

& Software other-safety-standards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4502-stm32-

for related Tools smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5952-how-to-use-

for related Tools cmake-in-stm32cubeide-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5054-how-to-perform-for related Tools secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5353-how-to-use-a-

for related Tools sensor-on-a-dil-24-socket-in-xcubemems1-package-applications-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an6179-how-to-for related Tools integrate-the-stl-firmware-into-a-time-critical-user-application-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an6127-getting-started-

for related Tools with-stm32h7rx7sx-mcus-in-stm32cubeide-stmicroelectronics.pdf

& Software

Device Option https://www.st.com/resource/en/device\_option\_list/opl\_stm32f072\_128k.zi

Lists p

Errata Sheets https://www.st.com/resource/en/errata\_sheet/es0223-stm32f072x8xb-

device-errata-stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/dm00090510.pdf

Programming https://www.st.com/resource/en/programming\_manual/pm0215-stm32f0-

Manuals series-cortexm0-programming-manual-stmicroelectronics.pdf

Reference https://www.st.com/resource/en/reference\_manual/rm0091-

Manuals stm32f0x1stm32f0x2stm32f0x8-advanced-armbased-32bit-mcus-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1163-description-of-

& Articles wlcsp-for-microcontrollers-and-recommendations-for-its-use-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1204-tape-and-reel-

& Articles shipping-media-for-stm32-microcontrollers-in-bga-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical note/tn1205-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1206-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1207-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-

stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1208-tape-and-reel-

& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-

packages-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical note/tn1433-reference-device-

& Articles marking-schematics-for-stm32-microcontrollers-and-microprocessors-

stmicroelectronics.pdf