


# Index Reconstitution Preview



INTERNAL

Predict index additions and deletions by comparing current constituents to the latest Nasdaq directory.

Author: Cerberus Research

Generated: 2026-08-03 21:57 UTC

N

0

CLASSIFICATION

internal

AUTHOR

Cerberus Research

RUN ID

20260803\_225721

GIT COMMIT

bbe7d3bf

DURATION

0.1s

DATASETS

index\_constituents/index\_constituents\_snapshots, nasdaq\_directories/nasdaq\_directory\_latest

PARAMETER · INDEX\_NAME

nasdaq100

KPI

Value

N

0

## KEY FINDINGS

- Current nasdaq100 constituents: 0
- Potential additions: 13080
- Potential deletions: 0

CONTENTS

- 01 Executive Summary
- 02 Results & Interpretation
- 03 Key Findings
- 04 Data Sources
- 05 Objectives
- 06 Methodology
- 07 Charts
- 08 Statistical Results
- 09 Limitations

Generated by the Cerberus studies framework · schema 2

## Data Sources

- `index_constituents/index_constituents_snapshots`
- `nasdaq_directories/nasdaq_directory_latest`

## Key Findings

- Current nasdaq100 constituents: 0
- Potential additions: 13080
- Potential deletions: 0

## Executive Summary

**NOTE**

Compares current index constituents against the latest Nasdaq directory to flag potential reconstitution additions and deletions.

## Results & Interpretation

**NOTE**

Predict index additions and deletions by comparing current constituents to the latest Nasdaq directory.

The study analysed 13,091 rows of data.

Main takeaways:

- Current nasdaq100 constituents: 0
- Potential additions: 13080
- Potential deletions: 0

## Objectives

**NOTE**

Evaluate whether the studied signal produces a measurable, repeatable edge.

Quantify the reliability of the observed patterns across the sample.

## Methodology

**NOTE**

Analysis is run on the configured datasets with the parameters listed in the Study Configuration block. Results are aggregated into summary statistics, tables, and visual one-pagers for review.

## Charts



Figure 1. Potential index reconstitution changes  
\_Potential index reconstitution changes\_

Statistical Results

| metric               | count  |
|----------------------|--------|
| current_constituents | 0      |
| listed_symbols       | 13,080 |
| potential_additions  | 13,080 |
| potential_deletions  | 0      |

Table 1. Reconstitution summary

| symbol |
|--------|
| A      |
| AA     |
| AAA    |
| AAAA   |
| AAAC   |
| AAAD   |
| AAAP   |
| AAAU   |
| AAC=   |

| symbol |
|--------|
| AACB   |
| AACBR  |
| AACBU  |
| AACG   |
| AACI   |
| AACIU  |
| AACIW  |
| AACO   |
| AACOU  |
| AACOW  |
| AACP   |
| AACPR  |
| AACPU  |
| AACPW  |
| AADR   |
| AADX   |
| AAEQ   |
| AAL    |
| AALG   |
| AAME   |
| AAMI   |
| AAOG   |
| AAOI   |
| AAON   |
| AAOX   |
| AAOZ   |
| AAP    |
| AAPB   |
| AAPD   |
| AAPE   |
| AAPG   |

Table 2. Potential additions

Showing 40 of 100 rows; remainder deferred to appendix overflow.

## Limitations

**NOTE**

Results are research-grade, not investment advice. The sample is limited to available data, and measured edges may not persist out-of-sample.

## Appendix Tables

### potential\_additions

| symbol |
|--------|
| A      |
| AA     |
| AAA    |
| AAAA   |
| AAAC   |
| AAAD   |
| AAAP   |
| AAAU   |
| AAC=   |
| AACB   |
| AACBR  |
| AACBU  |
| AACG   |
| AACI   |
| AACIU  |

Table 2

### reconstitution\_summary

| metric               | count  |
|----------------------|--------|
| current_constituents | 0      |
| listed_symbols       | 13,080 |
| potential_additions  | 13,080 |
| potential_deletions  | 0      |

Table 2

## Statistics Summary

| Key         | Value                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------|
| study       | index_reconstitution_preview                                                                      |
| category    | market_internals                                                                                  |
| status      | success                                                                                           |
| parameters  | {'index_name': 'nasdaq100'}                                                                       |
| datasets    | ['index_constituents/index_constituents_snapshots', 'nasdaq_directories/nasdaq_directory_latest'] |
| rows        | 13,091                                                                                            |
| git_commit  | bbe7d3bf3fe78794955793582a42864238844416                                                          |
| executed_at | 2026-08-03T21:57:21.494731+00:00                                                                  |

Table 2

## Glossary

| Term             | Definition                                                     |
|------------------|----------------------------------------------------------------|
| n / count        | Number of observations or events in the sample.                |
| edge             | Average excess return versus the unconditional baseline.       |
| hit-rate         | Share of events with a positive forward return.                |
| p-value          | Probability of observing the result under the null of no edge. |
| *** / ** / *     | Significance at 99.9% / 99% / 95% confidence.                  |
| $\alpha$ (alpha) | Intercept or active return versus benchmark.                   |
| $\beta$ (beta)   | Sensitivity to a reference factor or market.                   |
| $\sigma$ (sigma) | Volatility / standard deviation of returns.                    |

Table 2

## Document Control

| Field             | Value                                                                                       |
|-------------------|---------------------------------------------------------------------------------------------|
| Report schema     | 2                                                                                           |
| Framework version | 0.1.0                                                                                       |
| Classification    | internal                                                                                    |
| Generated         | 2026-08-03 21:57 UTC                                                                        |
| Author            | Cerberus Research                                                                           |
| Study slug        | index_reconstitution_preview                                                                |
| Run ID            | 20260803_225721                                                                             |
| Git commit        | bbe7d3bf                                                                                    |
| Datasets          | index_constituents/index_constituents_snapshots, nasdaq_directories/nasdaq_directory_latest |

| Field                  | Value        |
|------------------------|--------------|
| Parameters hash        | 409e16b84b99 |
| Parameter · index_name | nasdaq100    |
| Data fingerprint       | 38c1aa33cd4c |
| Duration               | 0.1s         |

Table 2

## Table Overflow

Rows truncated from earlier tables by max\_table\_rows are listed below.

| symbol |
|--------|
| AAPL   |
| AAPR   |
| AAPU   |
| AAPW   |
| AAPX   |
| AAPY   |
| AARD   |
| AAT    |
| AAUA   |
| AAUB   |
| AAUC   |
| AAUS   |
| AAVM   |
| AAXJ   |
| AB     |
| ABAT   |
| ABBV   |
| ABCB   |
| ABCL   |
| ABCS   |
| ABEO   |
| ABEQ   |
| ABEV   |
| ABFL   |



| symbol |
|--------|
| ABG    |
| ABI    |
| ABIG   |
| ABLD   |
| ABLG   |
| ABLS   |
| ABLV   |
| ABLVW  |
| ABM    |
| ABNB   |
| ABOS   |
| ABOT   |
| ABR    |
| ABR-D  |
| ABR-E  |
| ABR-F  |
| ABSI   |
| ABT    |
| ABTC   |
| ABTS   |
| ABUF   |
| ABUS   |
| ABVC   |
| ABVX   |
| ABX    |
| ABXB   |
| ABXL   |
| ACA    |
| ACAA   |
| ACAAU  |
| ACAAW  |
| ACAD   |

| symbol |
|--------|
| ACB    |
| ACCL   |
| ACCO   |
| ACCS   |

Table 2