

Lista02

Tiago Perroni

Conexao R -> SQL

```
library(DBI)
library(RSQLite)
# Conexao com SQL
con <- dbConnect(SQLite(), "me315.sqlite")
```

Hands-On

1.

```
SELECT * FROM PRESERVE
ORDER BY "ACRES"
```

Table 1: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
11	MIACOMET MOORS	MA	4	0
13	TATKON	MA	40	0
14	MCELWAIN-OLSEN	MA	66	0
10	HOFT FARM	MA	90	0
40	SOUTH FORK MADISON	MT	121	0
80	RAMSEY CANYON	AZ	380	3
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
12	MOUNT PLANTAIN	MA	730	0
9	DAVID H. SMITH	MA	830	0

2.

```
SELECT PNAME, FEE FROM PRESERVE
WHERE STATE == "MT"
ORDER BY PNAME DESC
```

Table 2: 4 records

PNAME	FEE
SOUTH FORK MADISON	0
PINE BUTTE SWAMP	0
DANCING PRAIRIE	0
COMERTOWN PRAIRIE	0

3.

```
SELECT FEE, ACRES FROM PRESERVE
ORDER BY FEE, ACRES
```

Table 3: Displaying records 1 - 10

FEE	ACRES
0	4
0	40
0	66
0	90
0	121
0	680
0	730
0	830
0	1130
0	15000

4.

```
SELECT PNAME FROM PRESERVE
ORDER BY PNO
```

Table 4: Displaying records 1 - 10

PNAME
COMERTOWN PRAIRIE
PINE BUTTE SWAMP
DANCING PRAIRIE
HASSAYAMPA RIVER
PAPAGONIA-SONOITA CREEK
MULESHOE RANCH
DAVID H. SMITH
HOFT FARM
MIACOMET MOORS
MOUNT PLANTAIN

5.

```
SELECT STATE, FEE, PNO FROM PRESERVE
WHERE ACRES > 100
ORDER BY STATE DESC, FEE DESC, PNO
```

Table 5: Displaying records 1 - 10

STATE	FEE	PNO
MT	0	1
MT	0	2
MT	0	3
MT	0	40
MA	0	9
MA	0	12
AZ	3	5
AZ	3	6
AZ	3	80
AZ	0	7

6.

```
SELECT * FROM PRESERVE
WHERE STATE >= 'M'
```

Table 6: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

7.

```
SELECT * FROM PRESERVE
WHERE PNAME < 'TATKON'
```

Table 7: Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

9.

```
SELECT * FROM EMPLOYEE
ORDER BY ENAME
```

Table 8: 6 records

ENO	ENAME	SALARY	DNO
3000	CURLY	3000	20
6000	GEORGE	9000	20
5000	JOE	400	10
2000	LARRY	2000	10
1000	MOE	2000	20
4000	SHEMP	500	40

10.

```
SELECT ENAME, SALARY FROM EMPLOYEE
WHERE SALARY > 2000
ORDER BY SALARY DESC
```

Table 9: 2 records

ENAME	SALARY
GEORGE	9000
CURLY	3000

11.

```
SELECT DNO, ENO, ENAME FROM EMPLOYEE
ORDER BY DNO DESC, ENO
```

Table 10: 6 records

DNO	ENO	ENAME
40	4000	SHEMP
20	1000	MOE
20	3000	CURLY
20	6000	GEORGE
10	2000	LARRY
10	5000	JOE

```
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-08-24 17:15:57 -03"
```