

Identifying the Greatest Tour de France Riders Through Network Science

Martin Starič^{a,2}, Matic Stare^{a,1}, Jan^{a,b}, and Tian^b

^aUniversity of Ljubljana, Faculty of Computer and Information Science, Večna pot 113, SI-1000 Ljubljana, Slovenia

The manuscript was compiled on June 3, 2025

In this project, we construct a series of directed multi-digraphs to analyze over a century of Tour de France results (1903–2024) through means of network analysis. For each stage, a directed edge is created from every participant to all riders who placed ahead of them, forming a competitive hierarchy for that stage. By aggregating data from all stages across all editions of the race, we generated a massive multi-digraph capturing the cumulative performance dynamics of Tour de France participants. Each multidigraph differentiates in its weights, resulting in different scores after the PageRank algorithm is applied. With those results we are able to rank riders based on the structure of competitive dominance inherent in their race history. This approach offers a novel perspective on historical performance, highlighting riders who consistently placed ahead of strong competitors, regardless of raw wins or podium finishes.

Introduction Tour de France is the most prestigious cycling event in the world. The multi-stage competition tests the best cyclists across various terrains, from flat sprints to punishing climbs. While general classification highlights the best overall cyclists, it misses certain cyclists who excel in specific domains such as consistent mountain climbers, sprinters and other stage specialists.

This project aims to accumulate all the Tour de France history by constructing a network that captures the relative performance of all riders in each stage from 1903 to 2024. Historical results are obtained from ProCyclingStats.com, a comprehensive and publicly available cycling statistics database. For each stage, a directed edge is created from a rider to every other rider who placed ahead of them, forming a stage-level performance network. These individual networks of stages are then aggregated into a single multi-digraph, where nodes represent riders and multiple directed edges capture how frequently and consistently one rider was outperformed by another. To better reflect the different dimensions of performance, we construct several variants of this network using different edge weighting strategies. For example, weighting edges based on time gaps, positional gaps, or stage types (e.g., flat, hilly, mountain, time trial). This allows us to analyze the data from multiple perspectives and to highlight specific rider strengths that may not be apparent in overall classification rankings.

To rank the riders within these networks, we apply the PageRank algorithm, originally developed to rank web pages based on link structure. In our context, PageRank assesses not just how frequently a rider finishes ahead of others, but also the strength of the competitors they outperform. As a result, riders who consistently place ahead of highly ranked opponents receive higher scores. This method allows us to identify not only dominant overall champions, but also consistently strong performers and underrated specialists who might be overlooked by traditional rankings.




Fig. 1. Mandatory informative illustration highlighting main contributions. (1)

For the visualization and interpretation of the results, we first apply the Leiden clustering algorithm to detect community structure in the rider network. This groups riders into a generation of riders. To visualize the network, we use the Fruchterman-Reingold force-directed layout, which positions riders in a two-dimensional space based on their network proximity.

Related work

Relevant literature (≈ 10 references). The application of network analysis in sports research is vast; it can be used to uncover team dynamics, player interactions and performance metrics across various sport disciplines. In team sports such as NBA and soccer passes are a crucial aspect of the game. The works by Fewell & Armbruster (?), as well as Pena & Touchette (?), explore the importance of passing by constructing passing networks and analyzing their structural properties. The PageRank algorithm, originally developed to rank web pages, has been successfully adapted to the realm of sports analytics. Several researchers have demonstrated its utility as a robust tool for ranking players and predicting match outcomes. For example, Swanson et al. (?) applied PageRank to NHL playoff series using Corsi statistics as part of the personalization vector, achieving significant predictive accuracy. Similarly, Matthews et al. (?) employed a weighted PageRank approach for NCAA basketball, incorporating factors such as score margin, date, and venue, and demonstrated that it could outperform traditional seeding methods. Beyond team sports, network analysis has also been effectively applied to individual sports. In Formula One, driver performance has been modeled using directed multigraphs, where drivers are

All authors contributed equally to this work.

¹To whom correspondence should be addressed. E-mail: ms92204@student.uni-lj.si

nodes and finishing positions are represented as edges. These networks allow for the application of centrality and community detection algorithms, including PageRank, to identify dominant drivers and race patterns across seasons (?). In this project, we adopt and extend Horvat's methodology to the Tour de France by considering different kind of constructed networks and testing the scalability of their approach on a much larger network.

Results

Main results supported by math, plots, tables, diagrams etc. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Table 1. Table describing data or methods.

	n	m	$\langle k \rangle$	$\langle C \rangle$	$\langle d \rangle$
Fine network	438 920	9 742 733	44.4	0.37	6.19
Random graph	438 920	9 781 609	44.6	0.00	4.92

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis.




Fig. 2. Figure showing interesting examples. (1)

Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Discussion

Summary of results, main contributions, final con-




Fig. 3. Figure showing relevant results. (1)




Fig. 4. Another figure with results. (1)

clusions, future work etc. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Methods

Data, methods, algorithms etc. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus.

Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

$$\phi_v = \Pr(X_{st}(v) = 1) = \Pr(X_{sv} = 1) \Pr(X_{vt} = 1) \quad [1]$$

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Require: graph G , cutoff k_{min}

Ensure: power-law γ

- 1: $s \leftarrow n \leftarrow 0$
 - 2: **for** nodes $i \in N$ **do**
 - 3: **if** $k_i \geq k_{min}$ **then**
 - 4: $s \leftarrow s + \ln k_i / (k_{min} - 0.5)$
 - 5: $n \leftarrow n + 1$
 - 6: **return** $1 + ns^{-1}$
-

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

1. Lovro Šubelj. Convex skeletons of complex networks. *J. R. Soc. Interface*, 15(145):20180422, 2018.
2. Jon M. Kleinberg. Navigation in a small world. *Nature*, 406(6798):845, 2000.
3. Philip E. Bourne. Ten simple rules for getting published. *PLoS Comput. Biol.*, 1(5):e57, 2005.
4. Thomas C. Erren and Philip E. Bourne. Ten simple rules for a good poster presentation. *PLoS Comput. Biol.*, 3(5):e102, 2007.
5. Mark E. J. Newman. The physics of networks. *Phys. Today*, 61(11):33–38, 2008.
6. Santo Fortunato. Community detection in graphs. *Phys. Rep.*, 486(3-5):75–174, 2010.
7. M. E. J. Newman. Communities, modules and large-scale structure in networks. *Nat. Phys.*, 8(1):25–31, 2012.
8. Santo Fortunato and Darko Hric. Community detection in networks: A user guide. *Phys. Rep.*, 659:1–44, 2016.
9. Leto Peel, Daniel B. Larremore, and Aaron Clauset. The ground truth about metadata and community detection in networks. *Sci. Adv.*, 3(5):e1602548, 2017.
10. Leto Peel, Jean-Charles Delvenne, and Renaud Lambiotte. Multiscale mixing patterns in networks. *P. Natl. Acad. Sci. USA*, 115(16):4057–4062, 2018.
11. Tiago P. Peixoto. Bayesian stochastic blockmodeling. In Patrick Doreian, Vladimir Batagelj, and Anuška Ferligoj, editors, *Advances in Network Clustering and Blockmodeling*, Computational and Quantitative Social Science, pages 281–324. Wiley, New York, 1st edition, 2020.