Data Model (Oracle Nosql)

Important : this data model is designed according to the given queries.
If we change the queries, I think the data model might be changed.

```
1.
Table name : use
Usr-usrid/name
Usr-usrid/age
Usr-usrid/sex
Usr-usrid/visits (visits is a list which user visit an item)
Usr-usrid/addresses (addresses is a list of addresses of user)
Usr-usrid/friendship (friendship is a list of user's friends)
2.
Table name: shop
Shop-shopid/name
Shop-shopid/url
Shop-shopid/items
Table name : Country
Country/country_name - user list (users belong to the country_name)
4. Table name : Sale (item - users list : item is bought by which users)
Sale - itemid/users list
5. Table name: item
Item - itemid/name
Item - itemid/price
Item - itemid/url
Item - itemid/description
Item - itemid/shopid
Item - itemid/orderquantity (orderquantity : this item belong to which
order and its quantity)
6. Table name : Order
Order - orderid/date
Order - orderid/totalprice
Order - orderid/usrid
Order - orderid/itemline (itemline is a list of items)
```

Schema

```
addresses :
 "type": "record",
 "namespace": "avro",
 "name": "Addresses",
 "fields": [
   { "name": "address", "type" :{ "type": "array", "items" : {
                "type": "record",
                "name": "Address",
                "fields": [
                      {"name": "street", "type": "string", "default":
""},
                      {"name": "city", "type": "string", "default": ""},
                      {"name": "country", "type": "string", "default":
""}
  }}, "default" : []}
}
Friendship:
"type": "record",
 "namespace": "avro",
 "name": "Friendship",
 "fields": [
   { "name": "friendship", "type" :{ "type": "array", "items" :
"string"}, "default" : []}
]
}
Item :
 "type": "record",
 "namespace": "avro",
 "name": "Item",
 "fields": [
   { "name": "name", "type": "string", "default" : ""},
  { "name": "url", "type": "string", "default" : ""},
  { "name": "price", "type": "double", "default": 0.0},
   { "name": "description", "type": "string", "default": ""},
   { "name": "shopId", "type": "string", "default": ""}
}
itemlines : (list of itemline)
```

```
"type": "record",
 "namespace": "avro",
 "name": "ItemLines",
 "fields": [
   { "name": "itemline", "type" : { "type": "array", "items" : { "type": "record",
                 "name": "ItemLine",
                 "fields": [
                       {"name": "itemId", "type": "string", "default":
""},
                       {"name": "quantity", "type": "int", "default": 0}
   }}, "default" : []}
itemusers :
 "type": "record",
 "namespace": "avro",
 "name": "ItemUsrs",
 "fields": [
   { "name": "itemid", "type": "string", "default" : ""},
   "name": "UsrBuy",
                 "fields" : Γ
                       { "name": "name", "type": "string", "default" :
""},
                       { "name": "sex", "type": "string", "default" : ""},
{ "name": "age", "type": "int", "default": 0},
{ "name": "buy", "type": "string", "default" : ""}
   }}, "default" : []}
}
Order:
 "type": "record",
 "namespace": "avro",
 "name": "Ordered",
 "fields": [
   { "name": "usrId", "type": "string", "default" : ""},
   { "name": "date", "type": "string", "default" : ""},
   { "name": "total_price", "type": "double", "default": 0.0}
 ]
```

```
}
OrderQuantity:
 "type": "record",
 "namespace": "avro",
 "name": "OrderQuantitys",
 "fields": [
   { "name": "sale", "type" :{ "type": "array", "items" : {
                 "type": "record",
                 "name": "OrderQuantity",
                 "fields" : [
                      { "name": "orderid", "type": "string", "default" :
""},
                      { "name": "quantity", "type": "int", "default" : 0}
   }}, "default" : []}
}
Shop:
 "type": "record",
 "namespace": "avro",
 "name": "Shop",
 "fields": [
   { "name": "shopName", "type": "string", "default" : ""},
   { "name": "url", "type": "string", "default" : ""}
]
}
Users: (list of users)
 "type": "record",
 "namespace": "avro",
 "name": "Usrs",
 "fields": [
   { "name": "userlist", "type" :{ "type": "array", "items" : {
                 "type": "record",
                 "name": "Usr",
                 "fields" : Γ
                      { "name": "name", "type": "string", "default" :
""},
                      { "name": "sex", "type": "string", "default" : ""},
                      { "name": "age", "type": "int", "default": 0}
   }}, "default" : []}
 ]
```

```
}
User:
 "type": "record",
 "namespace": "avro",
 "name": "Usr",
 "fields": [
   { "name": "name", "type": "string", "default" : ""},
{ "name": "sex", "type": "string", "default" : ""},
   { "name": "age", "type": "int", "default": 0}
}
Visits:
 "type": "record",
 "namespace": "avro",
 "name": "Visits",
 "fields": [
   { "name": "visit", "type" :{ "type": "array", "items" : {
                     "type": "record",
                     "name": "Visit",
                     "fields" : [
                            {"name": "itemId", "type": "string", "default":
""},
                            {"name": "time", "type": "string", "default": ""},
{"name": "date", "type": "string", "default": ""},
{"name": "buy", "type": "string", "default": ""}
   }}, "default" : []}
]
}
 "type": "record",
 "namespace": "avro",
 "name": "Usrs",
 "fields": [
   { "name": "userlist", "type" :{ "type": "array", "items" : {
              "type": "record",
              "namespace": "avro",
              "name": "Item",
              "fields": [
                     { "name": "name", "type": "string", "default" : ""},
{ "name": "url", "type": "string", "default" : ""},
                     { "name": "price", "type": "double", "default": 0.0},
```