
eICU-CRD – estimation cohort
eICU-CRD v2.0 unit stays
(208 hospitals, n = 200,859)
First ICU stay per patient (n = 139,367)
Age ≥ 65 years (n = 71,734)
ICU length of stay ≥ 24 h (n = 50,138)
MICU or Med-Surg ICU (n = 31,307)
Excluded: died within 24 h of ICU admission (n = 7)
Excluded: hospital outcome status missing (n = 363)
Excluded: albumin, height and weight all missing (n = 141)
Analysed cohort: 187 hospitals
(n = 30,796; deaths = 3,901, 12.7%)
Centres with ≥ 100 patients and ≥ 10 deaths
→ k = 103 centres used for the between-centre analyses
MIMIC-IV – external application
MIMIC-IV v3.1 ICU stays
(n = 94,458)
First ICU stay per patient (n = 65,366)
Age ≥ 65 years (n = 35,499)
ICU length of stay ≥ 24 h (n = 28,607)
First stay in MICU or MICU/SICU (n = 8,629)
Excluded: died within 24 h of ICU admission (n = 35)
Excluded: albumin, height and weight all missing (n = 15)
Analysed cohort (n = 8,579)
hospital deaths = 1,654 (19.3%)
Single centre (BIDMC)
used for external application of the eICU-derived model — no refitting