FACULTY OF COMPUTING AND INFORMATION TECHNOLOGY

AACS3013 DATABASE DEVELOPMENT AND APPLICATIONS

ASSIGNMENT

SEMESTER 202409

Programme (Year & Group)	:	**DCS Y1S2 G1**
Tutor Name	:	**Mr. Lim Kah Hao**
Tutorial Group	:	**Group 1**
Date Submitted	:	**25 Dec 2024**

No	Name	Student ID	Marks		
			Part A	Part B	Total
1	**Goh Xue Rou**	**24PMD03454**			
2	**Tan Shu Jun**	**24PMD04155**			
3	**Ng Jie Ying**	**24PMD03197**			
4	**Law Tian Xiang**	**24PMD02153**			
5	**Law Zhi Sheng**	**24PMD03073**			

FACULTY OF COMPUTING AND INFORMATION TECHNOLOGY

AACS3013 DATABASE DEVELOPMENT AND APPLICATIONS

Diploma in Computer Science (DCS)

Year 1 Semester 2

Tutorial Group 1

PLAGIARISM STATEMENT

Read, complete, and sign this statement to be submitted with the written report.

We confirm that we have read and shall comply with all the terms and conditions of TAR University of Management and Technology's plagiarism policy.

We declare that this assignment is free from all forms of plagiarism and for all intents and purposes is my own properly derived work.

Declaration Statement Acknowledged by

No	Name	Student ID	Signature	Date
1	**Goh Xue Rou**	**24PMD03454**		**25 Dec 2024**
2	**Tan Shu Jun**	**24PMD04155**		**25 Dec 2024**
3	**Ng Jie Ying**	**24PMD03197**		**25 Dec 2024**
4	**Law Tian Xiang**	**24PMD02153**		**25 Dec 2024**
5	**Law Zhi Sheng**	**24PMD03073**		**25 Dec 2024**

Assignment Assessment Rubrics

No	Student Name	Student ID	Final Marks
1	Goh Xue Rou	24PMD03454	
2	Tan Shu Jun	24PMD04155	
3	Ng Jie Ying	24PMD03197	
4	Law Tian Xiang	24PMD02153	
5	Law Zhi Sheng	24PMD03073	

Programme of Study	D (**CS**)
Tutorial Group	Group (**1**)

Section A: Group Tasks (80 Marks)							
Task	**Marks**	**Excellent**	**Good**	**Average**	**Poor**	**Scores**	**Remarks**
Organisation Background	**10**	Very high level organisational analysis and research, covering all relevant details. Very clear and excellent description of problem statement and solution. **(9 – 10)**	High level organisational analysis and research, covering mostly relevant details. Good and clear description of problem statement and solution. **(6 – 8)**	Some organisational analysis and research, barely covering relevant details. Acceptable and clear description of problem statement and solution. **(3 – 5)**	Lack of organisational analysis and research, covering details mostly not relevant. Insufficient and unclear description of problem statement and solution. **(0 – 2)**		
Develop Business Rules	**10**	Excellent business rules. **(9 – 10)**	Good business rules. **(6 – 8)**	Acceptable business rules. **(3 – 5)**	Poor or incorrect business rules. **(0 – 2)**		
Database Design	**10**	Excellent database design. **(9 – 10)**	Good database design. **(6 – 8)**	Acceptable database design. **(3 – 5)**	Poor database design. **(0 – 2)**		

Create database tables in Oracle	**20**	Excellent design of Oracle database with all requirements met. **(17 – 20)**	Good design of Oracle database with major requirements met. **(11 – 16)**	Acceptable design of Oracle database with some requirements met. **(5 – 10)**	Poor design of Oracle database and does not meet most of the requirements shown. **(0 – 4)**	
Create records	**20**	Excellent and sufficient records resemble real world data. **(17 – 20)**	Good and sufficient records resemble real world data. **(11 – 16)**	Acceptable and some adequate records resemble real world data. **(5 – 10)**	Poor and unrealistic data. **(0 – 4)**	
Final Assignment Report	**10**	Excellent writing style. Messages and answers are clear and effective. Full compliance of format. **(9 – 10)**	Good writing style. Messages and answers sometimes lack clarity. Close compliance of format. **(6 – 8)**	Average writing style. Messages and answers are poorly conveyed. Minimum compliance of format. **(3 – 5)**	Writing style is poor. Answers are poorly conveyed. Non-compliance of format. **(0 – 2)**	
					Total Marks (80 marks):	

Section B: Individual Tasks (20 Marks)								
Criteria	**Marks**	**Excellent**	**Good**	**Average**	**Poor**	**Scores**		**Remarks**
Create Queries	**10**	Excellent and correct design of query statement based on the purpose/ scenario with excellent formatting. **(9 – 10)**	Good and correct design of query statements based on the purpose/ scenario with appropriate formatting. **(6 – 8)**	Average and correct design query statement based on the purpose/ scenario with appropriate formatting **(3 – 5)**	Poor and incorrect design query statement with poor formatting. **(0 – 2)**	**No** 1 2 3 4 5	**Scores**	
Presentation	**10**	Excellent communication skills. Messages and answers are clear and effective. **(9 – 10)**	Good communication skills. Messages and answers sometimes lack clarity. **(6 – 8)**	Average communication skill. Messages and answers are poorly conveyed. **(3 – 5)**	Use of language is ineffective; communication is generally poor. Answers are poorly conveyed. **(0 – 2)**	**No** 1 2 3 4 5	**Scores**	
					Total Marks (20 marks):	1 2		

	3	
	4	
	5	

Table of Contents

Task 1: Organisation Background

1.1 Organisation Background

Simple-N-Safe Driving (SNSD) is a vehicle rental service provider that operates out of the major airports in Malaysia. SNSD offers a convenient and reliable car rental service that is tailored to the customer. Customers are allowed to book one or more vehicles upon arrival and return them at the designated departure location.

1.2 Business Nature

SNSD is a key player in the travel and transportation sector that provides reliable vehicle rental solutions for both leisure and business travelers.

1.3 Business Operations

SNSD carries out its operations strategically at major airports. It provides a complete and reliable service to customers by allowing customers to book vehicles upon arrival and return them at designed departure points. The employees of SNSD are well trained and a streamlined process is provided to increase customer satisfaction. This includes the best secure pre-payment options, a transparent penalty system for damages, a fast and convenient rental process, and also vehicle inspection upon return.

1.4 Products and Services

SNSD provides various products and services to accommodate multiple travel requirements. These are the services that are contained in SNSD:
- Sedans: Ideal for small families and budget-conscious travelers who are looking for comfort and affordability.
- Compact: Perfect for solo travelers or small groups needing fuel-efficient options.
- SUV: Suitable for larger families or off-road journeys.
- MPV(Multi-Purpose Vehicle): Best for group travels or business purposes.

Each category has different daily rental rates depending on the vehicle type and features selected.

1.5 Problem Statement/Opportunity

SNSD is currently facing some challenges in carrying out its operations effectively. This is due to SNSD's lack of an integrated system for handling bookings, vehicle availability, maintenance schedules and also damage penalties. These are the descriptions of issues currently faced by SNSD:

1. Booking Errors: The current system does not show out real-time vehicle availability leads to overbooking and dissatisfaction.
2. Missed Maintenance Deadlines: vehicles may not receive service timely due to the lack of an organized system to record and track maintenance schedules.
3. Lack of Instant Updates: The problems of delayed updates on vehicle status often happen especially during high-demand periods.
4. Inconsistent Inspection: The staff may overlook or inconsistently assess penalties for vehicle damages as we do not have a standardized damage record.

1.6 Aims

The aim of the database solution is to reduce the errors in booking. the problem faced by the company and increase the efficiency of the operation so that we can increase customer satisfaction and improve

1.7 Objectives of the proposed database solution

1. Improved Booking System: This is to prevent overbooking by using real-time update features on vehicle availability so that we can increase efficiency.
2. Prevent Missed Deadlines: implement automatic alerts for scheduled maintenance so that we can reduce the risk of vehicle breakdown and ensure customer safety.
3. Instant Vehicle Status Updates: provide fast and effective up-to-date features on vehicle availability, booking status, and also conditions to handle high-demand periods so that we can provide the best service to our customers.
4. Consistent Damage Recording: implement a standardized digital checklist for vehicle inspection to ensure that all the damage assessments are recorded consistently to prevent misunderstanding.

Task 2: Develop Business Rules

2.1 Business Rules

1. Each customer can have one or many reservations but each reservation only can be reserved by a customer.
2. Each reservation can have zero or one or many cancellations but each cancellation only belongs to one reservation
3. A car can have one or many reservations but one reservation only belongs to one car.
4. Each car can have one or many car maintenance but each car maintenance only belongs to one car
5. A payment belongs to a reservation and a reservation belongs to a payment.

Task 3: Database Design

3.1 ERD

3.2 Database Design Language (DBDL)

CAR (**CarID**, Brand, Model, Manu_Year, Plate_No, Car_Seats, Car_Status, Car_Colour, Trans_Type)

MAINTENANCE (**MainteID**, Mainte_Date, Mainte_Fees, Mainte_Type, Next_Mainte_Date, CarID*)

RESERVATION (**ReservID**, Start_Date, Rental_Duration, Reservation_Stat, Pick_Location, Drop_Location, CustID*, CarID*)

PAYMENT (**PayID**, Pay_Date, Pay_Time, Deposit, Rental_Amt, Insurance_Amt, Pay_Amt, Pay_Stat, Receipt_No, Reserv_ID*)

CUSTOMER (**CustID**, First_Name, Last_Name, Cust_Email, Cust_PhoneNo, Cust_Nationality, Cust_ICPN)

CANCELLATION (**CancelID**, Cancel_Date, Cancel_Reason, Refund_Amt, Penalty_Fee, ReservID*)

Task 4: Create database tables in Oracle

4.1 Customer

```
CREATE TABLE customer (
    cust_id             char(7)             not null,
    first_name          varchar(20)         not null,
    last_name           varchar(20)         not null,
    cust_email          varchar(40)         not null,
    cust_phone_no       varchar(20)         not null,
    cust_nationality    varchar(20)         not null,
    cust_icpn           varchar(25)         not null,

PRIMARY KEY (cust_id),
CONSTRAINT      chk_email      CHECK      (REGEXP_LIKE(cust_email,
'[a-zA-Z0-9][\w.]*@[a-zA-Z]+\.[a-zA-Z]+$'))
);
```

4.2 Car

```
create table car (
    car_id      char(5)             not null,
    brand       varchar(8)          not null,
    model       varchar(8)          not null,
    manu_year   number(4)           not null,
    plate_no    varchar(10)         not null,
    car_seat    number(1)           not null,
    car_status  varchar(10)         not null,
    car_colour  varchar(10)         not null,
    trans_type  varchar(20)         not null,

primary key(car_id)
);
```

4.3 Maintenance

```
create table maintenance (
    mainte_id           char(6)             not null,
    mainte_date         date                not null,
    mainte_fees         number(10,2)        not null,
    mainte_type         varchar(50)         not null,
    next_mainte_date    date                null,
    car_id              char(5)             not null,

primary key(mainte_id),
foreign key(car_id) references car(car_id)
);
```

4.4 Payment

```
create table payment (
    pay_id              char(7)             not null,
    pay_date            date                not null,
    pay_time            number(4)           not null,
    deposit             number(7,2)         not null,
    rental_amt          number(7,2)         not null,
    insurance_amt       number(7,2)         not null,
    pay_amt             number(7,2)         not null,
    pay_stat            varchar(10)         not null,
    receipt_no          char(7)             not null,
    reserv_id           char(7)             not null,

primary key(pay_id),
foreign key(reserv_id) references reservation(reserv_id)
);
```

4.5 Reservation

```
create table reservation (
      reserv_id             char(7)             not null,
      start_date            date                not null,
      rental_duration       number(2)           not null,
      reservation_stat      varchar(10)         not null,
      pick_location         varchar(5)          not null,
      drop_location         varchar(5)          not null,
      cust_id               char(7)             not null,
      car_id                char(5)             not null,

primary key(reserv_id),
foreign key(cust_id) references customer(cust_id),
foreign key(car_id) references car(car_id)
);
```

4.6 Cancellation

```
create table cancellation (
    cancel_id            char(7)            not null,
    cancel_date          date               not null,
    cancel_reason        varchar(50)        not null,
    refund_amt           number(7,2)        not null,
    penalty_fee          number(7,2)        not null,
    reserv_id            char(7)            not null,

primary key(cancel_id),
foreign key(reserv_id) references reservation(reserv_id)
);
```

Task 5: Create Records

5.1 Customer

```
INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0152', 'Max',
'Hoffmann', 'max.hoffmann19@gmail.com', '016-3234 2924', 'Germany',
'DE87192053');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0154', 'Mary',
'Chen', 'marychen123@gmail.com', '011-6371 3240', 'Malaysia',
'850305168764');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0160', 'Iskandar',
'bin Khalid', 'iskandar.khalid1@gmail.com', '012-2145 4696', 'Malaysia',
'930415019295');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0236', 'Aarav',
'Sharma', 'aaravsharma89@gmail.com', '017-3001 7461', 'Malaysia',
'940702038291');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0250', 'Anna',
'Wang', 'anna_wang77@gmail.com', '014-6401 6100', 'Malaysia',
'880221093846');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0351', 'Isabelle',
'Tan', 'isabelle.tan56@gmail.com', '016-3767 8521', 'Singapore',
'SG59183764');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0360', 'Emma',
'Carter', 'emma.carter1995@gmail.com', '018-1365 1328', 'Canada',
'CA47392615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0418', 'Lucas',
'Bennett', 'lucas.bennett12@gmail.com', '018-8582 6620', 'Canada',
'CA83925741');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0492', 'Hakim', 'bin
Rashid', 'hakim.rashid20@gmail.com', '015-8572 0389', 'Malaysia',
'900903140543');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0511', 'Nathan',
'Ho', 'nathan.ho23@gmail.com', '012-9979 1318', 'Singapore', 'SG32850647');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0513', 'Emma', 'Goh',
'emma.goh12@gmail.com', '011-5055 3802', 'Singapore', 'SG87192053');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0717', 'Idris', 'bin
Omar', 'idrisomars@gmail.com', '014-6332 6737', 'Malaysia', '840728124363');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0795', 'Dylan',
'Ong', 'dylan.ong45@gmail.com', '012-6176 3642', 'Singapore', 'SG60347285');
```

```
INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0855', 'Xia Wei',
'Zhou', 'xiawei.zhou88@gmail.com', '018-9003 5764', 'Malaysia',
'850102013702');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0860', 'Mei Ling',
'Yang', 'meil.yang12@gmail.com', '015-7022 9834', 'Malaysia',
'820415134166');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0867', 'Jun Feng',
'Huang', 'junfenghuang22@gmail.com', '017-8809 4121', 'Malaysia',
'910118077905');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C0875', 'Azlan', 'bin
Ismail', 'azlan_ismail44@gmail.com', '017-0396 3168', 'Malaysia',
'890710063147');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1018', 'Olivia',
'Smith', 'olivia.smith12@gmail.com', '017-4834 7216', 'United Kingdom',
'GB52819374');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1100', 'Tian Yu',
'Lin', 'tianyulin45@gmail.com', '015-0582 2465', 'Malaysia', '880504154828');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1181', 'Bo Shan',
'Xu', 'boshanx88@gmail.com', '014-1016 3693', 'Malaysia', '940505052871');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1215', 'Aarav',
'Sharma', 'aarav.sharma22@gmail.com', '014-7944 9094', 'India',
'INN52918374');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1326', 'Hui Ying',
'Wu', 'huiyingwu66@gmail.com', '014-3093 8217', 'Malaysia', '870812165780');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1462', 'Lukas',
'Schmidt', 'lukas.schmidt78@gmail.com', '014-4995 0872', 'Germany',
'DE73948521');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1575', 'Danish', 'bin
Farhan', 'danish_f@farhan23@gmail.com', '011-6474 0065', 'Malaysia',
'930712086495');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1660', 'Faizal', 'bin
Zainal', 'faizalzainal55@gmail.com', '018-7490 7747', 'Malaysia',
'890304028165');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1778', 'Sophie',
'Weber', 'sophie.weber56@gmail.com', '012-2093 1806', 'Germany',
'DE49273615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1814', 'Liam',
```

'Johnson', 'liam.johnson34@gmail.com', '012-5803 9081', 'United Kingdom', 'GB73948521');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C1837', 'James', 'Zhang', 'james_zhang77@gmail.com', '017-9067 2013', 'Malaysia', '920107169537');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2031', 'Hana', 'binti Hassan', 'hana_hassan11@gmail.com', '017-1758 2751', 'Malaysia', '960802144376');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2067', 'Olivia', 'Brown', 'olivia.brown123@gmail.com', '015-0589 0017', 'Australia', 'AU52987463');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2141', 'Emily', 'Brown', 'emily.brown56@gmail.com', '011-4298 4372', 'United Kingdom', 'GB49273615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2145', 'Sophie', 'Dupont', 'sophie.dupont12@gmail.com', '019-5931 3355', 'France', 'FR52819374');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2229', 'Khadijah', 'binti Ismail', 'khadijah_ismail99@gmail.com', '011-4183 9959', 'Malaysia', '820506158244');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2296', 'Raj', 'Kumar', 'rajkumar123@gmail.com', '015-9941 8282', 'Malaysia', '950123035893');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2317', 'Arif', 'bin Hassan', 'arifbinhassan67@gmail.com', '019-6027 9694', 'Malaysia', '880712062615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2396', 'Olivia', 'Mitchell', 'olivia.mitchell20@gmail.com', '012-6502 7463', 'Canada', 'CA19283756');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2399', 'James', 'Williams', 'james.williams78@gmail.com', '012-7962 7728', 'United Kingdom', 'GB38475912');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2411', 'Sophia', 'Wu', 'sophiawu21@gmail.com', '015-3373 4106', 'Malaysia', '890314117592');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2420', 'Vikram', 'Singh', 'vikram_singh88@gmail.com', '016-7999 4321', 'Malaysia', '880901026749');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2486', 'Luqman', 'bin

```
Abdullah',   'luqman_abdullah7@gmail.com',   '016-9957   7917',   'Malaysia',
'930405143259');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2596',   'Leon',
'Fischer',   'leon.fischer34@gmail.com',   '017-6338   8053',   'Germany',
'DE38475912');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2627',   'Lucas',
'Lefevre',   'lucas.lefevre1987@gmail.com',   '012-0349   4705',   'France',
'FR73948521');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2643',   'Claire',
'Martin',   'claire.martin34@gmail.com',   '016-8768   3626',   'France',
'FR49273615');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2732',   'Noah',
'Anderson',   'noah.anderson78@gmail.com',   '016-9612   2235',   'Canada',
'CA55681934');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('23C2818', 'Alice', 'Wu',
'alice.wu2000@gmail.com', '015-8533 4443', 'Malaysia', '840206072458');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2827', 'Iman', 'bin
Iskandar',   'iman.iskandar89@gmail.com',   '019-4067   3888',   'Malaysia',
'920303135239');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2876',   'Emma',
'Davis',   'emma.davis22@gmail.com',   '012-6558   2369',   'United   States',
'US52819374');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2884',   'Samuel',
'Lin',   'samuel_lin34@gmail.com',   '017-4582   5510',   'Malaysia',
'850407094263');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2922',   'Ethan',
'Williams',   'ethan.williams22@gmail.com',   '015-5966   6492',   'Australia',
'AU83761240');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('23C2985',   'Ryan',
'Chua', 'ryan.chua99@gmail.com', '019-4032 1159', 'Singapore', 'SG26714930');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no,   cust_nationality,   cust_icpn)   VALUES   ('24C0019',   'Noah',
'Johnson',   'noah.johnson45@gmail.com',   '012-3960   9088',   'United   States',
'US73948521');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0029', 'Elizabeth',
'Xu',   'elizabethxu78@gmail.com',   '016-3235   4942',   'Malaysia',
'920901167634');

INSERT   INTO   Customer   (cust_id,   first_name,   last_name,   cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0082', 'Haziq', 'bin
Ahmad',   'haziqahmad43@gmail.com',   '012-5732   9084',   'Malaysia',
'830820019277');
```

```
INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0153', 'John',
'Zhou', 'john_zhou12@gmail.com', '012-2764 6329', 'Malaysia',
'880312162515');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0175', 'Sakura',
'Tanaka', 'sakura.tanaka34@gmail.com', '018-3519 4522', 'Japan',
'JP73948521');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0177', 'Grace',
'Yang', 'grace_yang96@gmail.com', '015-2199 0976', 'Malaysia',
'910212057592');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0335', 'Amir', 'bin
Abdullah', 'amir.abdullah34@gmail.com', '014-0762 3996', 'Malaysia',
'900301067929');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0353', 'Ananya',
'Gupta', 'ananya.gupta33@gmail.com', '012-7337 1252', 'Malaysia',
'870512021876');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0417', 'Peter',
'Huang', 'peterhuang2@gmail.com', '013-9347 1498', 'Malaysia',
'940605091487');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0423', 'Priya',
'Patel', 'priya.patel1990@gmail.com', '016-7604 1538', 'India',
'INN73948456');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0513', 'Rohan',
'Kumar', 'rohan.kumar07@gmail.com', '019-9100 6193', 'India', 'INN49273689');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0517', 'Li Ming',
'Wang', 'limingwang88@gmail.com', '016-9265 2697', 'Malaysia',
'860707043742');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0676', 'Nazri', 'bin
Salim', 'nazri_salim91@gmail.com', '019-7823 9542', 'Malaysia',
'920408152677');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0682', 'Zhi Hao',
'Chen', 'zhihao.chen55@gmail.com', '011-6757 2191', 'Malaysia',
'890123129363');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0689', 'Isabella',
'Miller', 'isabella.miller56@gmail.com', '016-8428 1825', 'United States',
'US49273615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0797', 'Mia',
'Meyer', 'mia.meyer23@gmail.com', '012-8837 9362', 'Germany', 'DE26714930');
```

```
INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0816', 'Chloe',
'Lim', 'chloe.lim22@gmail.com', '018-2188 5597', 'Singapore', 'SG73948521');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0824', 'Hugo',
'Laurent', 'hugo.laurent67@gmail.com', '017-6054 1434', 'France',
'FR38475912');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C0961', 'Ava',
'Robinson', 'ava.robinson22@gmail.com', '012-6836 8257', 'Canada',
'CA62348719');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1012', 'Nabil', 'bin
Ahmad', 'nabilahmad100@gmail.com', '017-8923 1329', 'Malaysia',
'920602165671');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1050', 'Sarah', 'Xu',
'sarahxu23@gmail.com', '018-7161 2019', 'Malaysia', '940314118478');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1104', 'Khairul',
'bin Nordin', 'khairul_nordin77@gmail.com', '017-2771 1046', 'Malaysia',
'830514036493');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1144', 'Ahmad', 'bin
Ibrahim', 'ahmad_ibrahim1@gmail.com', '013-5796 4680', 'Malaysia',
'900522109861');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1182', 'Rizal', 'bin
Aziz', 'rizal.aziz82@gmail.com', '012-6273 3433', 'Malaysia',
'850614074987');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1462', 'Daniel',
'Lin', 'daniel.lin22@gmail.com', '018-1171 2061', 'Malaysia',
'880123138429');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1497', 'Rahman', 'bin
Johari', 'rahman_johari30@gmail.com', '019-1583 2517', 'Malaysia',
'950515142629');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1515', 'Jackson',
'Wilson', 'jackson.wilson99@gmail.com', '013-3576 7134', 'United States',
'US38475912');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1537', 'Chen Hui',
'Liu', 'chenhui.liu11@gmail.com', '013-0343 7851', 'Malaysia',
'930904019238');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1541', 'Isabella',
'Taylor', 'isabella.taylor1990@gmail.com', '018-4357 5427', 'Australia',
'AU92648175');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1608', 'Zain', 'bin
```

Azhari', 'zain.azhari77@gmail.com', '018-2603 0956', 'Malaysia', '850115042739');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1612', 'Arjun', 'Iyer', 'arjun_iyer34@gmail.com', '018-8217 2323', 'Malaysia', '870618123685');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1734', 'Diya', 'Nair', 'diya_nair56@gmail.com', '013-4829 3662', 'Malaysia', '910513034562');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1737', 'Michael', 'Zhang', 'michaelzhang56@gmail.com', '012-6904 4269', 'Malaysia', '840819158369');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1746', 'Lucy', 'Wang', 'lucy_wang77@gmail.com', '019-8728 9432', 'Malaysia', '930308052952');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1786', 'Paul', 'Liu', 'paulliu1234@gmail.com', '018-8311 0731', 'Malaysia', '910124026215');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1838', 'Emma', 'Bernard', 'emma.bernard22@gmail.com', '013-8433 3705', 'France', 'FR26714930');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1849', 'Amira', 'binti Abdullah', 'amira.abdullah98@gmail.com', '018-2186 2367', 'Malaysia', '880514149864');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1854', 'Paul', 'Wagner', 'paul.wagner44@gmail.com', '012-0474 3214', 'Germany', 'DE59183764');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1869', 'Aisyah', 'binti Ibrahim', 'aisyah.ibrahim34@gmail.com', '012-9908 4587', 'Malaysia', '900706087450');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1904', 'Liam', 'Davis', 'liam.davis44@gmail.com', '017-0749 8896', 'Canada', 'CA90256371');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1936', 'Neha', 'Desai', 'neha.desai67@gmail.com', '011-6393 6464', 'Malaysia', '920802095894');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1944', 'Wei Jie', 'Zhang', 'weijie.zhang56@gmail.com', '014-9750 4994', 'Malaysia', '840721074251');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1962', 'Mia', 'Parker', 'mia.parker31@gmail.com', '018-4808 9649', 'Canada', 'CA34756890');

```
INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C1974', 'Marcus',
'Lee', 'marcus.lee33@gmail.com', '015-5391 1147', 'Singapore', 'SG49273615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2018', 'Liyana',
'binti Farhan', 'liyana_f@farhan77@gmail.com', '019-6054 7927', 'Malaysia',
'930615136820');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2093', 'Nabila',
'binti Rashid', 'nabila.rashid20@gmail.com', '018-7926 2433', 'Malaysia',
'850412117698');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2144', 'Emma',
'Chen', 'emma_chen77@gmail.com', '012-4870 8380', 'Malaysia',
'960701161956');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2214', 'Jack',
'Harris', 'jack.harris456@gmail.com', '011-1012 0704', 'Australia',
'AU18473692');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2292', 'Syafiq', 'bin
Ismail', 'syafiqismail90@gmail.com', '014-0036 0003', 'Malaysia',
'870804148373');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2315', 'Ravi',
'Verma', 'ravi.verma12@gmail.com', '013-7056 7482', 'Malaysia',
'940906026283');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2331', 'Neha',
'Gupta', 'neha.gupta58@gmail.com', '019-0803 4423', 'India', 'INN38475912');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2337', 'Maya', 'binti
Zainal', 'maya.zainal77@gmail.com', '014-0310 4101', 'Malaysia',
'880204017560');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2395', 'Thomas',
'Zhou', 'thomaszhou22@gmail.com', '015-5125 2769', 'Malaysia',
'890509163191');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2517', 'Nadia',
'binti Ahmad', 'nadia_ahmad55@gmail.com', '019-7793 3012', 'Malaysia',
'950601138428');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2535', 'Nur', 'binti
Omar', 'nur_omar44@gmail.com', '012-7201 5831', 'Malaysia', '820718079572');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2564', 'Arjun',
'Desai', 'arjun.desai1995@gmail.com', '018-6905 1599', 'India',
'INN26714930');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email,
cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2573', 'Puteri',
```

'binti Iskandar', 'puteri.iskandar32@gmail.com', '013-3246 7244', 'Malaysia', '900305045632');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2612', 'Anna', 'Becker', 'anna.becker10@gmail.com', '018-2328 0658', 'Germany', 'DE32850647');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2656', 'Lily', 'Yang', 'lily.yang55@gmail.com', '012-2762 5511', 'Malaysia', '840601038748');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2683', 'Priya', 'Reddy', 'priya_reddy22@gmail.com', '017-8700 3767', 'Malaysia', '910408026510');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2685', 'Aadhya', 'Patel', 'aadhya.patel11@gmail.com', '017-9018 7824', 'Malaysia', '930215019876');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2781', 'Malik', 'bin Ibrahim', 'malikibrahim78@gmail.com', '019-7821 3518', 'Malaysia', '850106163298');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2845', 'Joshua', 'Huang', 'joshua.huang90@gmail.com', '011-6978 5746', 'Malaysia', '900122122175');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2870', 'Ethan', 'Tan', 'ethan.tan78@gmail.com', '014-7120 4845', 'Singapore', 'SG52819374');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2926', 'Olivia', 'Ng', 'olivia.ng44@gmail.com', '014-7169 6421', 'Singapore', 'SG38475912');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2936', 'Haruto', 'Sato', 'haruto.sato78@gmail.com', '017-3361 0109', 'Japan', 'JP52819374');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C2944', 'Ren', 'Yamada', 'ren.yamada56@gmail.com', '018-4815 9560', 'Japan', 'JP49273615');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C3037', 'Mia', 'Scott', 'mia.scott556@gmail.com', '015-9313 5364', 'Australia', 'AU23450791');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C3048', 'Ava', 'Moore', 'ava.moore12@gmail.com', '013-1303 4304', 'United States', 'US26714930');

INSERT INTO Customer (cust_id, first_name, last_name, cust_email, cust_phone_no, cust_nationality, cust_icpn) VALUES ('24C3163', 'Ethan', 'Scott', 'ethan.scott54@gmail.com', '015-2707 2514', 'Canada', 'CA75829306');

5.2 Car

```
INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0018', 'Perodua', 'Myvi',
'2022', 'WTX 7456', '5', 'Available', 'Silver', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0023', 'Proton', 'Saga',
'2020', 'BQF 3219', '5', 'Available', 'White', 'Manual');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0024', 'Toyota', 'Vios',
'2021', 'PJB 6725', '5', 'Rented ', 'Grey', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0033', 'Honda', 'Civic',
'2023', 'JXS 8321', '5', 'Reserved', 'Black', 'Manual');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0043', 'Honda', 'City', '2021',
'DTR 5193', '5', 'Available', 'White', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0048', 'Proton', 'X70', '2023',
'CQR 7064', '5', 'Available', 'Grey', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0055', 'Perodua', 'Axia',
'2022', 'KMC 1782', '5', 'Available', 'White', 'Manual');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0056', 'Nissan', 'Almera',
'2023', 'AFA 6940', '5', 'Reserved', 'Black', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0058', 'BMW', '330i', '2023',
'TFS 9821', '5', 'Available', 'Grey', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0059', 'Honda', 'HR-V', '2022',
'QMY 5432', '5', 'Available', 'Silver', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0083', 'Mazda', '3', '2021',
'WAG 8475', '5', 'Reserved', 'Red', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0088', 'Nissan', 'Serena',
'2022', 'BSM 1042', '8', 'Available', 'Silver', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0093', 'Toyota', 'Vellfire',
'2022', 'PZN 2650', '7', 'Reserved', 'White', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0104', 'Honda', 'City', '2021',
'FWR 6931', '5', 'Available', 'Red', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0117', 'Mazda', '3', '2021',
'AQN 2407', '5', 'Available', 'Red', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0125', 'Honda', 'Civic',
'2023', 'CWB 5634', '5', 'Available', 'Black', 'Manual');
```

```
INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0132', 'Perodua', 'Myvi',
'2022', 'KGS 1875', '5', 'Reserved', 'Blue', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0140', 'Toyota', 'Vellfire',
'2022', 'DFM 3581', '7', 'Available', 'White', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0162', 'Perodua', 'Axia',
'2022', 'JSR 6728', '5', 'Available', 'Silver', 'Manual');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0175', 'Nissan', 'Almera',
'2023', 'MLF 7912', '5', 'Available', 'White', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0209', 'Proton', 'X70', '2023',
'FQA 2840', '5', 'Reserved', 'Red', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0219', 'BMW', '330i', '2023',
'TFM 4761', '5', 'Available', 'White', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0220', 'Honda', 'HR-V', '2022',
'LSI 5207', '5', 'Reserved', 'Black', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0232', 'Toyota', 'Vios',
'2021', 'PKA 6254', '5', 'Available', 'Red', 'Automatic');

INSERT INTO Car (car_id, brand, model, manu_year, plate_no, car_seat,
car_status, car_colour, trans_type) VALUES ('C0240', 'Nissan', 'Serena',
'2022', 'WQF 4903', '8', 'Available', 'Silver', 'Automatic');
```

5.3 Maintenance

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M021', '02-JAN-2023', '800', 'routine
maintenance', '02-JUL-2023', 'C0140');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M023', '08-JAN-2023', '450', 'routine
maintenance', '08-JUL-2023', 'C0088');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M033', '15-JAN-2023', '150', 'routine
maintenance', '15-JUL-2023', 'C0055');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M040', '22-JAN-2023', '320', 'routine
maintenance', '22-JUL-2023', 'C0175');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M046', '29-JAN-2023', '1000', 'routine
maintenance', '29-JUL-2023', 'C0058');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M049', '03-FEB-2023', '1000', 'damage
repair', '', 'C0056');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M054', '05-FEB-2023', '320', 'routine
maintenance', '05-AUG-2023', 'C0104');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M069', '12-FEB-2023', '200', 'routine
maintenance', '12-AUG-2023', 'C0132');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M073', '19-FEB-2023', '200', 'routine
maintenance', '19-AUG-2023', 'C0018');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M083', '26-FEB-2023', '400', 'routine
maintenance', '26-AUG-2023', 'C0059');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M097', '05-MAR-2023', '320', 'routine
maintenance', '05-SEP-2023', 'C0024');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M110', '12-MAR-2023', '150', 'routine
maintenance', '12-SEP-2023', 'C0162');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M120', '19-MAR-2023', '320', 'routine
maintenance', '19-SEP-2023', 'C0232');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M122', '26-MAR-2023', '400', 'routine
maintenance', '26-SEP-2023', 'C0125');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M133', '02-APR-2023', '400', 'routine
maintenance', '02-OCT-2023', 'C0117');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M156', '05-APR-2023', '2000', 'damage
repair', '', 'C0232');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M174', '09-APR-2023', '320', 'routine
maintenance', '09-OCT-2023', 'C0043');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M191', '16-APR-2023', '400', 'routine
maintenance', '16-OCT-2023', 'C0083');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M204', '23-APR-2023', '400', 'routine
maintenance', '23-OCT-2023', 'C0209');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M207', '30-APR-2023', '200', 'routine
maintenance', '30-OCT-2023', 'C0023');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M220', '07-MAY-2023', '320', 'routine
maintenance', '07-NOV-2023', 'C0056');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M227', '14-MAY-2023', '800', 'routine
maintenance', '14-NOV-2023', 'C0093');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M240', '21-MAY-2023', '400', 'routine
maintenance', '21-NOV-2023', 'C0048');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M250', '28-MAY-2023', '1000', 'routine
maintenance', '28-NOV-2023', 'C0219');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M253', '04-JUN-2023', '450', 'routine
maintenance', '04-DEC-2023', 'C0240');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M265', '11-JUN-2023', '400', 'routine
maintenance', '11-DEC-2023', 'C0220');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M268', '18-JUN-2023', '400', 'routine
maintenance', '18-DEC-2023', 'C0033');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M288', '22-JUN-2023', '2000', 'damage
repair', '', 'C0024');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M296', '02-JUL-2023', '800', 'routine
maintenance', '02-JAN-2024', 'C0140');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M301', '05-JUL-2023', '600', 'damage
repair', '', 'C0023');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M298', '08-JUL-2023', '450', 'routine
maintenance', '08-JAN-2024', 'C0088');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M308', '15-JUL-2023', '150', 'routine
maintenance', '15-JAN-2024', 'C0055');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M315', '22-JUL-2023', '320', 'routine
maintenance', '22-JAN-2024', 'C0175');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M318', '23-JUL-2023', '1300', 'damage
repair', '', 'C0018');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M321', '29-JUL-2023', '1000', 'routine
maintenance', '29-JAN-2024', 'C0058');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M329', '05-AUG-2023', '320', 'routine
maintenance', '05-FEB-2024', 'C0104');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M344', '12-AUG-2023', '200', 'routine
maintenance', '12-FEB-2024', 'C0132');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M348', '19-AUG-2023', '200', 'routine
maintenance', '19-FEB-2024', 'C0018');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M353', '23-AUG-2023', '500', 'damage
repair', '', 'C0055');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M358', '26-AUG-2023', '400', 'routine
maintenance', '26-FEB-2024', 'C0059');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M372', '05-SEP-2023', '320', 'routine
maintenance', '05-MAR-2024', 'C0024');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M385', '12-SEP-2023', '150', 'routine
maintenance', '12-MAR-2024', 'C0162');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M395', '19-SEP-2023', '320', 'routine
maintenance', '19-MAR-2024', 'C0232');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M397', '26-SEP-2023', '400', 'routine
maintenance', '26-MAR-2024', 'C0125');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M402', '28-SEP-2023', '2100', 'damage
repair', '', 'C0043');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M408', '02-OCT-2023', '400', 'routine
maintenance', '02-APR-2024', 'C0117');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M423', '08-OCT-2023', '3600', 'damage
repair', '', 'C0140');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M449', '09-OCT-2023', '320', 'routine
maintenance', '09-APR-2024', 'C0043');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M466', '16-OCT-2023', '400', 'routine
maintenance', '16-APR-2024', 'C0083');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M479', '23-OCT-2023', '400', 'routine
maintenance', '23-APR-2024', 'C0209');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M482', '30-OCT-2023', '200', 'routine
maintenance', '30-APR-2024', 'C0023');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M495', '07-NOV-2023', '320', 'routine
maintenance', '07-MAY-2024', 'C0056');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M502', '14-NOV-2023', '800', 'routine
maintenance', '14-MAY-2024', 'C0093');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M510', '19-NOV-2023', '1500', 'damage
repair', '', 'C0117');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M515', '21-NOV-2023', '400', 'routine
maintenance', '21-MAY-2024', 'C0048');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M525', '28-NOV-2023', '1000', 'routine
maintenance', '28-MAY-2024', 'C0219');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M528', '04-DEC-2023', '450', 'routine
maintenance', '04-JUN-2024', 'C0240');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M546', '08-DEC-2023', '1500', 'damage
repair', '', 'C0083');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M540', '11-DEC-2023', '400', 'routine
maintenance', '11-JUN-2024', 'C0220');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('23M543', '18-DEC-2023', '400', 'routine
maintenance', '18-JUN-2024', 'C0033');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M021', '02-JAN-2024', '800', 'routine
maintenance', '01-JUL-2024', 'C0140');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M023', '08-JAN-2024', '450', 'routine
maintenance', '08-JUL-2024', 'C0088');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M033', '15-JAN-2024', '150', 'routine
maintenance', '15-JUL-2024', 'C0055');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M038', '17-JAN-2024', '3500', 'damage
repair', '', 'C0048');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M040', '22-JAN-2024', '320', 'routine
maintenance', '22-JUL-2024', 'C0175');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M046', '29-JAN-2024', '1000', 'routine
maintenance', '29-JUL-2024', 'C0058');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M054', '05-FEB-2024', '320', 'routine
maintenance', '05-AUG-2024', 'C0104');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M069', '12-FEB-2024', '200', 'routine
maintenance', '12-AUG-2024', 'C0132');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M072', '13-FEB-2024', '1000', 'damage
repair', '', 'C0033');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M073', '19-FEB-2024', '200', 'routine
maintenance', '19-AUG-2024', 'C0018');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M083', '26-FEB-2024', '400', 'routine
maintenance', '26-AUG-2024', 'C0059');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M097', '05-MAR-2024', '320', 'routine
maintenance', '05-SEP-2024', 'C0024');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M106', '07-MAR-2024', '1300', 'damage
repair', '', 'C0132');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M110', '12-MAR-2024', '150', 'routine
maintenance', '12-SEP-2024', 'C0162');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M120', '19-MAR-2024', '320', 'routine
maintenance', '19-SEP-2024', 'C0232');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M122', '26-MAR-2024', '400', 'routine
maintenance', '26-SEP-2024', 'C0125');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M133', '02-APR-2024', '400', 'routine
maintenance', '02-OCT-2024', 'C0117');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M164', '08-APR-2024', '1200', 'damage
repair', '', 'C0059');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M174', '09-APR-2024', '320', 'routine
maintenance', '09-OCT-2024', 'C0043');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M181', '13-APR-2024', '3000', 'damage
repair', '', 'C0088');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M191', '16-APR-2024', '400', 'routine
maintenance', '16-OCT-2024', 'C0083');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M204', '23-APR-2024', '400', 'routine
maintenance', '23-OCT-2024', 'C0209');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M206', '28-APR-2024', '500', 'damage
repair', '', 'C0162');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M207', '30-APR-2024', '200', 'routine
maintenance', '30-OCT-2024', 'C0023');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M220', '07-MAY-2024', '320', 'routine
maintenance', '07-NOV-2024', 'C0056');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M227', '14-MAY-2024', '800', 'routine
maintenance', '14-NOV-2024', 'C0093');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M240', '21-MAY-2024', '400', 'routine
maintenance', '21-NOV-2024', 'C0048');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M247', '25-MAY-2024', '1200', 'damage
repair', '', 'C0220');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M250', '28-MAY-2024', '1000', 'routine
maintenance', '28-NOV-2024', 'C0219');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M253', '04-JUN-2024', '450', 'routine
maintenance', '04-DEC-2024', 'C0240');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M265', '11-JUN-2024', '400', 'routine
maintenance', '11-DEC-2024', 'C0220');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M268', '18-JUN-2024', '400', 'routine
maintenance', '18-DEC-2024', 'C0033');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M273', '25-JUN-2024', '1000', 'damage
repair', '', 'C0125');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M296', '02-JUL-2024', '800', 'routine
maintenance', '02-JAN-2025', 'C0140');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M298', '08-JUL-2024', '450', 'routine
maintenance', '08-JAN-2025', 'C0088');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M303', '11-JUL-2024', '3500', 'damage
repair', '', 'C0209');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M308', '15-JUL-2024', '150', 'routine
maintenance', '15-JAN-2025', 'C0055');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M315', '22-JUL-2024', '320', 'routine
maintenance', '22-JAN-2025', 'C0175');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M321', '29-JUL-2024', '1000', 'routine
maintenance', '29-JAN-2025', 'C0058');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M329', '05-AUG-2024', '320', 'routine
maintenance', '05-FEB-2025', 'C0104');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M344', '12-AUG-2024', '200', 'routine
maintenance', '12-FEB-2025', 'C0132');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M346', '15-AUG-2024', '3600', 'damage
repair', '', 'C0093');
```

```
INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M348', '19-AUG-2024', '200', 'routine
maintenance', '19-FEB-2025', 'C0018');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M358', '26-AUG-2024', '400', 'routine
maintenance', '26-FEB-2025', 'C0059');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M366', '01-SEP-2024', '2100', 'damage
repair', '', 'C0104');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M372', '05-SEP-2024', '320', 'routine
maintenance', '05-MAR-2025', 'C0024');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M385', '12-SEP-2024', '150', 'routine
maintenance', '12-MAR-2025', 'C0162');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M395', '19-SEP-2024', '320', 'routine
maintenance', '19-MAR-2025', 'C0232');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M396', '23-SEP-2024', '1000', 'damage
repair', '', 'C0175');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M397', '26-SEP-2024', '400', 'routine
maintenance', '26-MAR-2025', 'C0125');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M408', '02-OCT-2024', '400', 'routine
maintenance', '02-APR-2025', 'C0117');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M449', '09-OCT-2024', '320', 'routine
maintenance', '09-APR-2025', 'C0043');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M458', '13-OCT-2024', '4500', 'damage
repair', '', 'C0219');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M466', '16-OCT-2024', '400', 'routine
maintenance', '16-APR-2025', 'C0083');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M479', '23-OCT-2024', '400', 'routine
maintenance', '23-APR-2025', 'C0209');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M480', '25-OCT-2024', '3000', 'damage
repair', '', 'C0240');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M482', '30-OCT-2024', '200', 'routine
maintenance', '30-APR-2025', 'C0023');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type,
next_mainte_date, car_id) VALUES ('24M495', '07-NOV-2024', '320', 'routine
maintenance', '07-MAY-2025', 'C0056');
```

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M502', '14-NOV-2024', '800', 'routine maintenance', '14-MAY-2025', 'C0093');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M515', '21-NOV-2024', '400', 'routine maintenance', '21-MAY-2025', 'C0048');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M517', '22-NOV-2024', '4500', 'damage repair', '', 'C0058');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M525', '28-NOV-2024', '1000', 'routine maintenance', '28-MAY-2025', 'C0219');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M528', '04-DEC-2024', '450', 'routine maintenance', '04-JUN-2025', 'C0240');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M540', '11-DEC-2024', '400', 'routine maintenance', '11-JUN-2025', 'C0220');

INSERT INTO Maintenance (mainte_id, mainte_date, mainte_fees, mainte_type, next_mainte_date, car_id) VALUES ('24M543', '18-DEC-2024', '400', 'routine maintenance', '18-JUN-2025', 'C0033');

5.4 Payment

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0222', '05-Jan-2023', '1126', '1200', '1400', '420', '3020', 'PAID', '23T0222', '23R0222');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0247', '14-Jan-2023', '2024', '5000', '840', '240', '6080', 'PAID', '23T0247', '23R0247');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0264', '19-Jan-2023', '2105', '700', '560', '160', '1420', 'PAID', '23T0264', '23R0264');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0268', '26-Jan-2023', '0358', '1200', '1400', '420', '3020', 'CANCELLED', '23T0268', '23R0268');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0270', '06-Feb-2023', '0655', '1200', '1160', '300', '2660', 'PAID', '23T0270', '23R0270');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0335', '11-Feb-2023', '0043', '2000', '450', '120', '2570', 'PAID', '23T0335', '23R0335');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0398', '15-Feb-2023', '0108', '2000', '1400', '500', '3900', 'CANCELLED', '23T0398', '23R0398');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0471',
'16-Feb-2023', '2138', '3000', '520', '160', '3680', 'CANCELLED', '23T0471',
'23R0471');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0615',
'10-Mar-2023', '0831', '3000', '1960', '560', '5520', 'PAID', '23T0615',
'23R0615');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0630',
'10-Mar-2023', '0338', '700', '600', '180', '1480', 'CANCELLED', '23T0630',
'23R0630');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0672',
'31-Mar-2023', '1655', '2000', '1200', '360', '3560', 'CANCELLED', '23T0672',
'23R0672');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0694',
'07-Apr-2023', '0032', '3000', '1200', '320', '4520', 'CANCELLED', '23T0694',
'23R0694');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0731',
'09-Apr-2023', '1040', '700', '1680', '480', '2860', 'CANCELLED', '23T0731',
'23R0731');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0862',
'12-Apr-2023', '0316', '1200', '1160', '300', '2660', 'CANCELLED', '23T0862',
'23R0862');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P0975',
'22-Apr-2023', '0854', '1200', '3360', '840', '5400', 'CANCELLED', '23T0975',
'23R0975');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1216',
'07-May-2023', '1640', '1200', '280', '80', '1560', 'CANCELLED', '23T1216',
'23R1216');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1234',
'13-May-2023', '0439', '2000', '400', '120', '2520', 'PAID', '23T1234',
'23R1234');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1287',
'17-May-2023', '2300', '700', '1680', '480', '2860', 'CANCELLED', '23T1287',
'23R1287');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1389',
'18-May-2023', '1244', '2000', '400', '120', '2520', 'PAID', '23T1389',
'23R1389');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1414',
'24-May-2023', '0844', '700', '2880', '720', '4300', 'CANCELLED', '23T1414',
'23R1414');

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1693',
'28-May-2023', '2312', '2000', '910', '280', '3190', 'CANCELLED', '23T1693',
'23R1693');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1919',
'30-May-2023', '1242', '2000', '1680', '480', '4160', 'PAID', '23T1919',
'23R1919');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P1973',
'31-May-2023', '1149', '5000', '200', '60', '5260', 'PAID', '23T1973',
'23R1973');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2053',
'02-Jun-2023', '1407', '3000', '800', '240', '4040', 'CANCELLED', '23T2053',
'23R2053');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2153',
'03-Jun-2023', '2214', '2000', '280', '80', '2360', 'PAID', '23T2153',
'23R2153');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2194',
'09-Jun-2023', '1620', '3000', '1400', '420', '4820', 'PAID', '23T2194',
'23R2194');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2382',
'09-Jun-2023', '0650', '1200', '1400', '420', '3020', 'CANCELLED', '23T2382',
'23R2382');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2394',
'13-Jun-2023', '2327', '1200', '200', '60', '1460', 'CANCELLED', '23T2394',
'23R2394');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2483',
'15-Jun-2023', '0151', '2000', '1960', '560', '4520', 'CANCELLED', '23T2483',
'23R2483');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2531',
'17-Jun-2023', '0116', '1200', '2800', '840', '4840', 'PAID', '23T2531',
'23R2531');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2719',
'28-Jun-2023', '0550', '2000', '140', '40', '2180', 'CANCELLED', '23T2719',
'23R2719');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2838',
'02-Jul-2023', '1042', '700', '1200', '320', '2220', 'PAID', '23T2838',
'23R2838');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2881',
'06-Jul-2023', '1254', '2000', '1400', '400', '3800', 'CANCELLED', '23T2881',
'23R2881');
```

```
INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2962',
'14-Jul-2023', '2146', '1200', '2900', '750', '4850', 'PAID', '23T2962',
'23R2962');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2965',
'16-Jul-2023', '2022', '5000', '840', '240', '6080', 'PAID', '23T2965',
'23R2965');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P2980',
'26-Jul-2023', '0333', '2000', '300', '80', '2380', 'CANCELLED', '23T2980',
'23R2980');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3102',
'13-Aug-2023', '2245', '2000', '1500', '400', '3900', 'PAID', '23T3102',
'23R3102');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3146',
'17-Aug-2023', '2218', '700', '1500', '400', '2600', 'CANCELLED', '23T3146',
'23R3146');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3154',
'22-Aug-2023', '1345', '2000', '1400', '400', '3800', 'CANCELLED', '23T3154',
'23R3154');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3255',
'29-Aug-2023', '1954', '1200', '650', '200', '2050', 'PAID', '23T3255',
'23R3255');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3381',
'04-Sep-2023', '0416', '3000', '2880', '720', '6600', 'PAID', '23T3381',
'23R3381');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3414',
'20-Sep-2023', '1104', '700', '3500', '1250', '5450', 'PAID', '23T3414',
'23R3414');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3539',
'24-Sep-2023',  '0503',  '3000',  '4200',  '1500',  '8700',  'CANCELLED',
'23T3539', '23R3539');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3630',
'03-Oct-2023', '2256', '3000', '3480', '900', '7380', 'CANCELLED', '23T3630',
'23R3630');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3691',
'09-Oct-2023', '1415', '5000', '840', '240', '6080', 'CANCELLED', '23T3691',
'23R3691');

INSERT INTO Payment (pay_id, pay_date  , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3728',
'11-Oct-2023', '1602', '2000', '2880', '720', '5600', 'CANCELLED', '23T3728',
'23R3728');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3779',
'20-Oct-2023', '1104', '700', '910', '280', '1890', 'PAID', '23T3779',
'23R3779');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3855',
'25-Oct-2023', '1403', '2000', '1960', '560', '4520', 'PAID', '23T3855',
'23R3855');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3932',
'04-Nov-2023', '1929', '700', '980', '280', '1960', 'PAID', '23T3932',
'23R3932');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P3992',
'08-Nov-2023', '0635', '1200', '1000', '300', '2500', 'CANCELLED', '23T3992',
'23R3992');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P4043',
'15-Nov-2023', '1546', '5000', '1000', '300', '6300', 'CANCELLED', '23T4043',
'23R4043');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P4185',
'20-Nov-2023', '1256', '2000', '3920', '1120', '7040', 'CANCELLED',
'23T4185', '23R4185');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P4211',
'27-Nov-2023', '0956', '2000', '1400', '420', '3820', 'CANCELLED', '23T4211',
'23R4211');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P4239',
'29-Nov-2023', '1758', '2000', '2100', '750', '4850', 'PAID', '23T4239',
'23R4239');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P4383',
'11-Dec-2023', '0031', '1200', '840', '240', '2280', 'CANCELLED', '23T4383',
'23R4383');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P5067',
'18-Dec-2023', '2115', '1200', '2880', '720', '4800', 'PAID', '23T5067',
'23R5067');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('23P5218',
'22-Dec-2023', '0305', '2000', '650', '200', '2850', 'CANCELLED',
'23R5218');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0050',
'03-Jan-2024', '0852', '1200', '3920', '1120', '6240', 'PAID', '24T0050',
'24R0050');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0066',
'11-Jan-2024', '1836', '3000', '2320', '600', '5920', 'PAID', '24T0066',
'24R0066');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0098',
'11-Jan-2024', '1710', '700', '750', '200', '1650', 'PAID', '24T0098',
'24R0098');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0171',
'12-Jan-2024', '2336', '700', '1200', '320', '2220', 'CANCELLED', '24T0171',
'24R0171');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0275',
'16-Jan-2024', '0743', '1200', '1200', '360', '2760', 'CANCELLED', '24T0275',
'24R0275');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0281',
'18-Jan-2024', '1100', '2000', '780', '240', '3020', 'PAID', '24T0281',
'24R0281');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0337',
'19-Jan-2024', '2252', '1200', '2800', '840', '4840', 'PAID', '24T0337',
'24R0337');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0373',
'01-Feb-2024', '1909', '700', '700', '250', '1650', 'CANCELLED', '24T0373',
'24R0373');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0386',
'03-Feb-2024', '0942', '2000', '840', '240', '3080', 'CANCELLED', '24T0386',
'24R0386');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0534',
'08-Feb-2024', '1311', '2000', '400', '120', '2520', 'PAID', '24T0534',
'24R0534');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0610',
'09-Feb-2024', '0042', '700', '1960', '560', '3220', 'CANCELLED', '24T0610',
'24R0610');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0651',
'27-Feb-2024', '0908', '5000', '840', '240', '6080', 'CANCELLED', '24T0651',
'24R0651');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0703',
'28-Feb-2024', '1443', '700', '1960', '560', '3220', 'CANCELLED', '24T0703',
'24R0703');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0711',
'29-Feb-2024', '1817', '3000', '1000', '300', '4300', 'CANCELLED', '24T0711',
'24R0711');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0755',
'29-Feb-2024', '0538', '1200', '200', '60', '1460', 'PAID', '24T0755',
'24R0755');
```

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0796',
'03-Mar-2024', '1944', '3000', '4060', '1050', '8110', 'CANCELLED',
'24T0796', '24R0796');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0820',
'04-Mar-2024', '0058', '2000', '1200', '360', '3560', 'PAID', '24T0820',
'24R0820');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P0990',
'05-Mar-2024', '1012', '3000', '560', '160', '3720', 'PAID', '24T0990',
'24R0990');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1018',
'06-Mar-2024', '0258', '2000', '1440', '360', '3800', 'PAID', '24T1018',
'24R1018');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1037',
'07-Mar-2024', '2307', '700', '280', '80', '1060', 'CANCELLED', '24T1037',
'24R1037');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1042',
'08-Mar-2024', '1050', '700', '1400', '500', '2600', 'PAID', '24T1042',
'24R1042');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1101',
'13-Mar-2024', '0018', '2000', '1740', '450', '4190', 'CANCELLED', '24T1101',
'24R1101');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1155',
'14-Mar-2024', '0907', '3000', '1400', '400', '4800', 'PAID', '24T1155',
'24R1155');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1235',
'14-Mar-2024', '0252', '2000', '2880', '720', '5600', 'PAID', '24T1235',
'24R1235');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1262',
'21-Mar-2024', '0854', '3000', '1920', '480', '5400', 'CANCELLED', '24T1262',
'24R1262');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1312',
'21-Mar-2024', '1015', '3000', '700', '250', '3950', 'CANCELLED', '24T1312',
'24R1312');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1340',
'24-Mar-2024', '1527', '700', '1960', '560', '3220', 'PAID', '24T1340',
'24R1340');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1408',
'27-Mar-2024', '1630', '2000', '1960', '560', '4520', 'PAID', '24T1408',
'24R1408');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1413',
'27-Mar-2024', '2342', '1200', '3920', '1120', '6240', 'PAID', '24T1413',
'24R1413');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1431',
'29-Mar-2024', '0329', '2000', '1400', '420', '3820', 'PAID', '24T1431',
'24R1431');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1488',
'03-Apr-2024', '0203', '5000', '580', '150', '5730', 'PAID', '24T1488',
'24R1488');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1525',
'04-Apr-2024', '1006', '700', '4200', '1120', '6020', 'CANCELLED', '24T1525',
'24R1525');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1530',
'04-Apr-2024', '2023', '2000', '450', '120', '2570', 'CANCELLED', '24T1530',
'24R1530');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1536',
'06-Apr-2024', '1656', '5000', '1400', '500', '6900', 'PAID', '24T1536',
'24R1536');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1575',
'06-Apr-2024', '0222', '1200', '400', '120', '1720', 'PAID', '24T1575',
'24R1575');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1588',
'12-Apr-2024', '2126', '1200', '3920', '1120', '6240', 'CANCELLED',
'24T1588', '24R1588');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1591',
'12-Apr-2024', '1725', '1200', '600', '160', '1960', 'PAID', '24T1591',
'24R1591');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1621',
'12-Apr-2024', '1137', '2000', '1820', '560', '4380', 'CANCELLED', '24T1621',
'24R1621');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1699',
'14-Apr-2024', '2351', '3000', '1000', '300', '4300', 'CANCELLED', '24T1699',
'24R1699');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1714',
'17-Apr-2024', '0308', '700', '840', '240', '1780', 'PAID', '24T1714',
'24R1714');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1721',
'19-Apr-2024', '0828', '2000', '9800', '3500', '15300', 'CANCELLED',
'24T1721', '24R1721');

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1763',
'23-Apr-2024', '1506', '1200', '3920', '1120', '6240', 'CANCELLED',
'24T1763', '24R1763');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1783',
'24-Apr-2024', '0503', '1200', '2100', '560', '3860', 'PAID', '24T1783',
'24R1783');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1800',
'24-Apr-2024', '1135', '1200', '3920', '1120', '6240', 'CANCELLED',
'24T1800', '24R1800');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1829',
'30-Apr-2024', '0520', '2000', '260', '80', '2340', 'PAID', '24T1829',
'24R1829');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1852',
'01-May-2024', '2043', '700', '840', '240', '1780', 'CANCELLED', '24T1852',
'24R1852');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1972',
'06-May-2024', '0130', '3000', '420', '120', '3540', 'PAID', '24T1972',
'24R1972');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P1999',
'08-May-2024', '0443', '700', '200', '60', '960', 'CANCELLED', '24T1999',
'24R1999');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2004',
'08-May-2024', '0939', '2000', '560', '160', '2720', 'PAID', '24T2004',
'24R2004');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2017',
'10-May-2024', '1232', '1200', '1200', '360', '2760', 'PAID', '24T2017',
'24R2017');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2041',
'11-May-2024', '0533', '1200', '140', '40', '1380', 'PAID', '24T2041',
'24R2041');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2086',
'13-May-2024', '2345', '2000', '1200', '360', '3560', 'CANCELLED', '24T2086',
'24R2086');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2091',
'22-May-2024', '0211', '1200', '4900', '1750', '7850', 'PAID', '24T2091',
'24R2091');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2105',
'26-May-2024', '1948', '2000', '4200', '1120', '7320', 'CANCELLED',
'24T2105', '24R2105');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2117',
'30-May-2024', '1308', '1200', '1400', '420', '3020', 'CANCELLED', '24T2117',
'24R2117');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2164',
'31-May-2024', '1936', '1200', '3480', '900', '5580', 'CANCELLED', '24T2164',
'24R2164');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2197',
'04-Jun-2024', '0019', '2000', '3920', '1120', '7040', 'PAID', '24T2197',
'24R2197');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2219',
'05-Jun-2024', '2243', '3000', '1960', '560', '5520', 'CANCELLED', '24T2219',
'24R2219');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2223',
'09-Jun-2024', '0228', '2000', '600', '180', '2780', 'PAID', '24T2223',
'24R2223');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2254',
'11-Jun-2024', '0118', '2000', '1200', '360', '3560', 'PAID', '24T2254',
'24R2254');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2276',
'14-Jun-2024', '2246', '700', '450', '120', '1270', 'CANCELLED', '24T2276',
'24R2276');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2277',
'14-Jun-2024', '0315', '3000', '1120', '320', '4440', 'PAID', '24T2277',
'24R2277');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2311',
'15-Jun-2024', '0548', '5000', '4060', '1050', '10110', 'PAID', '24T2311',
'24R2311');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2317',
'16-Jun-2024', '0451', '700', '1000', '300', '2000', 'CANCELLED', '24T2317',
'24R2317');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2342',
'18-Jun-2024', '0526', '2000', '3920', '1120', '7040', 'PAID', '24T2342',
'24R2342');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2355',
'30-Jun-2024', '0047', '700', '6720', '1680', '9100', 'PAID', '24T2355',
'24R2355');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2399',
'30-Jun-2024', '1552', '5000', '1200', '320', '6520', 'CANCELLED', '24T2399',
'24R2399');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2426',
'10-Jul-2024', '2050', '3000', '1400', '420', '4820', 'CANCELLED', '24T2426',
'24R2426');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2460',
'11-Jul-2024', '1331', '2000', '1820', '560', '4380', 'CANCELLED', '24T2460',
'24R2460');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2572',
'12-Jul-2024', '0030', '3000', '560', '160', '3720', 'CANCELLED', '24T2572',
'24R2572');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2665',
'12-Jul-2024', '2338', '700', '1680', '480', '2860', 'CANCELLED', '24T2665',
'24R2665');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2668',
'17-Jul-2024', '1146', '700', '260', '80', '1040', 'PAID', '24T2668',
'24R2668');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2720',
'17-Jul-2024', '0449', '1200', '280', '80', '1560', 'CANCELLED', '24T2720',
'24R2720');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2762',
'18-Jul-2024', '0423', '1200', '2800', '1000', '5000', 'CANCELLED',
'24T2762', '24R2762');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2769',
'23-Jul-2024', '1817', '1200', '260', '80', '1540', 'CANCELLED', '24T2769',
'24R2769');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2810',
'23-Jul-2024', '1612', '1200', '3360', '840', '5400', 'PAID', '24T2810',
'24R2810');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2811',
'26-Jul-2024', '1637', '700', '8120', '2100', '10920', 'CANCELLED',
'24T2811', '24R2811');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2812',
'28-Jul-2024', '2144', '3000', '900', '240', '4140', 'PAID', '24T2812',
'24R2812');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2820',
'28-Jul-2024', '1010', '5000', '600', '180', '5780', 'PAID', '24T2820',
'24R2820');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2824',
'29-Jul-2024', '0450', '2000', '840', '240', '3080', 'PAID', '24T2824',
'24R2824');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2897',
'05-Aug-2024', '0144', '3000', '1400', '420', '4820', 'PAID', '24T2897',
'24R2897');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2955',
'05-Aug-2024', '0637', '2000', '4900', '1750', '8650', 'PAID', '24T2955',
'24R2955');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P2984',
'07-Aug-2024', '0031', '2000', '1400', '420', '3820', 'CANCELLED', '24T2984',
'24R2984');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3054',
'11-Aug-2024', '1307', '2000', '280', '80', '2360', 'PAID', '24T3054',
'24R3054');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3104',
'11-Aug-2024', '2201', '1200', '2320', '600', '4120', 'PAID', '24T3104',
'24R3104');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3105',
'16-Aug-2024', '2204', '3000', '1440', '360', '4800', 'CANCELLED', '24T3105',
'24R3105');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3106',
'17-Aug-2024', '1450', '5000', '280', '80', '5360', 'CANCELLED', '24T3106',
'24R3106');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3133',
'22-Aug-2024', '1528', '1200', '960', '240', '2400', 'CANCELLED', '24T3133',
'24R3133');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3155',
'24-Aug-2024', '2314', '2000', '2100', '560', '4660', 'PAID', '24T3155',
'24R3155');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3169',
'25-Aug-2024',  '0835', '2000', '3920', '1120', '7040', 'CANCELLED',
'24T3169', '24R3169');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3217',
'28-Aug-2024', '0704', '2000', '560', '160', '2720', 'PAID', '24T3217',
'24R3217');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3227',
'29-Aug-2024', '1757', '700', '1000', '300', '2000', 'PAID', '24T3227',
'24R3227');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3269',
'30-Aug-2024', '1040', '700', '910', '280', '1890', 'PAID', '24T3269',
'24R3269');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3283',
'04-Sep-2024', '0521', '2000', '780', '240', '3020', 'CANCELLED', '24T3283',
'24R3283');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3353',
'06-Sep-2024', '0731', '1200', '1500', '400', '3100', 'PAID', '24T3353',
'24R3353');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3415',
'06-Sep-2024', '1501', '700', '420', '120', '1240', 'CANCELLED', '24T3415',
'24R3415');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3443',
'07-Sep-2024', '0810', '5000', '4200', '1500', '10700', 'PAID', '24T3443',
'24R3443');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3447',
'09-Sep-2024', '1950', '2000', '4200', '1120', '7320', 'CANCELLED',
'24T3447', '24R3447');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3499',
'10-Sep-2024', '1950', '1200', '1160', '300', '2660', 'CANCELLED', '24T3499',
'24R3499');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3535',
'14-Sep-2024', '1116', '1200', '420', '120', '1740', 'PAID', '24T3535',
'24R3535');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3590',
'14-Sep-2024', '2338', '2000', '800', '240', '3040', 'PAID', '24T3590',
'24R3590');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3598',
'17-Sep-2024', '2212', '3000', '400', '120', '3520', 'PAID', '24T3598',
'24R3598');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3614',
'19-Sep-2024', '1447', '2000', '4200', '1120', '7320', 'CANCELLED',
'24T3614', '24R3614');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3702',
'24-Sep-2024', '1845', '3000', '1120', '320', '4440', 'PAID', '24T3702',
'24R3702');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3754',
'25-Sep-2024', '1553', '700', '750', '200', '1650', 'PAID', '24T3754',
'24R3754');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3761',
'26-Sep-2024', '1738', '3000', '1440', '360', '4800', 'CANCELLED', '24T3761',
'24R3761');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3776',
'01-Oct-2024', '0642', '2000', '3360', '840', '6200', 'CANCELLED', '24T3776',
'24R3776');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3785',
'02-Oct-2024', '1117', '1200', '560', '160', '1920', 'PAID', '24T3785',
'24R3785');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P3929',
'05-Oct-2024', '1955', '700', '580', '150', '1430', 'PAID', '24T3929',
'24R3929');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4136',
'09-Oct-2024', '0647', '1200', '1500', '400', '3100', 'PAID', '24T4136',
'24R4136');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4165',
'11-Oct-2024', '2047', '5000', '780', '240', '6020', 'CANCELLED', '24T4165',
'24R4165');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4167',
'16-Oct-2024', '1325', '2000', '280', '80', '2360', 'CANCELLED', '24T4167',
'24R4167');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4199',
'17-Oct-2024', '1952', '3000', '1120', '320', '4440', 'PAID', '24T4199',
'24R4199');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4233',
'18-Oct-2024', '1213', '700', '910', '280', '1890', 'PAID', '24T4233',
'24R4233');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4257',
'19-Oct-2024', '1419', '2000', '2880', '720', '5600', 'PAID', '24T4257',
'24R4257');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4290',
'19-Oct-2024', '0524', '1200', '960', '240', '2400', 'PAID', '24T4290',
'24R4290');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4356',
'20-Oct-2024', '1044', '700', '2800', '840', '4340', 'CANCELLED', '24T4356',
'24R4356');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4362',
'20-Oct-2024', '0733', '2000', '1120', '320', '3440', 'CANCELLED', '24T4362',
'24R4362');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4407',
'23-Oct-2024', '0037', '5000', '2800', '1000', '8800', 'CANCELLED',
'24T4407', '24R4407');
```

```
INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4483',
'24-Oct-2024', '2231', '700', '200', '60', '960', 'PAID', '24T4483',
'24R4483');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4488',
'02-Nov-2024', '1410', '1200', '560', '160', '1920', 'CANCELLED', '24T4488',
'24R4488');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4548',
'04-Nov-2024', '0348', '1200', '1400', '400', '3000', 'CANCELLED', '24T4548',
'24R4548');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4549',
'04-Nov-2024', '2133', '2000', '1500', '400', '3900', 'PAID', '24T4549',
'24R4549');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4553',
'14-Nov-2024', '0120', '700', '1400', '500', '2600', 'CANCELLED', '24T4553',
'24R4553');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4621',
'15-Nov-2024', '1836', '2000', '800', '240', '3040', 'CANCELLED', '24T4621',
'24R4621');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4672',
'17-Nov-2024', '0928', '3000', '800', '240', '4040', 'CANCELLED', '24T4672',
'24R4672');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4718',
'01-Dec-2024', '0204', '2000', '1400', '400', '3800', 'PAID', '24T4718',
'24R4718');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4758',
'01-Dec-2024', '2319', '2000', '700', '200', '2900', 'PAID', '24T4758',
'24R4758');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4958',
'01-Dec-2024', '2212', '700', '200', '60', '960', 'PAID', '24T4958',
'24R4958');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P4986',
'02-Dec-2024', '0112', '3000', '1000', '300', '4300', 'CANCELLED', '24T4986',
'24R4986');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5041',
'07-Dec-2024', '0825', '3000', '1680', '480', '5160', 'PAID', '24T5041',
'24R5041');

INSERT INTO Payment (pay_id, pay_date   , pay_time    , deposit, rental_amt,
insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5053',
'10-Dec-2024', '2251', '1200', '1680', '480', '3360', 'CANCELLED', '24T5053',
'24R5053');
```

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5058', '10-Dec-2024', '2211', '2000', '3920', '1120', '7040', 'PAID', '24T5058', '24R5058');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5060', '11-Dec-2024', '1959', '2000', '8120', '2100', '12220', 'CANCELLED', '24T5060', '24R5060');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5089', '11-Dec-2024', '0739', '700', '2100', '560', '3360', 'CANCELLED', '24T5089', '24R5089');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5156', '16-Dec-2024', '0605', '1200', '1160', '300', '2660', 'PAID', '24T5156', '24R5156');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5220', '22-Dec-2024', '1720', '2000', '800', '240', '3040', 'PAID', '24T5220', '24R5220');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5314', '23-Dec-2024', '1615', '2000', '1400', '400', '3800', 'CANCELLED', '24T5314', '24R5314');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5378', '25-Dec-2024', '0151', '3000', '600', '180', '3780', 'CANCELLED', '24T5378', '24R5378');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5385', '27-Dec-2024', '0624', '1200', '650', '200', '2050', 'PAID', '24T5385', '24R5385');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5395', '27-Dec-2024', '2133', '700', '2100', '750', '3550', 'PAID', '24T5395', '24R5395');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5410', '28-DEC-2024', '0912', '5000', '400', '120', '5520', 'CANCELLED', '24T5410', '24R5410');

INSERT INTO Payment (pay_id, pay_date   , pay_time   , deposit, rental_amt, insurance_amt , pay_amt , pay_stat, receipt_no, reserv_id) VALUES ('24P5429', '30-DEC-2024', '2218', '1200', '400', '120', '1720', 'PAID', '24T5429', '24R5429');

5.5 Reservation

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R0222', '23-Feb-2023', '7', 'COMPLETED', 'KKIA', 'KKIA', '23C0160', 'C0043');

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0247',  '25-Jan-2023',  '2',  'COMPLETED',  'PIA',  'PIA',  '23C0152',
'C0219');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0264',  '26-Feb-2023',  '4',  'COMPLETED',  'LGK',  'LGK',  '23C0154',
'C0162');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0268',  '08-Feb-2023',  '3',  'CANCELLED',  'LGK',  'LGK',  '23C0236',
'C0056');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0270',  '08-Apr-2023',  '6',  'COMPLETED',  'PIA',  'PIA',  '23C0351',
'C0024');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0335',  '10-Mar-2023',  '4',  'COMPLETED',  'KLIA',  'KLIA',  '23C0360',
'C0033');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0398',  '12-Mar-2023',  '6',  'CANCELLED',  'KKIA',  'KKIA',  '23C0492',
'C0083');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0471',  '18-Apr-2023',  '2',  'CANCELLED',  'LGK',  'LGK',  '23C0418',
'C0093');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0615',  '05-Apr-2023',  '7',  'COMPLETED',  'PIA',  'PIA',  '23C0511',
'C0088');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0630',  '30-Apr-2023',  '2',  'CANCELLED',  'KLIA',  'KLIA',  '23C0513',
'C0132');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0672',  '10-Apr-2023',  '6',  'CANCELLED',  'KKIA',  'KKIA',  '23C0717',
'C0209');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0694',  '01-May-2023',  '6',  'CANCELLED',  'LGK',  'LGK',  '23C0795',
'C0240');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0731',  '29-May-2023',  '7',  'CANCELLED',  'LGK',  'LGK',  '23C0250',
'C0055');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R0862',  '20-May-2023',  '4',  'CANCELLED',  'PIA',  'PIA',  '23C0855',
'C0232');
```

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R0975', '15-May-2023', '7', 'CANCELLED', 'KKIA', 'KKIA', '23C0860', 'C0175');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1216', '07-May-2023', '1', 'CANCELLED', 'LGK', 'LGK', '23C1018', 'C0104');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1234', '24-Jun-2023', '7', 'COMPLETED', 'LGK', 'LGK', '23C1100', 'C0220');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1287', '20-May-2023', '1', 'CANCELLED', 'LGK', 'LGK', '23C0867', 'C0018');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1389', '12-Jul-2023', '5', 'COMPLETED', 'KKIA', 'KKIA', '23C1181', 'C0059');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1414', '07-Jul-2023', '2', 'CANCELLED', 'LGK', 'LGK', '23C0875', 'C0023');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1693', '02-Jun-2023', '5', 'CANCELLED', 'KLIA', 'KLIA', '23C1215', 'C0125');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1919', '10-Jul-2023', '5', 'COMPLETED', 'LGK', 'LGK', '23C1326', 'C0117');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R1973', '10-Jun-2023', '6', 'COMPLETED', 'LGK', 'LGK', '23C1462', 'C0058');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R2053', '22-Jun-2023', '6', 'CANCELLED', 'KKIA', 'KKIA', '23C1575', 'C0140');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R2153', '11-Jun-2023', '3', 'COMPLETED', 'PIA', 'PIA', '23C1660', 'C0048');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R2194', '01-Jul-2023', '6', 'COMPLETED', 'PIA', 'PIA', '23C1778', 'C0088');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('23R2382', '07-Aug-2023', '5', 'CANCELLED', 'KLIA', 'KLIA', '23C1814', 'C0043');

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2394',  '11-Jul-2023',  '5',  'CANCELLED',  'PIA',  'PIA',  '23C1837',
'C0175');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2483',  '18-Jul-2023',  '14',  'CANCELLED',  'KLIA',  'KLIA',  '23C2031',
'C0083');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2531',  '01-Aug-2023',  '7',  'COMPLETED',  'LGK',  'LGK',  '23C2067',
'C0056');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2719',  '23-Aug-2023',  '3',  'CANCELLED',  'LGK',  'LGK',  '23C2141',
'C0209');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2838',  '18-Aug-2023',  '5',  'COMPLETED',  'PIA',  'PIA',  '23C0875',
'C0162');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2881',  '21-Aug-2023',  '4',  'CANCELLED',  'LGK',  'LGK',  '23C2145',
'C0125');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2962',  '28-Aug-2023',  '6',  'COMPLETED',  'KKIA',  'KKIA',  '23C2229',
'C0024');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2965',  '25-Aug-2023',  '1',  'COMPLETED',  'LGK',  'LGK',  '23C2296',
'C0058');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R2980',  '30-Jul-2023',  '3',  'CANCELLED',  'PIA',  'PIA',  '23C2317',
'C0117');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3102',  '15-Aug-2023',  '7',  'COMPLETED',  'LGK',  'LGK',  '23C2396',
'C0220');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3146',  '17-Sep-2023',  '6',  'CANCELLED',  'PIA',  'PIA',  '23C0875',
'C0018');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3154',  '26-Aug-2023',  '7',  'CANCELLED',  'LGK',  'LGK',  '23C0860',
'C0059');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3255',  '15-Oct-2023',  '5',  'COMPLETED',  'PIA',  'PIA',  '23C2411',
'C0232');
```

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3381',  '26-Oct-2023',  '7',  'COMPLETED',  'PIA',  'PIA',  '23C2399',
'C0140');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3414',  '17-Nov-2023',  '2',  'COMPLETED',  'LGK',  'LGK',  '23C2420',
'C0132');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3539',  '02-Oct-2023',  '3',  'CANCELLED',  'LGK',  'LGK',  '23C2486',
'C0093');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3630',  '23-Nov-2023',  '4',  'CANCELLED',  'PIA',  'PIA',  '23C2596',
'C0240');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3691',  '23-Oct-2023',  '1',  'CANCELLED',  'KKIA',  'KKIA',  '23C2627',
'C0219');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3728',  '31-Oct-2023',  '14',  'CANCELLED',  'LGK',  'LGK',  '23C2643',
'C0033');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3779',  '27-Oct-2023',  '3',  'COMPLETED',  'PIA',  'PIA',  '23C0250',
'C0023');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3855',  '08-Nov-2023',  '14',  'COMPLETED',  'KKIA',  'KKIA',  '23C2732',
'C0048');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3932',  '02-Dec-2023',  '14',  'COMPLETED',  'PIA',  'PIA',  '23C0875',
'C0055');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R3992',  '01-Jan-2024',  '5',  'CANCELLED',  'PIA',  'PIA',  '23C2818',
'C0104');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R4043',  '02-Jan-2024',  '14',  'CANCELLED',  'LGK',  'LGK',  '23C0795',
'C0219');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R4185',  '19-Dec-2023',  '14',  'CANCELLED',  'LGK',  'LGK',  '23C2827',
'C0117');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R4211',  '16-Dec-2023',  '14',  'CANCELLED',  'PIA',  'PIA',  '23C2876',
'C0059');
```

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R4239',  '20-Dec-2023',  '3',  'COMPLETED',  'PIA',  'PIA',  '23C2884',
'C0220');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R4383',  '22-Dec-2023',  '1',  'CANCELLED',  'KLIA',  'KLIA',  '23C0351',
'C0043');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R5067',  '14-Jan-2024',  '6',  'COMPLETED',  'KLIA',  'KLIA',  '23C2922',
'C0024');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('23R5218',  '18-Jan-2024',  '14',  'CANCELLED',  'LGK',  'LGK',  '23C2985',
'C0125');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0050',  '09-Jan-2024',  '7',  'COMPLETED',  'LGK',  'LGK',  '24C0019',
'C0232');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0066',  '01-Mar-2024',  '6',  'COMPLETED',  'LGK',  'LGK',  '24C0029',
'C0140');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0098',  '09-Feb-2024',  '14',  'COMPLETED',  'KKIA',  'KKIA',  '24C0082',
'C0018');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0171',  '20-Jan-2024',  '3',  'CANCELLED',  'KKIA',  'KKIA',  '24C0153',
'C0023');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0275',  '14-Mar-2024',  '5',  'CANCELLED',  'LGK',  'LGK',  '24C0175',
'C0056');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0281',  '20-Jan-2024',  '4',  'COMPLETED',  'KKIA',  'KKIA',  '24C0177',
'C0033');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0337',  '07-Feb-2024',  '7',  'COMPLETED',  'LGK',  'LGK',  '24C0353',
'C0104');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0373',  '20-Mar-2024',  '14',  'CANCELLED',  'LGK',  'LGK',  '24C0335',
'C0055');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0386',  '17-Feb-2024',  '2',  'CANCELLED',  'KKIA',  'KKIA',  '24C0417',
'C0083');
```

```
INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0534', '03-Mar-2024', '6', 'COMPLETED', 'KKIA', 'KKIA', '24C0423',
'C0048');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0610', '01-Mar-2024', '2', 'CANCELLED', 'KLIA', 'KLIA', '23C2827',
'C0132');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0651', '28-Apr-2024', '4', 'CANCELLED', 'PIA', 'PIA', '24C0513',
'C0058');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0703', '11-Mar-2024', '2', 'CANCELLED', 'LGK', 'LGK', '23C0250',
'C0162');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0711', '30-Mar-2024', '14', 'CANCELLED', 'LGK', 'LGK', '24C0517',
'C0093');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0755', '20-Mar-2024', '7', 'COMPLETED', 'LGK', 'LGK', '24C0676',
'C0175');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0796', '17-Apr-2024', '3', 'CANCELLED', 'KKIA', 'KKIA', '24C0682',
'C0240');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0820', '27-Apr-2024', '1', 'COMPLETED', 'KLIA', 'KLIA', '24C0689',
'C0209');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R0990', '13-Mar-2024', '2', 'COMPLETED', 'LGK', 'LGK', '24C0797',
'C0088');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1018', '26-Mar-2024', '14', 'COMPLETED', 'KKIA', 'KKIA', '24C0816',
'C0059');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1037', '03-Apr-2024', '6', 'CANCELLED', 'LGK', 'LGK', '23C0867',
'C0162');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1042', '16-Mar-2024', '3', 'COMPLETED', 'LGK', 'LGK', '24C0824',
'C0018');

INSERT    INTO    Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1101', '20-Apr-2024', '14', 'CANCELLED', 'PIA', 'PIA', '23C0513',
'C0033');
```

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1155',  '22-Apr-2024',  '2',  'COMPLETED',  'PIA',  'PIA',  '24C0961',
'C0093');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1235',  '31-Mar-2024',  '14',  'COMPLETED',  'LGK',  'LGK',  '23C2067',
'C0125');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1262',  '28-Mar-2024',  '3',  'CANCELLED',  'KLIA',  'KLIA',  '24C1012',
'C0088');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1312',  '03-Apr-2024',  '7',  'CANCELLED',  'KKIA',  'KKIA',  '24C1050',
'C0240');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1340',  '28-Mar-2024',  '6',  'COMPLETED',  'KLIA',  'KLIA',  '23C0154',
'C0055');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1408',  '11-Apr-2024',  '1',  'COMPLETED',  'KKIA',  'KKIA',  '24C1104',
'C0209');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1413',  '20-Apr-2024',  '14',  'COMPLETED',  'LGK',  'LGK',  '23C1100',
'C0024');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1431',  '07-Apr-2024',  '4',  'COMPLETED',  'KLIA',  'KLIA',  '24C1144',
'C0048');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1488',  '20-Apr-2024',  '4',  'COMPLETED',  'KKIA',  'KKIA',  '24C1182',
'C0058');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1525',  '25-May-2024',  '4',  'CANCELLED',  'PIA',  'PIA',  '23C0860',
'C0132');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1530',  '03-May-2024',  '5',  'CANCELLED',  'PIA',  'PIA',  '24C1462',
'C0220');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1536',  '29-May-2024',  '2',  'COMPLETED',  'KKIA',  'KKIA',  '24C1497',
'C0219');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R1575',  '25-Apr-2024',  '4',  'COMPLETED',  'KLIA',  'KLIA',  '24C1515',
'C0056');
```

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1588', '17-Apr-2024', '4', 'CANCELLED', 'LGK', 'LGK', '24C0353', 'C0232');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1591', '25-May-2024', '5', 'COMPLETED', 'PIA', 'PIA', '23C1326', 'C0043');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1621', '28-May-2024', '6', 'CANCELLED', 'LGK', 'LGK', '23C2396', 'C0117');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1699', '01-Jun-2024', '14', 'CANCELLED', 'KLIA', 'KLIA', '24C1537', 'C0140');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1714', '22-May-2024', '14', 'COMPLETED', 'KKIA', 'KKIA', '23C0250', 'C0023');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1721', '03-Jun-2024', '5', 'CANCELLED', 'LGK', 'LGK', '23C2411', 'C0083');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1763', '22-Jun-2024', '3', 'CANCELLED', 'LGK', 'LGK', '24C1541', 'C0104');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1783', '15-Jun-2024', '2', 'COMPLETED', 'PIA', 'PIA', '24C0816', 'C0175');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1800', '15-Jun-2024', '7', 'CANCELLED', 'PIA', 'PIA', '23C2922', 'C0043');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1829', '07-May-2024', '3', 'COMPLETED', 'PIA', 'PIA', '23C0351', 'C0209');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1852', '08-May-2024', '4', 'CANCELLED', 'KLIA', 'KLIA', '23C0875', 'C0018');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1972', '14-May-2024', '2', 'COMPLETED', 'LGK', 'LGK', '23C0795', 'C0093');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R1999', '08-Jul-2024', '3', 'CANCELLED', 'LGK', 'LGK', '24C1737', 'C0023');

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2004',  '10-Jun-2024',  '7',  'COMPLETED',  'LGK',  'LGK',  '24C1608',
'C0220');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2017',  '08-Jun-2024',  '2',  'COMPLETED',  'LGK',  'LGK',  '23C0492',
'C0024');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2041',  '25-May-2024',  '2',  'COMPLETED',  'KLIA',  'KLIA',  '24C1612',
'C0232');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2086',  '16-May-2024',  '6',  'CANCELLED',  'KKIA',  'KKIA',  '24C1734',
'C0117');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2091',  '08-Jul-2024',  '1',  'COMPLETED',  'KLIA',  'KLIA',  '24C1746',
'C0175');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2105',  '01-Jul-2024',  '1',  'CANCELLED',  'LGK',  'LGK',  '23C2229',
'C0083');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2117',  '09-Jul-2024',  '7',  'CANCELLED',  'PIA',  'PIA',  '24C1786',
'C0104');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2164',  '10-Jun-2024',  '14',  'CANCELLED',  'LGK',  'LGK',  '23C2486',
'C0056');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2197',  '29-Jun-2024',  '4',  'COMPLETED',  'LGK',  'LGK',  '24C0175',
'C0033');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2219',  '16-Jul-2024',  '5',  'CANCELLED',  'KKIA',  'KKIA',  '24C0513',
'C0140');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2223',  '03-Aug-2024',  '3',  'COMPLETED',  'LGK',  'LGK',  '24C0019',
'C0059');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2254',  '02-Aug-2024',  '5',  'COMPLETED',  'LGK',  'LGK',  '24C1838',
'C0125');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2276',  '13-Jul-2024',  '5',  'CANCELLED',  'PIA',  'PIA',  '23C0154',
'C0162');
```

```
INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2277',   '17-Jul-2024',   '6',   'COMPLETED',   'LGK',   'LGK',   '24C1849',
'C0088');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2311',   '23-Jun-2024',   '5',   'COMPLETED',   'PIA',   'PIA',   '24C1854',
'C0058');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2317',   '14-Aug-2024',   '7',   'CANCELLED',   'LGK',   'LGK',   '23C0867',
'C0055');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2342',   '18-Jul-2024',   '7',   'COMPLETED',   'KLIA',   'KLIA',   '24C1462',
'C0048');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2355',   '21-Jul-2024',   '7',   'COMPLETED',   'KKIA',   'KKIA',   '24C0353',
'C0132');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2399',   '21-Aug-2024',   '3',   'CANCELLED',   'LGK',   'LGK',   '24C1869',
'C0219');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2426',   '29-Jul-2024',   '6',   'CANCELLED',   'LGK',   'LGK',   '24C1904',
'C0240');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2460',   '24-Aug-2024',   '14',   'CANCELLED',   'KLIA',   'KLIA',   '24C1936',
'C0117');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2572',   '02-Sep-2024',   '4',   'CANCELLED',   'KKIA',   'KKIA',   '24C0517',
'C0093');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2665',   '30-Jul-2024',   '5',   'CANCELLED',   'KKIA',   'KKIA',   '24C1944',
'C0023');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2668',   '03-Aug-2024',   '6',   'COMPLETED',   'KKIA',   'KKIA',   '23C0250',
'C0162');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2720',   '10-Sep-2024',   '14',   'CANCELLED',   'PIA',   'PIA',   '24C1838',
'C0175');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R2762',   '19-Aug-2024',   '2',   'CANCELLED',   'PIA',   'PIA',   '24C1962',
'C0104');
```

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2769', '08-Aug-2024', '1', 'CANCELLED', 'KKIA', 'KKIA', '24C0177', 'C0024');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2810', '25-Aug-2024', '6', 'COMPLETED', 'LGK', 'LGK', '24C1974', 'C0043');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2811', '21-Aug-2024', '4', 'CANCELLED', 'KKIA', 'KKIA', '23C2411', 'C0132');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2812', '20-Aug-2024', '3', 'COMPLETED', 'LGK', 'LGK', '24C2018', 'C0240');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2820', '09-Aug-2024', '2', 'COMPLETED', 'PIA', 'PIA', '24C2093', 'C0219');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2824', '17-Sep-2024', '5', 'COMPLETED', 'LGK', 'LGK', '24C1104', 'C0209');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2897', '29-Sep-2024', '6', 'COMPLETED', 'KKIA', 'KKIA', '23C2596', 'C0088');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2955', '05-Aug-2024', '7', 'COMPLETED', 'LGK', 'LGK', '23C0860', 'C0220');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R2984', '07-Oct-2024', '7', 'CANCELLED', 'LGK', 'LGK', '23C2922', 'C0083');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R3054', '29-Sep-2024', '14', 'COMPLETED', 'LGK', 'LGK', '24C2144', 'C0059');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R3104', '24-Aug-2024', '7', 'COMPLETED', 'LGK', 'LGK', '24C0353', 'C0056');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R3105', '29-Sep-2024', '1', 'CANCELLED', 'LGK', 'LGK', '24C2214', 'C0140');

INSERT INTO Reservation (reserv_id, start_date, rental_duration, reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES ('24R3106', '22-Aug-2024', '2', 'CANCELLED', 'KLIA', 'KLIA', '23C0795', 'C0058');

```
INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3133', '11-Oct-2024', '2', 'CANCELLED', 'KKIA', 'KKIA', '24C2292',
'C0232');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3155', '19-Sep-2024', '2', 'COMPLETED', 'KKIA', 'KKIA', '24C1462',
'C0033');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3169', '13-Sep-2024', '3', 'CANCELLED', 'KLIA', 'KLIA', '23C2067',
'C0048');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3217', '23-Sep-2024', '7', 'COMPLETED', 'LGK', 'LGK', '24C0175',
'C0125');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3227', '31-Aug-2024', '2', 'COMPLETED', 'KKIA', 'KKIA', '23C0875',
'C0055');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3269', '02-Sep-2024', '3', 'COMPLETED', 'PIA', 'PIA', '24C2315',
'C0018');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3283', '16-Sep-2024', '2', 'CANCELLED', 'PIA', 'PIA', '23C0351',
'C0209');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3353', '30-Sep-2024', '6', 'COMPLETED', 'KKIA', 'KKIA', '24C2331',
'C0104');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3415', '24-Sep-2024', '1', 'CANCELLED', 'LGK', 'LGK', '24C0019',
'C0132');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3443', '28-Sep-2024', '7', 'COMPLETED', 'PIA', 'PIA', '24C2337',
'C0058');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3447', '03-Oct-2024', '14', 'CANCELLED', 'LGK', 'LGK', '24C2395',
'C0059');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3499', '28-Sep-2024', '3', 'CANCELLED', 'LGK', 'LGK', '24C2517',
'C0175');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3535', '10-Nov-2024', '6', 'COMPLETED', 'LGK', 'LGK', '24C2535',
'C0024');
```

```
INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3590', '04-Nov-2024', '4', 'COMPLETED', 'KKIA', 'KKIA', '24C2535',
'C0117');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3598', '25-Sep-2024', '7', 'COMPLETED', 'PIA', 'PIA', '24C0517',
'C0093');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3614', '28-Oct-2024', '14', 'CANCELLED', 'LGK', 'LGK', '24C2564',
'C0083');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3702', '22-Nov-2024', '14', 'COMPLETED', 'KKIA', 'KKIA', '24C2573',
'C0240');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3754', '21-Oct-2024', '2', 'COMPLETED', 'KLIA', 'KLIA', '23C0867',
'C0055');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3761', '06-Nov-2024', '7', 'CANCELLED', 'KKIA', 'KKIA', '24C2612',
'C0088');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3776', '01-Dec-2024', '3', 'CANCELLED', 'KKIA', 'KKIA', '24C1746',
'C0033');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3785', '06-Oct-2024', '3', 'COMPLETED', 'KLIA', 'KLIA', '23C1326',
'C0043');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R3929', '07-Nov-2024', '6', 'COMPLETED', 'PIA', 'PIA', '24C2656',
'C0018');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4136', '14-Oct-2024', '7', 'COMPLETED', 'KKIA', 'KKIA', '24C2683',
'C0232');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4165', '09-Dec-2024', '7', 'CANCELLED', 'LGK', 'LGK', '24C2685',
'C0219');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4167', '08-Nov-2024', '1', 'CANCELLED', 'LGK', 'LGK', '24C2781',
'C0220');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4199', '07-Dec-2024', '4', 'COMPLETED', 'PIA', 'PIA', '24C2845',
'C0140');
```

```
INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4233', '11-Dec-2024', '14', 'COMPLETED', 'KLIA', 'KLIA', '23C0154',
'C0023');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4257', '21-Oct-2024', '2', 'COMPLETED', 'PIA', 'PIA', '24C1050',
'C0048');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4290', '03-Dec-2024', '5', 'COMPLETED', 'PIA', 'PIA', '24C0689',
'C0056');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4356', '07-Dec-2024', '7', 'CANCELLED', 'PIA', 'PIA', '24C2870',
'C0162');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4362', '04-Nov-2024', '5', 'CANCELLED', 'KKIA', 'KKIA', '23C0860',
'C0125');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4407', '16-Nov-2024', '6', 'CANCELLED', 'KKIA', 'KKIA', '24C2926',
'C0219');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4483', '30-Nov-2024', '3', 'COMPLETED', 'KKIA', 'KKIA', '24C0335',
'C0018');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4488', '18-Nov-2024', '4', 'CANCELLED', 'LGK', 'LGK', '23C0492',
'C0175');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4548', '13-Dec-2024', '2', 'CANCELLED', 'PIA', 'PIA', '24C1612',
'C0104');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4549', '21-Dec-2024', '4', 'COMPLETED', 'LGK', 'LGK', '23C2732',
'C0117');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4553', '26-Dec-2024', '5', 'CANCELLED', 'LGK', 'LGK', '24C1944',
'C0023');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4621', '29-Dec-2024', '2', 'CANCELLED', 'KLIA', 'KLIA', '24C2683',
'C0059');

INSERT  INTO  Reservation  (reserv_id,  start_date,  rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4672', '31-Dec-2024', '1', 'CANCELLED', 'PIA', 'PIA', '24C2936',
'C0140');
```

```
INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4718', '07-Jan-2025', '5', 'COMPLETED', 'LGK', 'LGK', '24C2944',
'C0125');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4758', '20-Jan-2025', '4', 'COMPLETED', 'LGK', 'LGK', '24C0019',
'C0048');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4958', '06-Dec-2024', '7', 'COMPLETED', 'PIA', 'PIA', '23C0250',
'C0055');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R4986', '26-Dec-2024', '6', 'CANCELLED', 'KKIA', 'KKIA', '24C3037',
'C0240');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5041', '10-Jan-2025', '2', 'COMPLETED', 'KLIA', 'KLIA', '23C2596',
'C0088');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5053', '15-Dec-2024', '1', 'CANCELLED', 'LGK', 'LGK', '24C3048',
'C0043');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5058', '07-Jan-2025', '5', 'COMPLETED', 'LGK', 'LGK', '24C2331',
'C0033');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5060', '11-Jan-2025', '5', 'CANCELLED', 'KKIA', 'KKIA', '24C3163',
'C0209');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5089', '29-Jan-2025', '5', 'CANCELLED', 'KKIA', 'KKIA', '23C1326',
'C0132');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5156', '14-Jan-2025', '1', 'COMPLETED', 'KKIA', 'KKIA', '24C2683',
'C0056');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5220', '26-Jan-2025', '6', 'COMPLETED', 'LGK', 'LGK', '24C2517',
'C0220');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5314', '12-Jan-2025', '14', 'CANCELLED', 'LGK', 'LGK', '23C2411',
'C0083');

INSERT    INTO    Reservation    (reserv_id,    start_date,    rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5378', '20-Jan-2025', '2', 'CANCELLED', 'KLIA', 'KLIA', '24C2214',
'C0093');
```

```
INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5385',  '30-Jan-2025',  '4',  'COMPLETED',  'PIA',  'PIA',  '23C0351',
'C0232');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5395',  '20-Feb-2025',  '5',  'COMPLETED',  'LGK',  'LGK',  '24C2656',
'C0162');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5410',  '23-Feb-2025',  '3',  'CANCELLED',  'PIA',  'PIA',  '23C0795',
'C0058');

INSERT   INTO   Reservation   (reserv_id,   start_date,   rental_duration,
reservation_stat, pick_location, drop_location, cust_id , car_id) VALUES
('24R5429',  '30-Dec-2024',  '2',  'COMPLETED',  'PIA',  'PIA',  '24C1746',
'C0024');
```

5.6 Cancellation

```
INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0030', '08-Feb-2023',
'competition and alternative', '2265', '755', '23R0268');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0078', '12-Mar-2023',
'change in travel plans', '2925', '975', '23R0398');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0100', '18-Apr-2023',
'change in travel plans', '2760', '920', '23R0471');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0119', '30-Apr-2023',
'competition and alternative', '1110', '370', '23R0630');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0161', '10-Apr-2023',
'change in travel plans', '2670', '890', '23R0672');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0165', '01-May-2023',
'change in travel plans', '3390', '1130', '23R0694');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0209', '29-May-2023',
'competition and alternative', '2145', '715', '23R0731');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0216', '20-May-2023',
'change in travel plans', '1995', '665', '23R0862');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0246', '15-May-2023',
'health concerns', '4050', '1350', '23R0975');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0266', '07-May-2023',
'change in travel plans', '1170', '390', '23R1216');

INSERT   INTO   cancellation   (cancel_id,   cancel_date,   cancel_reason   ,
refund_amt   , penalty_fee   , reserv_id) VALUES ('23B0324', '20-May-2023',
'change in travel plans', '2145', '715', '23R1287');
```

```
INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0341', '07-Jul-2023',
'change in travel plans', '3225', '1075', '23R1414');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0359', '02-Jun-2023',
'change in travel plans', '2392.5', '797.5', '23R1693');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0382', '22-Jun-2023',
'competition and alternative', '3030', '1010', '23R2053');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0383', '07-Aug-2023',
'change in travel plans', '2265', '755', '23R2382');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0389', '11-Jul-2023',
'change in travel plans', '1095', '365', '23R2394');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0404', '18-Jul-2023',
'change in travel plans', '3390', '1130', '23R2483');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0411', '23-Aug-2023',
'change in travel plans', '1635', '545', '23R2719');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0423', '21-Aug-2023',
'change in travel plans', '2850', '950', '23R2881');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0424', '30-Jul-2023',
'change in travel plans', '1785', '595', '23R2980');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0430', '17-Sep-2023',
'competition and alternative', '1950', '650', '23R3146');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0446', '26-Aug-2023',
'competition and alternative', '2850', '950', '23R3154');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0473', '02-Oct-2023',
'health concerns', '6525', '2175', '23R3539');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0474', '23-Nov-2023',
'health concerns', '5535', '1845', '23R3630');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0492', '23-Oct-2023',
'competition and alternative', '4560', '1520', '23R3691');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0514', '31-Oct-2023',
'change in travel plans', '4200', '1400', '23R3728');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt     , penalty_fee     , reserv_id) VALUES ('23B0517', '01-Jan-2024',
'health concerns', '1875', '625', '23R3992');
```

```
INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0530', '02-Jan-2024',
'competition and alternative', '4725', '1575', '23R4043');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0543', '19-Dec-2023',
'change in travel plans', '5280', '1760', '23R4185');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0558', '16-Dec-2023',
'change in travel plans', '2865', '955', '23R4211');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0585', '22-Dec-2023',
'change in travel plans', '1710', '570', '23R4383');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0591', '18-Jan-2024',
'change in travel plans', '2137.5', '712.5', '23R5218');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0614', '20-Jan-2024',
'competition and alternative', '1665', '555', '24R0171');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0624', '14-Mar-2024',
'competition and alternative', '2070', '690', '24R0275');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0625', '20-Mar-2024',
'change in travel plans', '1237.5', '412.5', '24R0373');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0633', '17-Feb-2024',
'change in travel plans', '2310', '770', '24R0386');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0674', '01-Mar-2024',
'change in travel plans', '2415', '805', '24R0610');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0682', '28-Apr-2024',
'competition and alternative', '4560', '1520', '24R0651');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0726', '11-Mar-2024',
'change in travel plans', '2415', '805', '24R0703');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0734', '30-Mar-2024',
'change in travel plans', '3225', '1075', '24R0711');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0747', '17-Apr-2024',
'competition and alternative', '6082.5', '2027.5', '24R0796');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0751', '03-Apr-2024',
'change in travel plans', '795', '265', '24R1037');

INSERT   INTO   cancellation  (cancel_id,   cancel_date,   cancel_reason        ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('23B0793', '20-Apr-2024',
'competition and alternative', '3142.5', '1047.5', '24R1101');
```

```
INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0854', '28-Mar-2024',
'change in travel plans', '4050', '1350', '24R1262');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0884', '03-Apr-2024',
'competition and alternative', '2962.5', '987.5', '24R1312');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0932', '25-May-2024',
'competition and alternative', '4515', '1505', '24R1525');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0933', '03-May-2024',
'change in travel plans', '1927.5', '642.5', '24R1530');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0946', '17-Apr-2024',
'change in travel plans', '4680', '1560', '24R1588');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0947', '28-May-2024',
'health concerns', '3285', '1095', '24R1621');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('23B0965', '01-Jun-2024',
'competition and alternative', '3225', '1075', '24R1699');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0018', '03-Jun-2024',
'health concerns', '11475', '3825', '24R1721');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0045', '22-Jun-2024',
'change in travel plans', '4680', '1560', '24R1763');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0060', '15-Jun-2024',
'change in travel plans', '4680', '1560', '24R1800');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0071', '08-May-2024',
'change in travel plans', '1335', '445', '24R1852');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0112', '08-Jul-2024',
'competition and alternative', '720', '240', '24R1999');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0113', '16-May-2024',
'change in travel plans', '2670', '890', '24R2086');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0121', '01-Jul-2024',
'change in travel plans', '5490', '1830', '24R2105');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0123', '09-Jul-2024',
'change in travel plans', '2265', '755', '24R2117');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason     ,
refund_amt     , penalty_fee    , reserv_id) VALUES ('24B0153', '10-Jun-2024',
'health concerns', '4185', '1395', '24R2164');
```

```
INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0189', '16-Jul-2024',
'change in travel plans', '4140', '1380', '24R2219');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0217', '13-Jul-2024',
'change in travel plans', '952.5', '317.5', '24R2276');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0219', '14-Aug-2024',
'change in travel plans', '1500', '500', '24R2317');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0253', '21-Aug-2024',
'change in travel plans', '4890', '1630', '24R2399');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0271', '29-Jul-2024',
'health concerns', '3615', '1205', '24R2426');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0304', '24-Aug-2024',
'competition and alternative', '3285', '1095', '24R2460');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0320', '02-Sep-2024',
'change in travel plans', '2790', '930', '24R2572');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0368', '30-Jul-2024',
'health concerns', '2145', '715', '24R2665');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0378', '10-Sep-2024',
'change in travel plans', '1170', '390', '24R2720');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0399', '19-Aug-2024',
'competition and alternative', '3750', '1250', '24R2762');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0429', '08-Aug-2024',
'change in travel plans', '1155', '385', '24R2769');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0432', '21-Aug-2024',
'change in travel plans', '8190', '2730', '24R2811');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0490', '07-Oct-2024',
'competition and alternative', '2865', '955', '24R2984');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0492', '29-Sep-2024',
'change in travel plans', '3600', '1200', '24R3105');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0509', '22-Aug-2024',
'change in travel plans', '4020', '1340', '24R3106');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason       ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0534', '11-Oct-2024',
'competition and alternative', '1800', '600', '24R3133');
```

```
INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0589', '13-Sep-2024',
'competition and alternative', '5280', '1760', '24R3169');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0597', '16-Sep-2024',
'change in travel plans', '2265', '755', '24R3283');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0608', '24-Sep-2024',
'change in travel plans', '930', '310', '24R3415');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0660', '03-Oct-2024',
'health concerns', '5490', '1830', '24R3447');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0683', '28-Sep-2024',
'change in travel plans', '1995', '665', '24R3499');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0703', '28-Oct-2024',
'change in travel plans', '5490', '1830', '24R3614');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0716', '06-Nov-2024',
'health concerns', '3600', '1200', '24R3761');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0733', '01-Dec-2024',
'competition and alternative', '4650', '1550', '24R3776');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0747', '09-Dec-2024',
'change in travel plans', '4515', '1505', '24R4165');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0768', '08-Nov-2024',
'health concerns', '1770', '590', '24R4167');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0795', '07-Dec-2024',
'change in travel plans', '3255', '1085', '24R4356');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0810', '04-Nov-2024',
'change in travel plans', '2580', '860', '24R4362');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0829', '16-Nov-2024',
'competition and alternative', '6600', '2200', '24R4407');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0835', '18-Nov-2024',
'change in travel plans', '1440', '480', '24R4488');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0841', '13-Dec-2024',
'health concerns', '2250', '750', '24R4548');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason    ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0872', '26-Dec-2024',
'competition and alternative', '1950', '650', '24R4553');
```

```
INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0881', '29-Dec-2024',
'change in travel plans', '2280', '760', '24R4621');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0912', '31-Dec-2024',
'change in travel plans', '3030', '1010', '24R4672');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0913', '26-Dec-2024',
'competition and alternative', '3225', '1075', '24R4986');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0920', '15-Dec-2024',
'competition and alternative', '2520', '840', '24R5053');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0938', '11-Jan-2025',
'competition and alternative', '9165', '3055', '24R5060');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0943', '29-Jan-2025',
'health concerns', '2520', '840', '24R5089');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0944', '12-Jan-2025',
'change in travel plans', '2850', '950', '24R5314');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0979', '20-Jan-2025',
'change in travel plans', '2835', '945', '24R5378');

INSERT  INTO  cancellation  (cancel_id,  cancel_date,  cancel_reason      ,
refund_amt    , penalty_fee    , reserv_id) VALUES ('24B0993', '23-Feb-2025',
'change in travel plans', '4140', '1380', '24R5410');
```

Task 6: Create Queries

6.1 Top 5 Most Profitable Car in a Year

Law Tian Xiang

6.1.1 Purpose of the Query

The SQL query has been made to determine, for each year, the top 5 most profitable cars by rental and insurance payment received after deducting deposits. Here, in this query, the profitability of cars was ranked so that it became easy for the company to estimate which particular vehicles generate higher revenue from the company side and made decisions regarding business on fleet management.

6.1.2 SQL Query

```
SET LINESIZE 130;
SET PAGESIZE 100;

ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YY';

ACCEPT input_year PROMPT 'Enter year (YYYY): ';

TTITLE CENTER 'Car Rental Services' SKIP 1 -
        CENTER 'Top 5 Most Profitable Cars in a Year Report' SKIP
2-

COLUMN Rank FORMAT 999 HEADING 'Rank';
COLUMN Car_ID FORMAT A6 HEADING 'Car ID';
COLUMN Brand FORMAT A12 HEADING 'Brand';
COLUMN Model FORMAT A12 HEADING 'Model';
COLUMN Plate_Number FORMAT A12 HEADING 'Plate Number';
COLUMN Transmission_Type FORMAT A16 HEADING 'Transmission Type';
COLUMN Total_Profit FORMAT 999,999.99 HEADING 'Total Profit';

WITH CarProfits AS (
    SELECT
        C.car_id,
        C.brand,
        C.model,
        C.plate_no AS Plate_Number,
        C.trans_type AS Transmission_Type,
            SUM(P.rental_amt + P.insurance_amt - P.deposit) AS
Total_Profit
    FROM
        car C
    JOIN
        reservation R ON C.car_id = R.car_id
    JOIN
        payment P ON R.reserv_id = P.reserv_id
    WHERE
        TO_CHAR(P.pay_date, 'YYYY') = '&input_year'
    GROUP BY
        C.car_id, C.brand, C.model, C.plate_no, C.trans_type
),
RankedCarProfits AS (
    SELECT
```

```
        CP.car_id,
        CP.brand,
        CP.model,
        CP.Plate_Number,
        CP.Transmission_Type,
        CP.Total_Profit,
        RANK() OVER (ORDER BY CP.Total_Profit DESC) AS Rank
    FROM
        CarProfits CP
)
SELECT
    RCP.Rank,
    RCP.car_id AS Car_ID,
    RCP.brand AS Brand,
    RCP.model AS Model,
    RCP.Plate_Number,
    RCP.Transmission_Type,
    RCP.Total_Profit
FROM
    RankedCarProfits RCP
WHERE
    RCP.Rank <= 5
ORDER BY
    RCP.Rank;

CLEAR COLUMNS;
TTITLE OFF;
```

6.1.3 Sample Output

```
old  16:        TO_CHAR(P.pay_date, 'YYYY') = '&input_year'
new  16:        TO_CHAR(P.pay_date, 'YYYY') = '2024'

                                    Car Rental Services
                            Top 5 Most Profitable Cars in a Year Report

Rank Car ID Brand        Model        Plate Number Transmission Typ Total Profit
---- ------ ------------ ------------ ------------ ---------------- ------------
   1 C0132  Perodua      Myvi         KGS 1875     Automatic            25,460.00
   2 C0083  Mazda        3            WAG 8475     Automatic            16,640.00
   3 C0104  Honda        City         FWR 6931     Automatic            10,800.00
   4 C0033  Honda        Civic        JXS 8321     Manual                8,150.00
   5 C0232  Toyota       Vios         PKA 6254     Automatic             7,010.00
```

Figure 6.1.3 shows the Sample Output of the Most Profitable Car Report

6.1.4 The Needs and Importance of the Query

The SQL query will help in concentrating on high-profitable assets and ensuring that resources are put to maximum utilization in generating revenue. By analyzing the top profitable cars, the company can make educated guesses about customer preferences-for instance, demand for specific brands, models, or transmission types. This data can be used to tailor marketing strategies or promotional offers.

The profitable cars may warrant higher maintenance priority to ensure their continued performance and availability. The query can guide the investments in expanding the inventory of popular and profitable car models. The query gives a year-specific snapshot of car profitability,

enabling trend analysing over time. it makes sure that business strategies are aligned with high-profitable areas, reducing financial risks.

6.2 The Most Reservation Month in a Year

Goh Xue Rou

6.2.1 Purpose of the Query

The SQL query helps the business identify periods of peak demand by producing a detailed report that shows the months with the most reservations for automobile rentals. This information is useful for improving how the business operates, using resources more efficiently, and creating targeted marketing plans to attract more customers and increase sales.

Firstly, the data can help the business to plan special promotions and marketing campaigns to make the most of busy periods. By knowing which months have the most reservations, the company can offer discounts or deals during those times to attract more customers and increase bookings. By using this strategy, the company may fully benefit on periods of high demand, increasing sales while still satisfying the needs of customers. The business can increase revenue and maintain customer satisfaction by scheduling promotions during periods of strong demand.

Also, the data can help businesses create more efficient timetables for resource allocation. Businesses can strategically schedule employees and support services to ensure sufficient coverage during peak hours by understanding demand levels. This can also help minimise expenses and increase productivity by avoiding shortages of resources and ensuring smooth operations during off-peak hours.

In the end, the company's strategy enhances customer service by managing high customer numbers during peak hours. This may reduces the wait times, minimises complaints, and delivers faster and more effective service. The company can also maintains good service standards by planning ahead and minimising stress, resulting in customer's satsisfaction, a long-term business, and positive reviews.

6.2.2 SQL Query

```
SET LINESIZE 120;
SET PAGESIZE 130;

ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YY';

ACCEPT input_year PROMPT 'Enter year (YYYY): ';

TITLE CENTER 'Car Rental Services' SKIP 1 -
      CENTER 'Most Reservations Month in a Year Report' SKIP 2-

COLUMN Reservation_ID FORMAT A14 HEADING 'Reservation ID';
COLUMN Reservation_Month FORMAT A17 HEADING 'Reservation Month';
COLUMN Start_Date FORMAT A10 HEADING 'Start Date';
COLUMN Reservation_Status FORMAT A18 HEADING 'Reservation Status';
COLUMN Pickup_Location FORMAT A16 HEADING 'Pick Up Location';
COLUMN Dropoff_Location FORMAT A17 HEADING 'Drop Off Location';
COLUMN Customer_ID FORMAT A11 HEADING 'Customer ID';
COLUMN Car_ID FORMAT A6 HEADING 'Car ID';

WITH MonthlyReservations AS (
    SELECT
        TO_CHAR(R.start_date, 'Month') AS Reservation_Month,
```

```
            COUNT(R.reserv_id) AS Total_Reservations
    FROM
        Reservation R
    WHERE
        TO_CHAR(R.start_date, 'YYYY') = '&input_year'
    GROUP BY
        TO_CHAR(R.start_date, 'Month')
),
MaxReservationsMonth AS (
    SELECT
        Reservation_Month,
        Total_Reservations
    FROM
        MonthlyReservations
    WHERE
        Total_Reservations = (
            SELECT MAX(Total_Reservations)
            FROM MonthlyReservations
        )
)
SELECT
    R.reserv_id AS Reservation_ID,
    TO_CHAR(R.start_date, 'Month') AS Reservation_Month,
    R.start_date AS Start_Date,
    R.reservation_stat AS Reservation_Status,
    R.pick_location AS Pickup_Location,
    R.drop_location AS Dropoff_Location,
    R.cust_id AS Customer_ID,
    R.car_id AS Car_ID
FROM
    Reservation R
WHERE
    TO_CHAR(R.start_date, 'Month') IN (
        SELECT Reservation_Month
        FROM MaxReservationsMonth
    )
    AND TO_CHAR(R.start_date, 'YYYY') = '&input_year'
ORDER BY
    Reservation_Month, R.start_date;

CLEAR COLUMNS;
TITLE OFF;
```

6.2.3 Sample Output

```
Session altered.

Enter year (YYYY): 2023
old    8:          TO_CHAR(R.start_date, 'YYYY') = '&input_year'
new    8:          TO_CHAR(R.start_date, 'YYYY') = '2023'
old   40:      AND TO_CHAR(R.start_date, 'YYYY') = '&input_year'
new   40:      AND TO_CHAR(R.start_date, 'YYYY') = '2023'

                                    Car Rental Services
                           Most Reservations Month in a Year Report

Reservation ID Reservation Month Start Date Reservation Status Pick Up Location Drop Off Location Customer ID Car ID
-------------- ----------------- ---------- ------------------ ---------------- ----------------- ----------- ------
23R2531        August            01-AUG-23  COMPLETED          LGK              LGK               23C2067     C0056
23R2382        August            07-AUG-23  CANCELLED          KLIA             KLIA              23C1814     C0043
23R3102        August            15-AUG-23  COMPLETED          LGK              LGK               23C2396     C0220
23R2838        August            18-AUG-23  COMPLETED          PIA              PIA               23C0875     C0162
23R2881        August            21-AUG-23  CANCELLED          LGK              LGK               23C2145     C0125
23R2719        August            23-AUG-23  CANCELLED          LGK              LGK               23C2141     C0209
23R2965        August            25-AUG-23  COMPLETED          LGK              LGK               23C2296     C0058
23R3154        August            26-AUG-23  CANCELLED          LGK              LGK               23C0860     C0059
23R2962        August            28-AUG-23  COMPLETED          KKIA             KKIA              23C2229     C0024

9 rows selected.
```

Figure 6.2.3 shows the Sample Output of the Most Reservation Month Report

6.2.4 The Needs and Importance of the Query

The SQL query is important for a car rental business because it helps to identify the busiest months of the year based on reservation. By understanding the highest demand in a year, the company can plan ahead to make sure there's enough staff and cars to meet customer needs. This helps to avoid delays and ensures quicker and more efficient service with less waiting time for customers.

The query also helps the business adjust prices and promote special promotions during busy times to increase reservations and revenue. With this information, the company can make better decisions for better operations and a smoother customer experience.

6.3 Top 5 Customers with the Highest Rental Frequency
Law Zhi Sheng

6.3.1 Purpose of the Query

This query is designed to retrieve the top 5 customers who have made the most reservations and generated their total payment amounts within a specific year. The user is prompted to input the desired year, and the query then focuses on reservations for that year. The output includes customer details such as their name, nationality, email, the number of completed reservations, and the total amount they paid for the reservations.

6.3.2 SQL Query

```
set linesize 150;

ACCEPT input_year CHAR PROMPT 'Enter the year (e.g., 23 for 2023): '



SELECT * FROM (
    SELECT
        c.first_name || ' ' || c.last_name AS customer_name,
        c.cust_nationality,
        c.cust_email,
        COUNT(r.reserv_id) AS num_occurrences,
        SUM(p.pay_amt) AS total_payment_amount
    FROM
        reservation r
    JOIN
        customer c ON r.cust_id = c.cust_id
    JOIN
        payment p ON r.reserv_id = p.reserv_id
    WHERE
        r.reserv_id LIKE '&input_year%'
        AND r.reservation_stat = 'COMPLETED'
    GROUP BY
        c.first_name, c.last_name, c.cust_nationality, c.cust_email
    ORDER BY
        num_occurrences DESC,
        total_payment_amount DESC
)
WHERE ROWNUM <= 5;
```

6.3.3 Sample Output

```
Enter the year (e.g., 23 for 2023): 24
old  15:        r.reserv_id LIKE '&input_year%'
new  15:        r.reserv_id LIKE '24%'

CUSTOMER_NAME                            CUST_NATIONALITY    CUST_EMAIL                          NUM_OCCURRENCES TOTAL_PAYMENT_AMOUNT
---------------------------------------- ------------------- ----------------------------------- --------------- --------------------
Ananya Gupta                             Malaysia            ananya.gupta33@gmail.com                          3                18060
Noah Johnson                             United States       noah.johnson45@gmail.com                          3                11920
Anna Wang                                Malaysia            anna_wang77@gmail.com                             3                 3780
Daniel Lin                               Malaysia            daniel.lin22@gmail.com                            2                11700
Neha Gupta                               India               neha.gupta58@gmail.com                            2                10140
```

Figure 6.3.3 shows the Sample Output of the Top 5 Customers with the Highest Rental Frequency Report

6.3.4 The Needs and Importance of the Query

The query is essential for a car rental company as it provides insights into its most active and high-value customers. By identifying those who make the most reservations and generate the highest payment amounts, the company can foster stronger relationships with these clients through personalized services, rewards, and targeted marketing campaigns, ultimately driving loyalty and retention.

Additionally, customer nationality data can be used to tailor marketing strategies to specific regional preferences, offering localized promotions or services based on the customer geographical distribution. This information can also help the company plan for international or cross-border needs, such as special vehicle options or language support. Understanding top customers and their nationalities enables better operational planning, ensuring sufficient fleet availability and enhanced customer service.

Overall, the query plays a critical role in increasing company profit, improving customer satisfaction, and helping in business strategies.

6.4 Branch Profitability Report
Tan Shu Jun

6.4.1 Purpose of the Query

This Branch Profitability Report is a report that analyzes the profitability of each branch based on a specific year. From this report, we can know the total revenue, total maintenance cost, total cancellation cost and the net profit of each branch in a specific year to determine which branch gains the most profits..

6.4.2 SQL Query

```
SET LINESIZE 100

SET PAGESIZE 300


ALTER SESSION SET NLS_DATE_FORMAT = 'DD/MM/YY';

ACCEPT start_date PROMPT 'Enter Start Date (DD-MM-YYYY): ';

ACCEPT end_date PROMPT 'Enter End Date (DD-MM-YYYY): ';


TTITLE CENTER 'Branch Profitability Report' SKIP 2-
       CENTER 'From ' '&start_date' ' to ' '&end_date' SKIP 2-


COLUMN Branch FORMAT A10

COLUMN Total_Revenue FORMAT $999,999,999.99

COLUMN Maintenance_Cost FORMAT $999,999,999.99

COLUMN Cancellation_Cost FORMAT $999,999,999.99

COLUMN Total_Cost FORMAT $999,999,999.99

COLUMN Net_Profit FORMAT $999,999,999.99


SELECT
    r.pick_location AS Branch,

    SUM(p.pay_amt) AS Total_Revenue,

    NVL(SUM(m.mainte_fees), 0) AS Maintenance_Cost,

    NVL(SUM(cancl.refund_amt), 0) AS Cancellation_Cost,

    (NVL(SUM(m.mainte_fees), 0) + NVL(SUM(cancl.refund_amt), 0))
AS

    Total_Cost,
```

```
    (SUM(p.pay_amt) - (NVL(SUM(m.mainte_fees), 0) +

    NVL(SUM(cancl.refund_amt), 0))) AS Net_Profit

FROM

    Reservation r

JOIN

    Car c ON r.car_id = c.car_id

LEFT JOIN

    Payment p ON r.reserv_id = p.reserv_id

LEFT JOIN

    Maintenance m ON c.car_id = m.car_id

LEFT JOIN

    Cancellation cancl ON r.reserv_id = cancl.reserv_id

WHERE

    r.start_date BETWEEN TO_DATE('&start_date', 'DD-MM-YYYY') AND

    TO_DATE('&end_date', 'DD-MM-YYYY')

GROUP BY

    r.pick_location

ORDER BY

    Net_Profit DESC;


BREAK ON Branch SKIP 1


COMPUTE SUM OF Total_Revenue ON REPORT

COMPUTE SUM OF Maintenance_Cost ON REPORT

COMPUTE SUM OF Cancellation_Cost ON REPORT

COMPUTE SUM OF Total_Cost ON REPORT

COMPUTE SUM OF Net_Profit ON REPORT


CLEAR BREAKS

CLEAR COMPUTES

TTITLE OFF
```

6.4.3 Sample Output

```
Enter Start Date (DD-MM-YYYY): 1-01-2023
Enter End Date (DD-MM-YYYY): 31-12-2024
old  19:     r.start_date BETWEEN TO_DATE('&start_date', 'DD-MM-YYYY') AND TO_DATE('&end_date', 'DD-MM-YYYY')
new  19:     r.start_date BETWEEN TO_DATE('1-01-2023', 'DD-MM-YYYY') AND TO_DATE('31-12-2024', 'DD-MM-YYYY')

                        Branch Profitability Report

                        From 1-01-2023 to 31-12-2024

BRANCH       TOTAL_REVENUE MAINTENANCE_COST CANCELLATION_COST       TOTAL_COST       NET_PROFIT
---------- ---------------- ---------------- ----------------- ---------------- ----------------
LGK          $1,560,200.00     $256,440.00       $670,650.00      $927,090.00      $633,110.00
PIA            $878,350.00     $183,220.00       $274,312.50      $457,532.50      $420,817.50
KKIA           $897,450.00     $168,960.00       $369,000.00      $537,960.00      $359,490.00
KLIA           $452,150.00      $85,860.00       $183,787.50      $269,647.50      $182,502.50
```

Figure 6.4.3.1 Shows the Sample Output of the Branch Profitability Report

6.4.4 The Needs and Importance of the Query

The Branch Profitability Report is vital for the car rental company as it acts as a performance evaluation tool, providing a clear view of how each branch contributes to the overall profitability of the business. It highlights high-performing branches and identifies underperforming ones that require attention.

Additionally, the report aids in cost management by detecting branches with excessive maintenance or cancellation costs. This enables the company to implement strategies to reduce unnecessary expenses, improving overall cost efficiency.

Furthermore, it supports informed decision-making by allowing management to allocate resources effectively based on profitability metrics. This report helps in making critical decisions, such as whether to expand, restructure, or close specific branches to enhance overall performance.

Finally, the report facilitates strategic planning by helping to create targeted improvement plans for individual branches. It also provides valuable insights to forecast future profitability trends, which are essential for guiding the company's growth strategy.

6.5 Most Rented Car Report
Ng Jie Ying

6.5.1 Purpose of the Query

The Top Rented Cars Report is created to analyze the most popular and frequently rented cars data in between two years, which is in between 1 January 2023 to 31 December 2024. The main purpose of this report is to provide valuable insight so that the company can make good decisions in handling inventory management, marketing strategies and also operational improvements.

6.5.2 SQL Query

```
SET LINESIZE 100;

SET PAGESIZE 300;


ALTER SESSION SET NLS_DATE_FORMAT = 'DD/MM/YY';


-- Prompt user for input dates

ACCEPT StartDate CHAR PROMPT 'Enter Start Date (DD-MM-YYYY): ';

ACCEPT EndDate CHAR PROMPT 'Enter End Date (DD-MM-YYYY): ';


TTITLE  CENTER 'Top Rented Cars Report' SKIP 1 -

        CENTER 'From ' '&StartDate' ' To ' '&EndDate' SKIP 1 -


COLUMN car_ID FORMAT A12

COLUMN brand FORMAT A20

COLUMN model FORMAT A30

COLUMN trans_Type FORMAT A20

COLUMN Rental_Count FORMAT 9999


SELECT

    Car_ID,

    Brand,

    Model,

    trans_Type,

    Rental_Count

FROM (
```

```
    SELECT

        R.car_id AS Car_ID,

        C.brand AS Brand,

        C.model AS Model,

        C.trans_type AS trans_Type,

        COUNT(R.reserv_id) AS Rental_Count,

        ROW_NUMBER() OVER (PARTITION BY C.brand, C.trans_type
ORDER BY COUNT(R.reserv_id) DESC) AS RowRank

    FROM

        reservation R

    JOIN

        car C ON R.car_id = C.car_id

    WHERE

        R.start_date BETWEEN TO_DATE('&StartDate', 'DD-MM-YYYY')

        AND TO_DATE('&EndDate', 'DD-MM-YYYY')

        AND R.reservation_stat = 'COMPLETED' -- Filter for
completed rentals

    GROUP BY

        R.car_id, C.brand, C.model, C.trans_type

) RankedCars

WHERE

    RowRank = 1

ORDER BY

    Rental_Count DESC;


BREAK ON Brand SKIP 1;


COMPUTE SUM OF Rental_Count ON REPORT;


CLEAR BREAKS;

CLEAR COMPUTES;

TTITLE OFF;
```

6.5.3 Sample Output

```
Enter Start Date (DD-MM-YYYY): 01-01-2023
Enter End Date (DD-MM-YYYY): 25-12-2024
old  20:          R.start_date BETWEEN TO_DATE('&StartDate', 'DD-MM-YYYY')
new  20:          R.start_date BETWEEN TO_DATE('01-01-2023', 'DD-MM-YYYY')
old  21:          AND TO_DATE('&EndDate', 'DD-MM-YYYY')
new  21:          AND TO_DATE('25-12-2024', 'DD-MM-YYYY')


                        Top Rented Cars Report
                     From 01-01-2023 To 25-12-2024
CAR_ID        BRAND                MODEL                           TRANS_TYPE            RENTAL_COUNT
------------  -------------------- ------------------------------- --------------------- ------------
C0024         Toyota               Vios                            Automatic                        6
C0048         Proton               X70                             Automatic                        6
C0220         Honda                HR-V                            Automatic                        5
C0058         BMW                  330i                            Automatic                        5
C0088         Nissan               Serena                          Automatic                        5
C0055         Perodua              Axia                            Manual                           5
C0018         Perodua              Myvi                            Automatic                        5
C0033         Honda                Civic                           Manual                           4
C0023         Proton               Saga                            Manual                           3
C0117         Mazda                3                               Automatic                        3

10 rows selected.
```

Figure 6.5.3.1 Shows the Sample Output of the Most Rented Car Report

6.5.4 The Needs and Importance of the Query

This report identifies the most rented cars during the specific period based on the rental frequency and categorizes by car models, brands and types of the car. This information is important for various aspects of business planning such as:

1. Companies can optimize the vehicle fleet more efficiently by prioritizing the maintenance of the popular models. As a result, the company will be able to meet customer's requirements and increase customer satisfaction.
2. Companies can adjust the pricing more efficiently by understanding the rental frequency of a specific car. For example, the high-demand car can justify premium pricing and the low-demand cars can offer some discounts or promotions to increase the company's productivity.
3. Companies can also know the customers preferences. So, the company can import more cars that are preferred by the customers to cater customer needs.

References