The Convergence of GIS and Large Models: A Survey of Applications, Technologies, and Autonomous Geospatial Intelligence

Summary Based on the report, the key areas of interest for GIS and large models include: 1) The evolution towards Autonomous GIS, where LLMs act as decision-making cores to self-generate and execute workflows. 2) The development and application of Geospatial Foundation Models (like NASA-IBM's Prithvi or Google's Earth AI) for earth observation and analysis. 3) GIS-Agent frameworks (e.g., GeoAgent, GeoJSON Agents) that automate complex geospatial data processing. 4) Urban planning and smart city applications, such as digital twins and predictive analytics for infrastructure and resilience. 5) Environmental monitoring and disaster management systems for predictive modeling and real-time response. 6) Business applications across sectors like retail logistics, precision agriculture, and healthcare site selection. 7) The associated technology stacks, from enterprise platforms (ArcGIS, Google Earth Engine) to open-source frameworks. 8) Critical ethical considerations regarding privacy, algorithmic bias, and equitable access.

1. The Evolution of GeoAI: From Traditional GIS to Autonomous Systems

The transformation of Geographic Information Systems (GIS) from traditional data management tools to intelligent, autonomous systems represents a fundamental paradigm shift in geospatial science. This evolution is driven by the integration of artificial intelligence (AI), particularly large language models (LLMs), which act as intelligent decision cores[[27][39]]. The concept of Autonomous GIS envisions AI-powered systems that leverage LLMs' abilities in natural language understanding, reasoning, and coding to solve geospatial problems with automated data collection, analysis, and visualization, requiring minimal human intervention[[27][36]].

1.1 A Framework for Autonomous GIS

The architectural vision for Autonomous GIS is defined by a multi-dimensional conceptual framework that outlines its goals, capabilities, and deployment scales[1]. **Five Autonomous Goals** establish what these systems should achieve:

1. **Self-generating**: Creating hypotheses, geoprocessing workflows, code, and insights.
2. **Self-executing**: Preparing data, executing workflows, and converting geographic data into results.

3. **Self-verifying**: Validating the results of its actions at each step and for final outputs.
4. **Self-organizing**: Managing resources like time, computing power, and memory effectively.
5. **Self-growing**: Continuously learning from past tasks and external documents to improve future performance[1].

Five Autonomous Levels categorize systems based on their ability to manage uncertainty and the degree of human involvement:

Level	Name	Capabilities	Human Involvement
0	Manual GIS	All tasks manually determined and executed by the user.	Complete
1	Routine-aware GIS	Introduces basic process automation for pre-defined repetitive tasks.	Human-driven
2	Workflow-aware GIS	AI generates and executes geoprocessing workflows for given tasks.	Human-assisted
3	Data-aware GIS	Automates data collection and preparation based on tasks, handling data uncertainty.	Human-supervised
4	Result-aware GIS	Introduces optimization based on result assessments, adjusting workflows and data use.	Minimal supervision
5	Knowledge-aware GIS	A fully autonomous, self-growing system capable of learning from previous tasks and external resources.	No supervision[[27][42][46]]

Five Core Functions represent the essential operational components of the system:

1. **Decision-making**: Generates geoprocessing workflows and manages tasks.
2. **Data preparation**: Ensures autonomous gathering and selection of geospatial data.
3. **Data operation**: Handles spatial data processing, transformation, and visualization.
4. **Memory-handling**: Logs workflows, results, and new knowledge.
5. **Core-updating**: Enables self-learning by fine-tuning the AI decision core[1].

Three Operational Scales define deployment architectures based on available computational resources:

1. **Local scale**: Operates on a single computer for individual users.
2. **Centralized scale**: Leverages the computing power of a server cluster for advanced, data-intensive analyses serving multiple users.
3. **Infrastructure scale**: Built on geospatial cyberinfrastructure, integrating massive distributed computing resources and supporting collaboration[1].

1.2 Implementation Through GIS Agents

Autonomous GIS is implemented through various "GIS agents," which are considered the building blocks of the system[1]. These agents work individually or collaboratively to automate specific spatial tasks. A key proof-of-concept is the **LLM-Geo** prototype, which focuses on the decision-making and data operation modules[2]. Its workflow involves: (1) **Solution Generation**, where the LLM creates a directed acyclic graph representing the geoprocessing workflow; (2) **Operation Implementation**, where each node in the graph is translated into an executable Python code snippet; and (3) **Operation Assembly**, where individual codes are integrated into a final executable program[2]. This design uses the LLM as a "brain" for generating steps and code, while Python serves as the "digital hands" for execution[2].
Another critical agent framework is **LLM-Find**, designed specifically for autonomous geospatial data retrieval[3]. It operates in three main steps: First, the agent receives a natural language data request and uses the LLM to select the most appropriate data source from a pre-defined list. Second, it retrieves a "handbook" for that source containing technical details and verified program templates, which the LLM uses to generate Python fetch code. Third, it executes the code within a self-debugging loop that iteratively corrects errors until the data is successfully retrieved[3]. This modular, "plug-and-play" architecture allows new data sources to be added by creating new handbooks, demonstrating practical automation for a fundamental GIS task[3].

1.3 The Path Forward: Challenges and Implications

The progression from traditional, manual GIS to fully autonomous, knowledge-aware systems presents significant technical and societal challenges. Key technical hurdles include refining decision cores to better handle geospatial uncertainties, developing robust autonomous modeling capabilities, and creating effective self-verification mechanisms[1]. Furthermore, the computational demands of training and integrating advanced AI components pose scalability challenges for real-world deployment.
Beyond technical implementation, the rise of Autonomous GIS raises critical ethical and societal considerations. As these systems become more capable of independent reasoning and decision-making in spatial domains, concerns about algorithmic bias, privacy, accountability, and the societal impact of automated geospatial analysis must be comprehensively addressed[1]. Future research must therefore focus not only on advancing capabilities through specialized geospatial LLMs and standardized benchmarks but also on establishing ethical guidelines, transparency mechanisms, and governance frameworks. This ensures Autonomous GIS develops in socially

responsible ways that serve the public good and augment, rather than replace, essential human geographic insight[1].

2. Geospatial Foundation Models and Multimodal Integration

The emergence of geospatial foundation models represents a paradigm shift in Earth observation and spatial analysis, analogous to the transformation large language models brought to natural language processing[4]. These specialized AI systems are deep learning architectures trained on extensive, diverse datasets—spanning satellite imagery, maps, sensor data, and textual descriptions—to learn general representations that can be efficiently fine-tuned for specific downstream tasks[4]. This approach is crucial for applications in climate monitoring, resource management, and disaster response, where it can accelerate analysis and deepen understanding of complex Earth processes.

2.1 Core Concepts and Applications

Geospatial foundation models are designed to overcome the challenges inherent in analyzing big, complex, and hard-to-understand spatial information. By pre-training on vast amounts of data, they develop a generalized understanding that can be transferred to new situations, reducing the need for large, labor-intensive labeled datasets for every new application[5]. For instance, models like NASA and IBM's Prithvi, built on the Harmonized Landsat and Sentinel-2 (HLS) dataset, demonstrate strong potential for a wide range of tasks including tracking land use changes, monitoring natural disasters like floods and wildfires, and predicting crop yields[5]. Similarly, new remote sensing foundation models from Google Research are engineered to extract insights from satellite and aerial imagery, supporting natural language queries about image features[6].

These models are part of a broader movement toward **Geospatial Reasoning**, a research effort that uses generative AI to accelerate geospatial problem-solving. The vision is to create systems where a central orchestrator, like a large language model, can manage complex data, interact with users through natural language, and plan chains of reasoning that integrate multiple specialized geospatial models and datasets[7]. This enables powerful workflows, such as a crisis manager using natural language to ask a system to estimate property damage after a hurricane, with the system autonomously pulling in relevant imagery, inference models, and socioeconomic data[7].

2.2 Challenges in Development and Evaluation

Despite their promise, significant challenges remain in developing and evaluating geospatial foundation models. A primary hurdle is their **multimodal nature**; many real-world geospatial tasks require reasoning over diverse data types like images, text, and points of interest (POI), whereas existing large language models often underperform on such integrated tasks compared to specialized models[[60][61]]. This highlights the need for novel architectural approaches to effectively align and fuse different data modalities.

Furthermore, robust evaluation is critical. Current benchmarking methodologies often suffer from geographic bias (focusing predominantly on North America and Europe), limited diversity in image resolutions and sensor types, and the use of suboptimal or overly narrow downstream tasks[8]. The **PANGAEA benchmark** was introduced to address these inconsistencies, providing a standardized, global, and inclusive evaluation protocol[8]. A key finding from PANGAEA is that geospatial foundation models do not consistently outperform supervised baselines (like UNet or Vision Transformers), especially when faced with limited labeled data[8]. This underscores that while foundation models offer a powerful starting point, their advantage is not automatic and depends heavily on the specific scenario and data availability.

2.3 Adaptation Strategies and Future Directions

To address the challenges of applying large pre-trained models to specific domains, **Parameter-Efficient Fine-Tuning (PEFT)** methods have proven highly effective. For geospatial foundation models, techniques like Low-Rank Adaptation (LoRA) can match or even surpass the performance of computationally intensive full fine-tuning[9]. PEFT not only reduces training time and memory requirements but also enhances the model's ability to generalize to unseen geographic regions, which is vital for global applications[9]. Optimal configurations for adaptation often involve using UNet decoders and fine-tuning without relying on metadata[9].

Looking forward, research must focus on enhancing multimodal integration, improving geographic generalization, and developing scalable training solutions. The convergence of geospatial foundation models with the concept of **Autonomous GIS** is a particularly promising frontier. This envisions AI-powered systems that leverage large language models as a decision core to independently generate and execute geoprocessing workflows for spatial analysis, data retrieval, and visualization with minimal human intervention[1]. By continuing to address technical challenges and evaluation gaps, geospatial foundation models and their multimodal

integrations hold transformative potential for tackling pressing global issues in environmental monitoring, sustainable development, and climate resilience.

3. GIS-Agent Frameworks and Intelligent Workflow Automation

The integration of large language models (LLMs) with geographic information systems (GIS) has catalyzed the emergence of autonomous GIS agents. These agent-based systems operationalize the conceptual framework of autonomous GIS by automating complex geospatial workflows through intelligent task decomposition, dynamic refinement, and self-correcting execution [1]. The core innovation leverages LLMs as a decision-making core that understands natural language queries, plans geoprocessing workflows, generates executable code, and iteratively refines solutions.

3.1 Architectures and Core Components of Modern GIS Agents

Contemporary GIS-agent frameworks share architectural goals but employ different strategies to achieve autonomy. A primary challenge is enabling LLMs to handle complex spatial data structures, utilize diverse geospatial library functions, and avoid "hallucinating" incorrect or non-existent APIs [10].

The **GeoAgent** framework addresses these challenges by integrating a code interpreter, static analysis, and Retrieval-Augmented Generation (RAG) within a Monte Carlo Tree Search (MCTS) algorithm [11] [12]. The RAG component retrieves relevant documentation and code examples for less common libraries, providing crucial external knowledge. The MCTS algorithm then explores and refines potential solutions dynamically. It uses a tree structure where nodes represent states (s) and edges represent actions (a). The algorithm selects promising branches using a probabilistic Upper Confidence Bound (p-UCB) formula, which balances the exploitation of high-reward paths with the exploration of less-visited options [10]. The reward (r) for a state is based on the proportion of successfully executed steps in the task.

Complementary approaches focus on specific autonomous functions. The **LLM-Find** framework specializes in autonomous geospatial data retrieval. It employs a process where an agent selects a data source from an index, generates code using source-specific handbooks containing verified templates, and enters iterative execution-debugging cycles [13] [14]. This design emphasizes extensibility, allowing new data sources to be added through new handbooks.

The **GeoJSON Agents** architecture introduces a multi-agent Planner-Worker model, specifically designed to transform natural language into structured GeoJSON operations [15]. In this architecture, a Planner agent decomposes a user's task into

executable subtasks. Worker agents then execute these subtasks using one of two strategies: invoking predefined function APIs (Function Calling) or dynamically generating and executing Python code (Code Generation). This decoupling of planning and execution aims to improve stability and accuracy.

3.2 Performance Evaluation and Benchmarking

The effectiveness of these frameworks is rigorously evaluated against domain-specific benchmarks. GeoAgent's performance is measured using metrics for function call accuracy (Precision, Recall, F1 Score, Hamming Loss) and task completion rates (Pass@1) [10].
A comparative evaluation within the GeoJSON Agents framework provides clear insights into execution strategies. On a benchmark of 70 tasks, the Code Generation-based agent achieved **97.14%** accuracy, while the Function Calling-based agent attained **85.71%** accuracy [15]. Both significantly outperformed a general-purpose GPT-4o model, which scored only 48.57%, underscoring the necessity of specialized agent architectures for geospatial tasks.
The table below summarizes key frameworks and their evaluated performance:

Framework	Architecture	Execution Strategy	Reported Accuracy	Key Innovation
GeoJSON Agents	Multi-agent (Planner-Worker)	Function Calling vs. Code Generation	85.71% vs. 97.14% [15]	First systematic GeoJSON & multi-agent LLM integration
LLM-Find	Single-agent with handbooks	Template-based code generation	Demonstrated for data retrieval [13]	Plug-and-play data source extensibility
GeoAgent	Single-agent with MCTS	Dynamic refinement via tree search	Evaluated via precision/ recall metrics [10]	Integration of RAG, static analysis, and MCTS
Autonomous GIS	LLM as decision core	Workflow generation & execution	Prototype success [1]	Conceptual framework with autonomous goals & levels

These agents directly contribute to realizing the **autonomous goals** defined in the autonomous GIS framework, such as self-generating workflows and self-executing analyses [1]. Their performance can be mapped against the framework's **autonomous levels**, progressing from human-assisted workflow generation (Level 2) toward automated data preparation and result interpretation (Levels 3-4).

3.3 Limitations and Future Directions

Despite advances, significant limitations persist. Agents still struggle with the nuanced semantics of complex spatial operations and topological relationships. The trade-off between flexibility and stability is evident: Code Generation offers superior adaptability for open-ended tasks, while Function Calling provides more reliable execution for structured operations [15].
Future research must address several critical gaps:

1. **Scalability:** Assessing agent performance across vastly different data volumes and computational environments.
2. **Cross-domain validation:** Evaluating frameworks across diverse applications like disaster response, urban planning, and agriculture.
3. **Multimodal integration:** Developing agents that seamlessly process text, imagery, and spatial data within unified workflows.
4. **Standardized benchmarking:** Creating comprehensive, publicly available benchmark datasets that capture the full complexity of geospatial analysis, including coordinate transformations, projection handling, and scale-dependent reasoning.

The evolution of GIS-agent frameworks points toward hybrid architectures that balance the flexibility of code generation with the stability of function calling, all while advancing toward higher levels of autonomy with minimal human supervision.

4. Urban Planning and Smart City Applications

The integration of Geographic Information Systems (GIS) with large language models (LLMs) and other artificial intelligence (AI) technologies is fundamentally transforming urban planning and smart city development. This convergence enables unprecedented capabilities in spatial analysis, predictive modeling, and automated decision-making, addressing complex challenges from infrastructure management to sustainable development[16]. The applications span digital twin technologies, real-time monitoring systems, and predictive analytics for urban resilience, transportation management, and sustainable urban growth.

4.1 Spatial Design Optimization and Regulatory Compliance

Modern urban planning applications leverage advanced AI techniques to optimize spatial layouts and automate regulatory compliance checking. Specialized LLMs like **PlanGPT** address the limitations of general-purpose models by incorporating domain-specific fine-tuning and custom retrieval frameworks, enhancing their ability to generate precise, high-quality responses for spatial and urban planning tasks[17]. For direct citizen and planner interaction, systems like **EuclidHL** simplify

access to complex zoning and planning information by using a GIS-based LLM to answer questions in clear, concise language[18].
Generative AI is also being applied to urban design. A stepwise framework integrates multimodal diffusion models with human expertise, dividing the process into stages such as road network planning, building layout, and detailed rendering. At each stage, AI generates preliminary designs based on textual prompts and image constraints for human review and refinement, improving efficiency and design diversity[19]. Furthermore, research combining Urban Building Energy Modeling (UBEM) with Explainable AI techniques, such as Shapley Additive Explanations (SHAP), helps investigate how urban morphology impacts energy and environmental performance. Studies identify critical parameters like building shape and window-to-wall ratio as major influencers on energy efficiency in dense urban areas[20].
To address the fundamental gap in LLMs' understanding of physical urban environments, frameworks like **CityGPT** are proposed. These systems enhance LLMs' urban spatial cognition by integrating city-scale knowledge and specialized instruction tuning, significantly improving their performance on geospatial reasoning tasks relevant to planning[21] [22].

4.2 Digital Twin Technologies and Real-Time Urban Management

Urban Digital Twins (UDTs) have emerged as transformative, real-time virtual replicas of cities that integrate GIS, Internet of Things (IoT) sensors, and AI for simulation and management[23] [24]. These dynamic models create a cohesive platform to integrate IoT-generated data, facilitate operational improvements, and provide decision-makers with actionable insights[25]. The core objective is constructing these twins using modern information technology to merge Building Information Modeling (BIM), GIS, and IoT data[26] [27].
Key applications of digital twins in smart cities include:

Application Area	Key Capabilities	Technologies Integrated
Infrastructure Monitoring	Real-time condition assessment, predictive maintenance	IoT sensors, GIS mapping, AI analytics
Traffic Management	Congestion prediction, route optimization, public transit coordination	GPS data, traffic sensors, simulation models[28]
Environmental Monitoring	Air quality tracking, climate impact assessment	Environmental sensors, satellite imagery, predictive models

Application Area	Key Capabilities	Technologies Integrated
Emergency Response & Resilience	Disaster simulation, evacuation planning, resource allocation	Real-time sensor networks, GIS routing, AI prediction

For instance, digital twins enhance urban resilience against seismic events by leveraging real-time data and advanced simulations to address gaps in disaster management[29]. Case studies, such as the **WaterTwin** architecture for smart city water quality networks, demonstrate their potential for optimizing decision-making and resource management[30]. Advanced interaction frameworks also utilize the semantic richness of standards like CityGML and the SensorThings API to allow users to query and manipulate these complex 3D city models using natural language through LLMs[31].

4.3 Predictive Analytics and IoT Integration for Urban Intelligence

Predictive analytics powered by GIS and large models enable proactive urban management. The integration of **IoT and GIS** for real-time monitoring allows for efficient management of urban infrastructure and improved decision-making, though challenges in scalability, data security, and sensor integration remain[32]. IoT-enabled systems aggregate, analyze, and respond to real-time data from sensors monitoring everything from pipeline systems to green infrastructure, aiming to improve urban safety and operational efficiency[33] [34] [35].
LLMs are poised to revolutionize this domain further. The concept of **urban sensing in the era of large language models** emphasizes their potential to process diverse data streams—from social media and sensor networks to traditional databases—to offer a more comprehensive, efficient, and in-depth understanding of urban dynamics[36]. This aligns with the vision of **Autonomous GIS**, where LLMs act as a decision core to independently generate and execute geoprocessing workflows for spatial analysis with minimal human intervention[[27][36]]. Frameworks like **GeoAgent** exemplify this direction, integrating tools like code interpreters and Retrieval-Augmented Generation (RAG) within a Monte Carlo Tree Search (MCTS) algorithm to help LLMs handle complex geospatial data processing tasks more effectively[10].

4.4 Implementation Considerations and Future Directions

The practical application of these advanced technologies in urban science faces hurdles, including technical limitations, data privacy concerns, and risks associated with social biases in models[37] [38]. Future advancements will likely focus on

developing more robust domain-specific models and frameworks for enhanced human-AI collaboration[39].
Furthermore, the ethical implementation of AI in urban planning requires careful consideration. As discussed in the broader context of this report, comprehensive guidelines are needed to address privacy risks from extensive data collection, mitigate potential misinformation, and ensure these powerful tools are developed and deployed in socially responsible ways that serve the public good and preserve the value of human insight[1].

5. Environmental Monitoring and Disaster Management Systems

The integration of Geographic Information Systems (GIS) with artificial intelligence (AI) is fundamentally reshaping environmental monitoring and disaster management. This convergence moves beyond traditional mapping, leveraging AI-driven geospatial analysis to automate complex tasks, identify patterns in vast datasets, and deliver actionable insights for crisis response, conservation, and climate resilience [40]. The overarching trend is the evolution of GIS into a critical decision-making tool, with emerging autonomous systems capable of planning and executing geoprocessing workflows with minimal human intervention [1].

5.1 AI-Driven Analysis for Environmental Threats

AI and machine learning are revolutionizing the analysis of environmental data. Key applications include using satellite imagery to predict wildfire risks, monitor illegal deforestation, and enhance disaster response [40]. For wildfire management specifically, a diverse ecosystem of AI models addresses the full lifecycle of fire events. These include Convolutional Neural Networks (CNNs) like ResNet and YOLO for detection, Long Short-Term Memory (LSTM) networks for temporal prediction, Graph Neural Networks (GNNs) for modeling spatial relationships and spread, and Vision Transformers (ViT) for image-based tasks [41]. These models are applied across five critical components: fire/fuel susceptibility mapping, fire prediction, early detection, fire modeling/simulation, and damage severity analysis [41].
The performance of these models is evaluated using a suite of metrics, each with specific strengths and limitations, particularly given the imbalanced datasets common in wildfire scenarios. While accuracy can be misleadingly high in imbalanced data, metrics like Precision, Recall, F1-Score, and Intersection over Union (IoU) provide more nuanced assessments of model performance for classification and segmentation tasks [41]. For regression problems, such as predicting burned area, Root Mean Squared Error (RMSE) and Mean Absolute Error (MAE) are

commonly used [41]. Research indicates that AI models, especially deep learning approaches, often achieve higher predictive accuracy than traditional statistical methods, though they can face challenges in interpretability and real-world validation [41].

In flood risk assessment, statistical modeling advances are improving projection accuracy. A new method enhances accuracy across approximately 70% of Earth's landmass by expanding the statistical sample size of ensemble data. This is achieved by merging elements of future climate scenarios that share the same level of warming (e.g., 2°C or 3°C) but differ in their socioeconomic pathways [42]. This warming-level-centric approach, integrated with large-scale simulations and global flood models, aims to provide policymakers with more precise evaluations for developing adaptation strategies [42].

5.2 System Integration and Real-Time Monitoring Platforms

The effectiveness of AI-driven analysis depends on its integration into robust geospatial platforms that facilitate real-time monitoring and early warning. A major trend is the move to cloud-based GIS solutions (e.g., Esri’s ArcGIS Online, Microsoft Azure, AWS Location Services), which enhance accessibility and provide the computational power needed to process high-resolution satellite imagery and model complex climate scenarios [40]. These platforms are evolving into comprehensive geospatial AI systems. For instance, Esri’s ArcGIS platform integrates machine learning, deep learning, and natural language experiences to deliver intelligent, scalable solutions for spatial analysis [43].

Similarly, Google’s Earth AI platform exemplifies the integration of foundation models across imagery, environment, and population domains, powered by Gemini’s reasoning capabilities for complex geospatial queries [44]. Such systems demonstrate the potential to bridge raw data and actionable understanding during time-sensitive crises. The integration of Internet of Things (IoT) sensors with GIS further enriches these platforms, generating real-time location-based data for monitoring parameters like air quality in smart city initiatives [40].

5.3 Integration Challenges with Operational Protocols

Despite technological advancements, significant challenges persist in integrating these advanced GIS systems with established emergency management and environmental monitoring protocols.

1. **Data Interoperability**: Legacy emergency management systems often use protocols and data formats incompatible with modern AI/ML frameworks. The push for open geospatial

data and interoperable systems (e.g., OpenStreetMap) is a positive trend but requires substantial institutional adaptation to overcome siloed data architectures [40].

2. **Decision-Making Workflow Integration**: While AI models provide accurate predictions, effectively embedding these outputs into human-led command-and-control structures remains difficult. Responders need systems that offer not just predictions but also context-aware, actionable recommendations aligned with operational protocols.
3. **Scalability and Infrastructure Demands**: Real-time monitoring of environmental threats requires significant computational resources, especially for processing streams of satellite and sensor data. While cloud solutions alleviate some burdens, they necessitate reliable connectivity and represent an ongoing infrastructure investment [40].
4. **Expertise and Training Gap**: Maximizing the utility of advanced GeoAI systems requires technical expertise often absent in traditional environmental and emergency management organizations. This gap highlights the need for comprehensive training programs and collaborative partnerships between technologists and domain experts.

The emergence of autonomous GIS agents and AI frameworks offers a pathway to address some integration hurdles. For example, the GeoAgent framework integrates a code interpreter, static analysis, and Retrieval-Augmented Generation (RAG) within a Monte Carlo Tree Search (MCTS) algorithm to help Large Language Models (LLMs) handle complex geospatial data processing and code generation tasks [10]. Such agents can translate natural language requests into executable workflows, potentially making powerful analytical tools more accessible to non-specialists.

5.4 Future Directions and Evolving Capabilities

The continued evolution of environmental monitoring and disaster management systems points toward several critical research and development priorities:

1. **Advanced Foundation Models and Reasoning**: Future systems will likely leverage more sophisticated geospatial foundation models—pre-trained on vast, diverse datasets—that can be efficiently fine-tuned for specific tasks like burn scar mapping or flood detection [45] [5]. Integrating these with generative AI for cross-modal reasoning will be key to answering complex natural language queries about the physical world [7].
2. **From Automation to Autonomous Decision Support**: The frontier involves progressing from automated analysis to systems capable of autonomous planning and adaptive response. Research into reinforcement learning, multi-agent systems, and ethical AI frameworks is essential for developing responsible autonomous GIS that can support, or even execute, optimized response strategies under supervision [1].
3. **Enhanced Modeling for Climate Adaptation**: As climate volatility increases, systems must better incorporate long-term projections and model compound, cascading disaster scenarios (e.g., drought leading to wildfire, followed by mudslides). This requires models that understand interconnected Earth processes and socioeconomic factors [42].

4. **Human-AI Collaboration Frameworks**: Ensuring technology translates into practical improvements necessitates seamless human-AI collaboration. Advances in explainable AI (XAI), intuitive interfaces, and human-in-the-loop systems will be crucial for building trust and enabling effective joint decision-making during crises.

The integration of GIS with AI and large models represents a transformative shift. By enhancing predictive accuracy, enabling real-time situational awareness, and evolving toward autonomous operation, these systems offer profound potential to improve society's capacity to predict, prepare for, and respond to environmental threats, ultimately supporting more resilient communities and ecosystems.

6. Business and Industrial Applications Across Sectors

The convergence of Geographic Information Systems (GIS), artificial intelligence (AI), and large language models (LLMs)—collectively termed Geospatial AI (GeoAI)—is driving a paradigm shift in commercial operations. By integrating spatial intelligence with predictive analytics and automated decision-making, organizations across retail, agriculture, healthcare, and energy are achieving significant competitive advantages through enhanced efficiency, optimized resource allocation, and data-driven strategy[46].

6.1 Retail and Logistics: AI-Driven Supply Chain Optimization

Retail leaders are deploying integrated GeoAI systems to transform logistics and market intelligence. Walmart utilizes **real-time AI systems** for dynamic demand forecasting and inventory redistribution, alongside a **Trend-to-Product system** that analyzes social media and search data to generate new product concepts[47]. Amazon employs **Wellspring**, a generative AI mapping technology, and **AI-powered demand forecasting models** to optimize inventory placement across its fulfillment network, minimizing shipping times and costs[47]. Both companies implement advanced route optimization software that integrates real-time traffic and spatial data to reduce fuel consumption and carbon emissions[47]. These technologies enable **self-healing inventory** mechanisms that automatically detect and correct stock imbalances, reducing waste and improving product availability[47].
Beyond logistics, GeoAI powers sophisticated site selection analytics. Retailers analyze demographic patterns, competitor locations, traffic flows, and socioeconomic indicators through spatial models to identify optimal store locations and forecast performance, thereby de-risking expansion strategies[48].

6.2 Precision Agriculture: Yield Forecasting and Resource Management

In agriculture, GeoAI enables precision farming techniques that boost productivity and sustainability. At Esri's 2025 User Conference, ArcGIS was presented as a comprehensive geospatial AI platform for agriculture, comprising **GeoAI analysis** for automated data processing, **AI assistants** with conversational interfaces, and an **underlying AI framework** that supports deep learning and LLM integration[49]. A key application is field-level yield forecasting, which combines satellite-derived vegetation indices, temperature data (growing degree days), and deep learning models[49]. Esri provides pre-trained geospatial models to simplify the integration of these predictive capabilities into farm management workflows[49].
Advanced applications demonstrated include using **Spatial Data Science** for crop cultivar market analysis, **Knowledge Graphs** for supply chain traceability, **Digital Twins** to simulate operations like cotton ginning, and **LLMs** to extract insights from production knowledge graphs[49]. These technologies allow for the precise, variable-rate application of water, fertilizers, and pesticides, optimizing resource use and minimizing environmental impact[50] [51].

6.3 Healthcare: Optimizing Resource Distribution and Access

Healthcare systems leverage GIS-based spatial analytics to address inequities in resource allocation. Methods such as Moran's I, Local Indicators of Spatial Association (LISA), and Hot Spot Analysis are used to identify geographic clusters of resource concentration or deprivation[52]. Quantitative tools like the Lorenz curve and Gini coefficient provide measures of distributional equity, supporting evidence-based planning[52]. This spatial intelligence enables administrators to model optimal service areas, strategically site new facilities based on population density, demographic needs, and existing infrastructure, and ultimately improve healthcare accessibility for underserved communities[53].

6.4 Energy: Renewable Site Selection and Grid Integration

The energy sector employs GeoAI for sustainable development and infrastructure optimization. Integrated GIS and Generative AI frameworks automate the assessment of renewable energy resources (solar, wind, hydro) and optimize infrastructure planning[54]. For hydroelectric projects, hybrid approaches combine GIS-based spatial mapping to identify potential sites with AI methods like the Traveling Salesman Problem solved with Genetic Algorithms (TSP-GA) and fuzzy logic to optimize transmission line routing, minimizing distance and terrain challenges[55].

Offshore renewable energy development utilizes multi-criteria site selection that processes high-resolution spatial data on energy potential, environmental conditions, and constructability to identify optimal locations for platforms like co-located wind-wave systems[56].

6.5 Implementation Challenges and Return on Investment

Despite its potential, widespread GeoAI adoption faces significant hurdles that affect return on investment (ROI) and implementation timelines. Key challenges and their impacts are summarized below:

Challenge Category	Specific Issues	Impact on ROI
Data Quality & Integration	Inconsistent formats, incomplete spatial datasets, legacy system integration.	Increases implementation cost and delays time-to-value.
Technical Expertise	Shortage of professionals skilled in both GIS and AI.	Raises labor costs and creates dependency on external consultants.
Infrastructure Requirements	High computational demands for spatial AI models and large dataset storage.	Requires significant upfront investment in hardware or cloud resources.
Organizational Change	Resistance to new workflows, need for cross-departmental collaboration.	Slows adoption and reduces utilization efficiency.
Ethical & Regulatory	Privacy concerns with location data, risks of algorithmic bias in spatial decisions.	Introduces potential compliance costs and reputational risks.

Sector-specific adaptations are crucial. In agriculture, for instance, successful AI solutions require collaboration with local partners and extension services to integrate domain expertise and high-quality, trusted data for model validation[49]. Lessons from past technological cycles emphasize the need for robust data management infrastructure and caution against over-reliance on open-source tools for critical functions[49].

ROI assessment must balance quantitative metrics—such as operational cost savings from optimized routes, reduced agricultural input waste, and increased revenue from better site selection—with qualitative benefits like improved decision-making quality and enhanced customer service. Effective organizational change management, including phased implementation, comprehensive training, and executive sponsorship, is critical for realizing these benefits. Future work should develop standardized ROI frameworks for GeoAI projects and further investigate the

organizational and long-term sustainability impacts of these technologies across different sectors.

7. Technology Stacks and Platform Ecosystems

The integration of Geographic Information Systems (GIS) with artificial intelligence (AI) and large language models (LLMs) is enabled by a diverse set of technology platforms and tool ecosystems. These range from comprehensive enterprise software suites to cloud-based analytical engines and open-source frameworks, each offering distinct pathways for building and deploying geospatial AI (GeoAI) applications. This section provides a high-level overview of the major platform categories, focusing on their core capabilities as indicated by the available facts.

7.1 Enterprise and Cloud Geospatial Platforms

Major technology providers offer integrated platforms that combine extensive geospatial data with AI tooling. A prominent example is Esri's ArcGIS platform, which has evolved into a comprehensive geospatial AI system [43]. This platform integrates machine learning, deep learning models, and natural language experiences within an extensible framework. Key features include **GeoAI** capabilities for automating data extraction and analysis [46] [57], and **AI Assistants** that allow users to interact with ArcGIS using natural language to make tasks more intuitive and efficient [58]. The platform is designed to deliver geospatial reasoning and intelligence through invocable and autonomous agents [43].
Google offers a distinct cloud-centric ecosystem centered on **Google Earth Engine** and **Google Earth AI**. This platform provides planetary-scale analysis capabilities by combining a massive multi-petabyte catalog of satellite imagery with advanced AI [59]. A core feature is the integration of **Gemini capabilities** directly into Google Earth, enabling users to ask questions and generate geospatial insights through a conversational interface [60] [61]. This approach is designed to accelerate workflows by providing AI-powered insights and unique data layers [62]. The broader **Google Maps Platform** also provides geospatial analytics tools aimed at revealing business and sustainability insights without requiring traditional GIS expertise [63].

7.2 Open-Source Frameworks and Models

Alongside commercial platforms, a vibrant open-source ecosystem provides flexible alternatives for GeoAI development. General-purpose open-source LLMs like **LLaMA**, **Mistral**, **Qwen**, and **DeepSeek** are highlighted for their adaptability in geospatial

innovation, offering advantages in licensing, multilingual support, and specialized reasoning capabilities [64].
Furthermore, specialized geospatial AI initiatives are emerging. These include projects like **OmniGeo**, a multimodal LLM designed for geospatial artificial intelligence that integrates diverse data types [65], and **GeoAgent**, an interactive framework that helps LLMs handle geospatial data processing more effectively by integrating techniques like Retrieval-Augmented Generation (RAG) [10]. The collaborative **NASA-IBM geospatial foundation model** (Prithvi) represents another significant open-source contribution, trained on harmonized satellite data for adaptable Earth observation tasks [5].

7.3 Platform Integration and Knowledge Graphs

A critical trend is the development of platforms and frameworks that facilitate the integration of disparate geospatial data sources and AI models. For instance, CARTO's platform demonstrates how foundation model embeddings can be turned into decisions through integrated analytics workflows [66]. Similarly, the vision for **Autonomous GIS** involves AI-powered agents that can autonomously generate and execute geoprocessing workflows, moving towards systems with self-generating and self-executing capabilities [1].
Underpinning these integrations is the growing importance of structured knowledge representation. The **KnowWhereGraph** is an example of a large-scale geospatial knowledge graph designed to break down data "silos" by pre-integrating diverse, cross-domain datasets. This creates an AI-ready data warehouse rooted in knowledge graphs, which is crucial for tackling complex global challenges that require consolidated data from human and environmental systems [67].

Platform Category	Representative Examples	Core Capabilities (as per facts)
Enterprise GIS	Esri ArcGIS	Integrated GeoAI, AI Assistants for natural language interaction, autonomous agents [43] [58]
Cloud Geospatial	Google Earth Engine / AI	Planetary-scale imagery analysis, Gemini-powered conversational insights, AI-driven environmental monitoring [59] [60]
Open-Source Models & Frameworks	LLaMA, Mistral, GeoAgent, NASA-IBM Prithvi	Adaptable LLMs for geospatial tasks, specialized frameworks for geospatial data processing, open foundation models for Earth observation [64] [5] [10]

Platform Category	Representative Examples	Core Capabilities (as per facts)
Integration & Knowledge Platforms	CARTO, KnowWhereGraph	Analytics on foundation model embeddings, pre-integrated geospatial knowledge graphs for interdisciplinary discovery [66] [67]

In summary, the technology landscape for GIS and large models is characterized by a convergence of powerful enterprise platforms, scalable cloud services, and flexible open-source tools. The common direction across these stacks is toward more intuitive natural language interfaces, greater automation through AI agents, and deeper integration of diverse data sources via foundational models and knowledge graphs.

8. Ethical Considerations and Societal Implications

The rapid advancement of GeoAI and autonomous GIS systems offers unprecedented capabilities for spatial analysis but simultaneously raises profound ethical and societal challenges. As these technologies are integrated into critical domains like urban planning, disaster response, and public services, addressing their implications becomes essential for responsible and equitable deployment.

8.1 Privacy, Surveillance, and Data Sovereignty

GeoAI inherently involves processing vast amounts of location data from GPS, smartphones, IoT sensors, and satellite imagery, enabling pervasive surveillance. Continuous tracking can reveal sensitive information about an individual's daily routines, home address, workplace, health activities, and social affiliations[68]. The risk is amplified when geospatial data is fused with other personal information. Notably, modern Vision-Language Models (VLMs) have demonstrated high accuracy (61%) in geolocating images that resemble social media content, raising urgent concerns about their potential misuse for stalking and unauthorized surveillance[69]. **Data sovereignty** presents a significant governance challenge. The global nature of geospatial data conflicts with territorial legal frameworks, leading to fragmented regulatory approaches. Regions like the EU enforce comprehensive data protection (GDPR, AI Act), while others mandate strict data localization or adopt market-oriented models. This fragmentation complicates international collaboration and risks exacerbating global digital divides[70].

Privacy Risk Category	Specific Concerns	Potential Mitigations
Location Tracking	Continuous monitoring of movements, revealing routines and sensitive locations	Implement differential privacy, establish clear data retention policies
Inference Risks	Deriving sensitive information (health, affiliations) from location patterns	Develop privacy-preserving analytics, limit data granularity
Third-Party Sharing	Unauthorized data sharing with advertisers or malicious actors	Stronger consent mechanisms, transparent data usage policies
Government Surveillance	Excessive monitoring infringing on civil liberties	Judicial oversight, clear legal frameworks, accountability mechanisms

8.2 Algorithmic Bias and Fairness

GeoAI models are susceptible to several forms of bias that can perpetuate spatial inequalities[68] [71]:

1. **Representation Bias**: Training data may not reflect real-world populations. For instance, a dataset where 60% of identifiable images are from the U.S. can cause models to underperform in other regions[71].
2. **Aggregation Bias**: Arises from the Modifiable Areal Unit Problem (MAUP), where analysis results change based on how spatial units are grouped, potentially obscuring important subgroup differences[71].
3. **Algorithmic Performance Bias**: Models may perform unevenly across space, such as being less accurate in rural areas if trained predominantly on urban data, leading to discriminatory resource allocation[71].
4. **Measurement/Labeling Bias**: Systematic errors in sensor data or inaccurate annotations compromise data quality before modeling begins[71].

Regulatory frameworks like the EU AI Act are beginning to address these issues. For high-risk AI systems, which include many GeoAI applications, the Act mandates representative training data (Article 10), requires accuracy and robustness to minimize biased outputs (Article 15), and ensures transparency and human oversight (Articles 13-14)[71]. These provisions aim to make bias mitigation a legal obligation.

8.3 Accountability, Transparency, and Governance

The autonomous capabilities of next-generation GIS—such as self-generating workflows and self-executing analyses—create new accountability challenges[1]. The complexity and opacity of AI algorithms, especially deep learning models, make it difficult to trace decisions and assign responsibility for adverse outcomes[68].
Effective governance requires multi-faceted approaches:

- **Multi-stakeholder Committees**: Interdisciplinary oversight bodies involving legal, ethical, data science, and community stakeholders to guide GeoAI deployment[72].
- **Technical Documentation**: Comprehensive records detailing data usage, development processes, and potential risks, as required by regulations like the EU AI Act[71].
- **Human Oversight**: Maintaining meaningful human review capabilities within automated systems to intervene in critical decisions[71].
- **Audit Mechanisms**: Regular bias audits and impact assessments to ensure ongoing compliance with ethical standards[71].

8.4 Digital Divide and Equitable Access

GeoAI technologies risk widening existing digital disparities. Infrastructure and computational requirements for advanced systems may be concentrated in developed regions, creating adoption barriers elsewhere[73]. Furthermore, the systematic under-representation of Global South regions and marginalized populations in training datasets can lead to models that fail to address their specific contexts[71]. International initiatives, such as the UN-GGIM's Future Geospatial Information Ecosystem, emphasize building robust digital infrastructure and fostering inclusive digital skills to promote equitable access[74].

8.5 Mitigation Strategies and Future Directions

Addressing these challenges requires a layered strategy spanning technical, organizational, and policy dimensions.
Technical Mitigations include implementing privacy-preserving techniques (e.g., differential privacy, federated learning), developing automated bias auditing tools for spatial data, and creating explainable AI methods to make decision processes transparent[68] [71].
Organizational Frameworks should involve ethical impact assessments prior to deployment, community engagement protocols for participatory design, and responsible innovation practices integrated throughout the technology lifecycle[68] [72].
Policy Development needs to focus on international regulatory harmonization to facilitate collaboration while respecting data sovereignty, creating adaptive

governance models that evolve with technology, and building public trust through transparency and accountability[70].
Future research should prioritize developing cross-cultural ethical frameworks, designing scalable governance for autonomous systems, creating equity-centered design methodologies, and conducting long-term studies on the societal impacts of widespread GeoAI adoption[1] [75].

9. Reference

1. GIScience in the Era of Artificial Intelligence: A Research Agenda Towards Autonomous GIS, https://arxiv.org/pdf/2503.23633 ↩ ↩2 ↩3 ↩4 ↩5 ↩6 ↩7 ↩8 ↩9 ↩10 ↩11 ↩12 ↩13 ↩14 ↩15 ↩16 ↩17 ↩18
2. [PDF] Autonomous GIS: the next-generation AI-powered GIS - arXiv, https://arxiv.org/pdf/2305.06453 ↩ ↩2 ↩3
3. [PDF] An Autonomous GIS Agent Framework for Geospatial Data Retrieval, https://arxiv.org/pdf/2407.21024 ↩ ↩2 ↩3
4. AI Foundation Models for Geospatial and Earth Observation, https://geoawesome.com/ai-foundation-models-for-geospatial-and-earth-observation-a-new-era-of-earth-understanding/ ↩ ↩2
5. NASA and IBM Openly Release Geospatial AI Foundation Model for ..., https://www.earthdata.nasa.gov/news/nasa-ibm-openly-release-geospatial-ai-foundation-model-nasa-earth-observation-data ↩ ↩2 ↩3 ↩4 ↩5
6. Google Research introduces new geospatial AI foundation models, https://blog.google/technology/research/geospatial-reasoning/ ↩
7. Geospatial Reasoning: Unlocking insights with generative AI and ..., https://research.google/blog/geospatial-reasoning-unlocking-insights-with-generative-ai-and-multiple-foundation-models/ ↩ ↩2 ↩3
8. PANGAEA: A Global and Inclusive Benchmark for Geospatial Foundation Models, https://doi.org/10.48550/arxiv.2412.04204 ↩ ↩2 ↩3
9. Fine-tune Smarter, Not Harder: Parameter-Efficient Fine-Tuning for Geospatial Foundation Models, https://doi.org/10.48550/arxiv.2504.17397 ↩ ↩2 ↩3
10. An LLM Agent for Automatic Geospatial Data Analysis, https://arxiv.org/pdf/2410.18792 ↩ ↩2 ↩3 ↩4 ↩5 ↩6 ↩7 ↩8
11. [PDF] An LLM Agent for Automatic Geospatial Data Analysis - arXiv, https://arxiv.org/pdf/2410.18792? ↩
12. [PDF] An LLM Agent for Automatic Geospatial Data Analysis, https://www.semanticscholar.org/paper/An-LLM-Agent-for-Automatic-Geospatial-Data-Analysis-Chen-Wang/ebdffd860ba98f4b2d34646ab76f4550c8a6f4aa ↩
13. LLM-Find: An autonomous GIS agent framework for geospatial data ..., https://giscience.psu.edu/llm-find-an-autonomous-gis-agent-framework-for-geospatial-data-retrieval/ ↩ ↩2

14. Mapping a new frontier with AI-integrated geographic information ..., https://phys.org/news/2025-11-frontier-ai-geographic.html ↩
15. GeoJSON Agents:A Multi-Agent LLM Architecture for Geospatial Analysis-Function Calling vs Code Generation, https://arxiv.org/pdf/2509.08863 ↩ ↩2 ↩3 ↩4
16. Large language models in urban planning, https://doi.org/10.1038/s44284-025-00261-7 ↩
17. PlanGPT: Enhancing Urban Planning with Tailored Language Model and Efficient Retrieval, https://doi.org/10.48550/arXiv.2402.19273 ↩
18. GIS-Based Large Language Model Answers City Planning Questions, https://www.esri.com/about/newsroom/arcnews/gis-based-large-language-model-answers-city-planning-questions ↩
19. Generative AI for Urban Design: A Stepwise Approach Integrating Human Expertise with Multimodal Diffusion Models, https://arxiv.org/pdf/2505.24260 ↩
20. Adopting Explainable-AI to investigate the impact of urban morphology design on energy and environmental performance in dry-arid climates, https://arxiv.org/pdf/2412.12183 ↩
21. Empowering Urban Spatial Cognition of Large Language Models, https://dl.acm.org/doi/10.1145/3711896.3736878 ↩
22. CityGPT: Empowering Urban Spatial Cognition of Large Language Models, https://arxiv.org/pdf/2406.13948 ↩
23. Digital twin technology in smart cities: A step toward intelligent urban ..., https://www.sciencedirect.com/science/article/pii/S2352484725007127 ↩
24. Applications, Insights and Implications of Digital Twins in Smart City Management, https://doi.org/10.1109/icSmartGrid61824.2024.10578291 ↩
25. Digital Twins: Pioneering Sustainable And Smart Urban Futures, https://urbandesignlab.in/digital-twins-pioneering-sustainable-and-smart-urban-futures/?srsltid=AfmBOorxwASumGkee9PD3YjFb8cX4yJL18Hti4YVahujU58GMi65tdLg ↩
26. [PDF] Data-Driven Urban Digital Twins and Critical Infrastructure Under ..., https://www.cogitatiopress.com/urbanplanning/article/download/10109/4602 ↩
27. Smart Integration of Information Technologies for City Digital Twins, https://ieeexplore.ieee.org/document/10516358/ ↩
28. Using Digital Twins in Urban Planning for Smart Cities - ATT Metrology, https://www.attinc.com/news/digital-twin-urban-planning-for-smart-cities/ ↩
29. Exploring the Sustainability Benefits of Digital Twin Technology in Achieving Resilient Smart Cities During Strong Earthquake Events, https://doi.org/10.1007/s13369-025-10017-z ↩
30. Architecting Digital Twin for Smart City Systems: A Case Study, https://doi.org/10.1109/ICSA-C63560.2024.00061 ↩
31. [PDF] Advanced User Interaction with Urban Digital Twins using Large ..., https://isprs-annals.copernicus.org/articles/X-G-2025/469/2025/isprs-annals-X-G-2025-469-2025.pdf ↩
32. Internet of Things (IoT) Integration for Real-Time Monitoring in Smart Cities, https://doi.org/10.35870/ijsecs.v5i1.3465 ↩
33. Real-Time Incident Monitoring for Smart Cities using IoT, https://doi.org/10.1109/ESIC60604.2024.10481558 ↩

34. Research on Application of Sensor Monitoring Technology Based on the IOT in the Campus GIS Pipeline System, https://doi.org/10.4028/www.scientific.net/amm.668-669.944 ↩
35. Using Sensors (IoT) to Monitor and Improve the Efficiency of Living Green Infrastructure in Urban Development (Literature Review), https://doi.org/10.32920/ryerson.14653725 ↩
36. Urban sensing in the era of large language models: The Innovation, https://www.cell.com/the-innovation/fulltext/S2666-6758(24)00187-5 ↩
37. Towards Human-AI Collaborative Urban Science Research Enabled by Pre-trained Large Language Models, https://doi.org/10.48550/arXiv.2305.11418 ↩
38. Towards human-AI collaborative urban science research enabled by pre-trained large language models, https://doi.org/10.1007/s44212-024-00042-y ↩
39. Urban Computing in the Era of Large Language Models, https://doi.org/10.48550/arxiv.2504.02009 ↩
40. Top 10 Trends in GIS Technology for 2025 | LightBox, https://www.lightboxre.com/insight/top-10-trends-in-gis-technology-for-2025/ ↩ ↩2 ↩3 ↩4 ↩5 ↩6
41. AI for Wildfire Management: From Prediction to Detection, Simulation ..., https://www.mdpi.com/2673-2688/6/10/253 ↩ ↩2 ↩3 ↩4 ↩5
42. New Model Increases Accuracy of Flood Risk Projections, https://forecastwatch.com/2025/10/29/new-model-increases-accuracy-of-flood-risk-projections/ ↩ ↩2 ↩3
43. Geospatial AI platform | ArcGIS Architecture Center, https://architecture.arcgis.com/en/overview/introduction-to-arcgis/geospatial-ai.html ↩ ↩2 ↩3 ↩4
44. Google Earth AI, https://ai.google/earth-ai/ ↩
45. Geospatial Foundation Models: Transforming Earth ..., https://kili-technology.com/blog/a-guide-to-geospatial-foundation-models-transforming-earth-observation-through-ai ↩
46. What Is GeoAI? | Accelerated Data Generation & Spatial ... - Esri, https://www.esri.com/en-us/capabilities/geoai/overview ↩ ↩2
47. AI-Powered Supply Chains: How Retail Giants Are Transforming ..., https://www.gain.consulting/post/ai-powered-supply-chains-how-retail-giants-are-transforming-logistics-in-2025 ↩ ↩2 ↩3 ↩4
48. Geospatial Trends in 2025: An In-Depth Analysis of How WebGIS, AI ..., https://www.linkedin.com/pulse/geospatial-trends-2025-in-depth-analysis-how-webgis-ai-cloud-ueroc ↩
49. RECAP: The Agriculture SIG at Esri's 2025 User Conference, https://community.esri.com/t5/agriculture-blog/recap-the-agriculture-sig-at-esri-s-2025-user/ba-p/1636885 ↩ ↩2 ↩3 ↩4 ↩5 ↩6
50. [PDF] Precision agriculture for improving crop yield predictions - Frontiers, https://www.frontiersin.org/journals/agronomy/articles/10.3389/fagro.2025.1566201/pdf ↩
51. Ai And Machine Learning In Agriculture: 2025 Playbook - Farmonaut, https://farmonaut.com/precision-farming/ai-and-machine-learning-in-agriculture-2025-playbook ↩
52. An analytical approach to assessing the spatial equity and allocation of healthcare resources in Shanghai, https://doi.org/10.1016/j.health.2025.100400 ↩ ↩2

53. GIS in healthcare facility planning and management: A review, https://doi.org/10.30574/wjarr.2024.21.1.2682 ↩
54. A GIS and Gen-AI-Driven framework for automated renewable energy resource assessment and infrastructure optimization, https://doi.org/10.30574/ijsra.2024.13.2.2370 ↩
55. A new hybrid Artificial Intelligence (AI) approach for hydro energy sites selection and integration, https://doi.org/10.1016/j.heliyon.2022.e10638 ↩
56. Multi-criteria site selection for offshore renewable energy platforms, https://doi.org/10.1016/j.renene.2015.10.035 ↩
57. [PDF] Unlocking Potential: The Importance of Using AI in ArcGIS Today, https://www.esri.ca/content/dam/distributor-restricted/esri-ca/files/news-events/events/uc/past-proceedings/2025/act-1--the-importance-of-using-ai-in-arcgis-today.pdf ↩
58. What's New in AI Assistants (October 2025) - Esri, https://www.esri.com/arcgis-blog/products/arcgis-online/geoai/whats-new-in-ai-assistants-october-2025 ↩ ↩2
59. Google Earth Engine, https://earthengine.google.com/ ↩ ↩2
60. New updates and more access to Google Earth AI, https://blog.google/technology/research/new-updates-and-more-access-to-google-earth-ai/ ↩ ↩2
61. Overview of Gemini capabilities in Google Earth, https://developers.google.com/maps/documentation/earth/gemini/overview ↩
62. Google Earth capabilities for no-code geospatial evaluation and ..., https://mapsplatform.google.com/maps-products/earth/capabilities/ ↩
63. Geospatial solutions and analytics - Google Maps Platform, https://mapsplatform.google.com/maps-products/geospatial-analytics/ ↩
64. The Role of Open-Source LLMs in Shaping the Future of ..., https://arxiv.org/pdf/2504.17833 ↩ ↩2
65. OmniGeo: Towards a Multimodal Large Language Models for Geospatial Artificial Intelligence, https://doi.org/10.48550/arxiv.2503.16326 ↩
66. Turning Geospatial Foundation Models into Decisions using CARTO ..., https://carto.com/blog/turning-geospatial-foundation-models-into-decisions-using-carto-workflows ↩ ↩2
67. The KnowWhereGraph: A Large-Scale Geo-Knowledge Graph for Interdisciplinary Knowledge Discovery and Geo-Enrichment, https://arxiv.org/pdf/2502.13874 ↩ ↩2
68. The Current State of GeoAI - EthicalGEO, https://ethicalgeo.org/the-current-state-of-geoai/ ↩ ↩2 ↩3 ↩4 ↩5
69. Assessing the Geolocation Capabilities, Limitations and Societal Risks of Generative Vision-Language Models, https://arxiv.org/pdf/2508.19967 ↩
70. Geospatial Data & AI: Critical Insights On Ethics, Governance, And ..., https://ecolonical.org/geospatial-data-ai-ethics-governance/ ↩ ↩2
71. From Bias to Accountability: How the EU AI Act Confronts Challenges in European GeoAI Auditing, https://arxiv.org/pdf/2505.18236 ↩ ↩2 ↩3 ↩4 ↩5 ↩6 ↩7 ↩8 ↩9 ↩10 ↩11
72. GIS Governance Challenges in the AI Era - LinkedIn, https://www.linkedin.com/pulse/gis-governance-challenges-ai-era-matthew-lewin-dzjqc ↩ ↩2

73. (PDF) Digital Divide and GeoAI - ResearchGate, https://www.researchgate.net/publication/394109067_Digital_Divide_and_GeoAI ↩
74. [PDF] Future Geospatial Information Ecosystem - UN-GGIM, https://ggim.un.org/meetings/GGIM-committee/15th-session/side_event/Future_Geospatial_Information_Ecosystem_18Jun.pdf ↩
75. Philosophical Foundations of GeoAI, https://arxiv.org/pdf/2304.06508 ↩