

Nama : Tiara Putri
NIM : 312210064
Kelas : TI.22.A1
Mata Kuliah : Pemrograman Monile 1
Dosen : Donny Maulana, S.Kom., M.M.S.I.

Launcher Splash Logo

Pertama, yaitu membuat Launcher Splash Logo atau menampilkan logo / icon saat kita pertama kali membuka aplikasi.

Caranya adalah :

- Persiapkan gambar terlebih dahulu
- Selanjutnya kita klik `app`, lalu klik `res` dan setelahnya kita pilih dan klik `mipmap`
- Setelah itu klik kanan pada bagian `mipmap`, lalu pilih `new`
- Lalu pilih dan klik `Image Asset`
- Lalu ketika sudah terbuka, kita klik bagian `Icon Type` lalu pilih yang `Launcher Icons (Adaptive and Legacy)`
- Lalu pada bagian `Path` kita klik logo file lalu kita pilih dan klik file gambar yang telah disiapkan sebelumnya dan klik `OK`
- Lalu untuk ukuran logo / ikon bisa kita atur pada bagian `Resize`, Jika sudah kita klik `Next`
- Setelah itu kita klik `Finish`, Maka logo / ikon aplikasi kita akan berubah sesuai gambar yang kita inginkan

Untuk menambahkan file gambar seperti untuk SplashScreen, Background di setiap project kita bisa klik bagian `Resource Manager` lalu kita klik tanda `+`. Setelah itu kita pilih dan klik `Import Drawables`, setelah itu kita pilih dan klik file gambar yang sudah kita siapkan lalu klik `OK`. Maka gambar akan tersedia di `res` pada `drawable`.

- backgroundlauncher.xml

```
<?xml version="1.0" encoding="utf-8"?>

<layer-list xmlns:android="http://schemas.android.com/apk/res/android">

    <item android:drawable="@color/birumuda"/>

    <item>

        <bitmap

            android:src="@drawable/logo"

            android:gravity="center" />

        </item>

    </layer-list>
```

- themes.xml
<resources xmlns:tools="http://schemas.android.com/tools">

```

<!-- Base application theme.-->
<style name="Splash" parent="Theme.Material3.Light">
    <item name="android:windowBackground">@drawable/background</item>
    <item name="android:statusBarColor">?attr/colorOnPrimary</item>
    <item name="android:navigationBarColor">@color/white</item>
    <!-- Customize your light theme here.-->
</style>
</resources>

```

- Java
- SplashScreen.java

```
package com.tiaraapps;
```

```
import android.content.Intent;
```

```
import android.os.Bundle;
```

```
import android.os.Handler;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
public class SplashScreen extends AppCompatActivity {
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        new Handler().postDelayed(new Runnable() {
```

```
            @Override
```

```
            public void run() {
```

```
                startActivity(new Intent(SplashScreen.this, MenuActivity.class));
```

```
                finish();
```

```
            }
```

```
        }, 2500);
```

```
    }
```

```
}
```

- AndroidManifest.xml

```
<activity
```

```

        android:name=".SplashScreen"
        android:exported="true"
        android:theme="@style/Splash">
        <intent-filter>
            <action android:name="android.intent.action.MAIN" />

            <category android:name="android.intent.category.LAUNCHER" />
        </intent-filter>
    </activity>

```

Menu Utama

- Layout
- activity_menu.xml

```

<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    tools:context=".MenuActivity">

    <ImageView
        android:id="@+id/background"
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:background="@drawable/bg1"
        android:adjustViewBounds="true"
        android:scaleType="centerCrop"/>

    <LinearLayout
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_alignParentTop="true"

```

```
android:layout_marginLeft="16dp"
android:layout_marginTop="20dp"
android:layout_marginRight="16dp"
android:orientation="vertical">
```

```
<TextView
    android:id="@+id/textView"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:fontFamily="monospace"
    android:text="Menu Project"
    android:textAlignment="center"
    android:textColor="@color/white"
    android:textSize="34sp"
    android:textStyle="bold" />
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="130dp"
    android:layout_margin="5dp"
    android:layout_marginStart="5dp"
    android:layout_marginTop="5dp"
    android:layout_marginEnd="5dp"
    android:layout_marginBottom="5dp"
    android:orientation="horizontal">
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/cdMenu1"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_margin="10dp"
    android:layout_weight="1"
```

```
app:cardCornerRadius="20dp"
```

```
app:cardElevation="7dp">
```

```
<LinearLayout
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    android:orientation="vertical">
```

```
<ImageView
```

```
    android:id="@+id/imageView0"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_margin="16dp"
```

```
    android:layout_weight="1"
```

```
    app:srcCompat="@drawable/helloworld" />
```

```
<TextView
```

```
    android:id="@+id/textView0"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:fontFamily="serif"
```

```
    android:text="HELLO WORLD"
```

```
    android:textAlignment="center"
```

```
    android:textSize="16dp"
```

```
    android:textStyle="bold" />
```

```
</LinearLayout>
```

```
</androidx.cardview.widget.CardView>
```

```
<androidx.cardview.widget.CardView
```

```
    android:id="@+id/cdMenu2"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
android:layout_margin="10dp"
android:layout_weight="1"
app:cardCornerRadius="20dp"
app:cardElevation="7dp">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">
```

```
<ImageView
    android:id="@+id/imageView1"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="16dp"
    android:layout_weight="1"
    app:srcCompat="@drawable/count" />
```

```
<TextView
    android:id="@+id/textView1"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:fontFamily="serif"
    android:text="COUNT"
    android:textAlignment="center"
    android:textSize="16dp"
    android:textStyle="bold" />
```

```
</LinearLayout>
```

```
</androidx.cardview.widget.CardView>
```

```
</LinearLayout>
```

```
<LinearLayout
```

```
android:layout_width="match_parent"
android:layout_height="130dp"
android:layout_margin="5dp"
android:layout_marginStart="5dp"
android:layout_marginTop="5dp"
android:layout_marginEnd="5dp"
android:layout_marginBottom="5dp"
android:orientation="horizontal">
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/cdMenu3"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_margin="10dp"
    android:layout_weight="1"
    app:cardCornerRadius="20dp"
    app:cardElevation="7dp">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">
```

```
<ImageView
    android:id="@+id/imageView2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="16dp"
    android:layout_weight="1"
    app:srcCompat="@drawable/icecold" />
```

```
<TextView
```

```
        android:id="@+id/textView2"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:fontFamily="serif"
        android:text="ICE COLD"
        android:textAlignment="center"
        android:textSize="16dp"
        android:textStyle="bold" />
    </LinearLayout>
</androidx.cardview.widget.CardView>
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/cdMenu4"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_margin="10dp"
    android:layout_weight="1"
    app:cardCornerRadius="20dp"
    app:cardElevation="7dp">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">
```

```
<ImageView
    android:id="@+id/imageView3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="16dp"
    android:layout_weight="1"
    app:srcCompat="@drawable/alarm" />
```



```
<TextView
    android:id="@+id/textView3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:fontFamily="serif"
    android:onClick="setAlarm"
    android:text="SET ALARM"
    android:textAlignment="center"
    android:textSize="16dp"
    android:textStyle="bold" />
</LinearLayout>
</androidx.cardview.widget.CardView>
</LinearLayout>
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="130dp"
    android:layout_margin="5dp"
    android:layout_marginStart="5dp"
    android:layout_marginTop="5dp"
    android:layout_marginEnd="5dp"
    android:layout_marginBottom="5dp"
    android:orientation="horizontal">
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/cdMenu5"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_margin="10dp"
    android:layout_weight="1"
    app:cardCornerRadius="20dp"
```

```
app:cardElevation="7dp">
```

```
<LinearLayout
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    android:orientation="vertical">
```

```
<ImageView
```

```
    android:id="@+id/imageView4"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_margin="16dp"
```

```
    android:layout_weight="1"
```

```
    app:srcCompat="@drawable/twoactivity" />
```

```
<TextView
```

```
    android:id="@+id/textView4"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:fontFamily="serif"
```

```
    android:text="TWO ACTIVITY"
```

```
    android:textAlignment="center"
```

```
    android:textSize="16dp"
```

```
    android:textStyle="bold" />
```

```
</LinearLayout>
```

```
</androidx.cardview.widget.CardView>
```

```
<androidx.cardview.widget.CardView
```

```
    android:id="@+id/cdMenu6"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    android:layout_margin="10dp"
```

```
android:layout_weight="1"
app:cardCornerRadius="20dp"
app:cardElevation="7dp">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">
```

```
<ImageView
    android:id="@+id/imageView5"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="16dp"
    android:layout_weight="1"
    app:srcCompat="@drawable/maps" />
```

```
<TextView
    android:id="@+id/textView5"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:fontFamily="serif"
    android:text="MAPS"
    android:textAlignment="center"
    android:textSize="16dp"
    android:textStyle="bold" />
```

```
</LinearLayout>
```

```
</androidx.cardview.widget.CardView>
```

```
</LinearLayout>
```

```
<LinearLayout
```

```
android:layout_width="190dp"
android:layout_height="130dp"
android:layout_gravity="center"
android:layout_margin="5dp"
android:orientation="horizontal">
```

```
<androidx.cardview.widget.CardView
    android:id="@+id/cdMenu7"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_margin="10dp"
    android:layout_weight="1"
    app:cardCornerRadius="20dp"
    app:cardElevation="7dp">
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical">
```

```
<ImageView
    android:id="@+id/imageView6"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="16dp"
    android:layout_weight="1"
    app:srcCompat="@drawable/tv" />
```

```
<TextView
    android:id="@+id/textView6"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
```

```

        android:fontFamily="serif"
        android:text="FRAGMENT"
        android:textAlignment="center"
        android:textSize="16dp"
        android:textStyle="bold" />
    </LinearLayout>
</androidx.cardview.widget.CardView>
</LinearLayout>
</LinearLayout>

```

```
</RelativeLayout>
```

- Java
- MenuActivity

```
package com.tiaraapps;
```

```

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import androidx.appcompat.app.AppCompatActivity;

```

```
public class MenuActivity extends AppCompatActivity {
```

```
    @Override
```

```

    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_menu);
    }

```

```

    findViewById(R.id.cdMenu4).setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {

```

```
        setAlarm();  
    }  
});
```

```
findViewById(R.id.cdMenu1).setOnClickListener(new View.OnClickListener() {  
    @Override  
    public void onClick(View v) {  
        // Ketika tombolSatu ditekan, pindah ke HelloActivity  
        Intent helloworld = new Intent(MenuActivity.this, HelloActivity.class);  
        startActivity(helloworld);  
    }  
});
```

```
findViewById(R.id.cdMenu2).setOnClickListener(new View.OnClickListener() {  
    @Override  
    public void onClick(View v) {  
        // Ketika tombolDua ditekan, lakukan aksi yang diinginkan  
        // Misalnya, pindah ke aktivitas lain atau jalankan fungsi khusus  
        Intent toast = new Intent(MenuActivity.this, ToastActivity.class);  
        startActivity(toast);  
    }  
});
```

```
findViewById(R.id.cdMenu3).setOnClickListener(new View.OnClickListener() {  
    @Override  
    public void onClick(View v) {  
        // Ketika tombolDua ditekan, lakukan aksi yang diinginkan  
        // Misalnya, pindah ke aktivitas lain atau jalankan fungsi khusus  
        Intent sianida = new Intent(MenuActivity.this, SianidaActivity.class);  
        startActivity(sianida);  
    }  
});
```

```

findViewById(R.id.cdMenu5).setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        // Ketika tombolDua ditekan, lakukan aksi yang diinginkan
        // Misalnya, pindah ke aktivitas lain atau jalankan fungsi khusus
        Intent twoactivity = new Intent(MenuActivity.this, ReplyActivity.class);
        startActivity(twoactivity);
    }
});

findViewById(R.id.cdMenu6).setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        // Example location: Jakarta, Indonesia
        Uri geoLocation = Uri.parse("geo:-6.2088,106.8456");
        openMaps(geoLocation);
    }
});

findViewById(R.id.cdMenu7).setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        // Ketika tombolDua ditekan, lakukan aksi yang diinginkan
        // Misalnya, pindah ke aktivitas lain atau jalankan fungsi khusus
        Intent fragment = new Intent(MenuActivity.this, FragmentActivity.class);
        startActivity(fragment);
    }
});
}

private void setAlarm() {

```

```

Intent alarm = new Intent(android.provider.AlarmClock.ACTION_SET_ALARM);
// Add extra details for the alarm, e.g., alarm time, label, etc.
// alarmIntent.putExtra(...)
startActivity(alarm);
}

private void openMaps(Uri geoLocation) {
    Intent maps = new Intent(Intent.ACTION_VIEW);
    maps.setData(geoLocation);
    if (maps.resolveActivity(getPackageManager()) != null) {
        startActivity(maps);
    }
}
}

```

1. Hello World

- String

```
<string name="hello_world" >Hello World!</string>
```

- Layout

- activity_hello.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    xmlns:app="http://schemas.android.com/apk/res-auto"
```

```
    xmlns:tools="http://schemas.android.com/tools"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="match_parent"
```

```
    tools:context=".HelloActivity">
```

```
<TextView
```

```
    android:id="@+id/Texthello"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:fontFamily="courier"
```

```
    android:gravity="center"
```



```

android:text="@string/hello_world"
android:textColor="@color/white"
android:textSize="15pt"
android:textStyle="bold"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.500"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.257"
tools:ignore="TextSizeCheck" />

```

</androidx.constraintlayout.widget.ConstraintLayout>

- Java
- HelloActivity.java

```
package com.tiaraapps;
```

```
import android.os.Bundle;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
public class HelloActivity extends AppCompatActivity {
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_hello);
```

```
    }
```

```
}
```

2. Scroll Movie (Ice Cold)

- String

```
<string name="article_title">Kasus Sianida</string>
```

<string name="article_subtitle">ICE COLD</string>

<string name="article_text"> Film dokumenter Ice Cold: Murder, Coffee and Jessica Wongso memaparkan pertanyaan tak terjawab tentang persidangan yang dilalui Jessica Wongso. Dengan menyajikan perspektif baru, film ini hadir bertahun-tahun setelah kematian sahabat Jessica, Wayan Mirna Salihin.

Film ini menggambarkan bagaimana Jessica yang mengajak teman-temannya, termasuk Mirna, untuk bertemu setelah sekian lama tak berjumpa. Pertemuan di salah satu kafe di mal ibu kota tersebut pun berlangsung lancar, sebelum akhirnya Mirna pingsan sesaat setelah meminum kopi yang sebelumnya dipesan Jessica.

Dokumenter ini turut menyajikan rekaman CCTV pada waktu kejadian, berbagai footage berita saat persidangan berlangsung, hingga wawancara eksklusif dengan beberapa sumber, termasuk Jessica Wongso.

Persidangan atas dugaan pembunuhan Mirna Salihin digelar lima bulan setelah kematiannya. Sidang tersebut melalui 32 kali persidangan dengan menghadirkan puluhan saksi di pengadilan. Hasilnya, Jessica Wongso divonis bersalah atas kematian Mirna dan dijatuhi hukuman 20 tahun penjara.

Kasus yang berjalan cukup lama tersebut menyita banyak perhatian dari masyarakat Indonesia. Musababnya, banyak misteri tak terjawab selama rangkaian persidangan yang panjang tersebut. Salah satunya adalah mengenai akses untuk mendapatkan bubuk sianida yang tidak bisa didapatkan oleh orang sembarangan. Selain itu, motif Jessica di balik pembunuhan tersebut pun belum menemukan jawabannya.

Film dokumenter buatan Netflix ini menyoroti rangkaian persidangan yang saat itu menjadi sidang pertama yang disiarkan secara langsung di berbagai stasiun televisi Indonesia. Selain itu, kasus ini juga diliput secara intens oleh media massa, baik nasional maupun internasional. Tak hanya itu, pihak rumah produksi Beach House Pictures juga berhasil mendapatkan akses untuk mewawancarai Jessica Wongso secara langsung dari balik tahanan. Dalam video trailer yang diluncurkannya, ditampilkan juga sejumlah wawancara eksklusif yang dilakukan dengan beberapa narasumber. Mulai dari ayah dan saudara kembar Mirna Salihin, pengacara Jessica Wongso, jurnalis yang mendalami kasus tersebut, hingga bagaimana saat itu kasus ini begitu ramai diberitakan oleh media massa Indonesia dan internasional.</string>

- Layout
- activity_scroll_movie.xml

<?xml version="1.0" encoding="utf-8"?>

<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"

xmlns:tools="http://schemas.android.com/tools"

android:layout_width="match_parent"

android:layout_height="match_parent"

```
tools:context=".SianidaActivity">
```

```
<ScrollView
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_below="@id/article_heading">
```

```
<LinearLayout
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:orientation="vertical">
```

```
<TextView
```

```
    android:id="@+id/article_subheading"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:padding="10dp"
```

```
    android:text="@string/article_subtitle"
```

```
    android:textAppearance="@android:style/TextAppearance.DeviceDefault" />
```

```
<TextView
```

```
    android:id="@+id/article"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="643dp"
```

```
    android:autoLink="web"
```

```
    android:lineSpacingExtra="@dimen/line_spacing"
```

```
    android:padding="10dp"
```

```
    android:justificationMode="inter_word"
```

```
    android:text="@string/article_text" />
```

```
</LinearLayout>
```

```
</ScrollView>
```

```
</RelativeLayout>
```

- Java
- ScrollMovieActivity.java

```
package com.tiaraapps;
```

```
import android.os.Bundle;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
public class SianidaActivity extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState){
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_sianida);
    }
}
```

3. Toast (Fibonnaci)

- String

```
<string name="button_label_toast">Toast</string>
<string name="button_label_count">Count</string>
<string name="count_initial_value">1</string>
<string name="toast_message">Hello Toast!</string>
```

- Color

```
<?xml version="1.0" encoding="utf-8"?>
<resources>
    <color name="black">#FF000000</color>
    <color name="white">#FFFFFFF</color>
    <color name="blue">#3700B3</color>
    <color name="pink">#FFC0CB</color>
    <color name="colorPrimary">#3F5185</color>
    <color name="colorPrimaryDark">#303F9F</color>
    <color name="colorAccent">#FF4081</color>
    <color name="birumuda">#ABCBFA</color>
```

```

<color name="salem">#F8C6E6</color>
<color name="purple">#E3A2ED</color>
<color name="hijau">#92A676</color>
<color name="biru">#8FC2EA</color>
<color name="hijaumuda">#C2E69C</color>
<color name="kuning">#FFEB3B</color>
<color name="orange">#FF9800</color>
<color name="cream">#E6C18A</color>
<color name="pink_terang">#ffb6c1</color>
<color name="koral">#f08080</color>
</resources>

• Layout
• activity_toast.xml

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:ignore="ExtraText"
    tools:context=".ToastActivity">

    <Button
        android:id="@+id/button_limit"
        android:layout_width="440dp"
        android:layout_height="60dp"
        android:layout_alignParentStart="true"
        android:layout_alignParentEnd="true"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:layout_marginEnd="8dp"
        android:background="@color/colorPrimary"

```

```
android:onClick="setLimit"
android:text="Masukkan Angka Limit"
android:textColor="@android:color/white"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.454"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
tools:ignore="UsingOnClickInXml,VisualLintButtonSize" />
```

<Button

```
android:id="@+id/button_count"
android:layout_width="180dp"
android:layout_height="80dp"
android:layout_alignParentStart="true"
android:layout_alignParentEnd="true"
android:layout_marginStart="10dp"
android:layout_marginBottom="10dp"
android:background="@color/colorPrimary"
android:onClick="countUp"
android:text="Count"
android:textColor="@android:color/white"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toStartOf="@+id/button_restart"
app:layout_constraintHorizontal_bias="0.0"
app:layout_constraintStart_toStartOf="parent"
tools:ignore="UsingOnClickInXml,VisualLintButtonSize" />
```

<Button

```
android:id="@+id/button_restart"
android:layout_width="180dp"
android:layout_height="80dp"
android:layout_alignParentStart="true"
```

```
android:layout_alignParentEnd="true"
android:layout_marginStart="8dp"
android:layout_marginEnd="10dp"
android:layout_marginBottom="10dp"
android:background="@color/colorPrimary"
android:onClick="restart"
android:text="Restart"
android:textColor="@android:color/white"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="1.0"
app:layout_constraintStart_toStartOf="parent"
tools:ignore="UsingOnClickInXml" />
```

<TextView

```
android:id="@+id/show_count"
android:layout_width="400dp"
android:layout_height="550dp"
android:layout_marginStart="8dp"
android:layout_marginTop="10dp"
android:layout_marginEnd="8dp"
android:layout_marginBottom="10dp"
android:background="@drawable/bg_count"
android:gravity="center_vertical"
android:text="1"
android:textAlignment="center"
android:textColor="@color/colorPrimary"
android:textSize="160sp"
android:textStyle="bold"
app:layout_constraintBottom_toTopOf="@id/button_count"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintStart_toStartOf="parent"
```

```
app:layout_constraintTop_toBottomOf="@id/button_limit"
app:layout_constraintVertical_bias="0.0"
tools:ignore="RtlCompat" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

- Java
- ToastActivity.java

```
package com.tiaraapps;
```

```
import android.app.AlertDialog;
import android.content.DialogInterface;
import android.graphics.Color;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;
import androidx.appcompat.app.AppCompatActivity;
```

```
public class ToastActivity extends AppCompatActivity {
    private TextView show_count;
    private int count = 1;
    private long fibNMinus1 = 1;
    private long fibNMinus2 = 1;
    private int limit = -1; // Inisialisasi limit dengan nilai default
```

```
@Override
```

```
protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_toast);

    show_count = findViewById(R.id.show_count);
```



```
}
```

```
public void countUp(View view) {  
    if (count == 0) {  
        show_count.setText("0");  
    }  
    else if (count == 1) {  
        show_count.setText("1");  
    }  
    else {  
        if (limit != -1 && count > limit) {  
            // Jika count melebihi limit, atur ulang perhitungan  
            count = 0;  
            fibNMinus1 = 1;  
            fibNMinus2 = 0;  
            show_count.setText(getString(R.string.count_initial_value));  
        }  
        else {  
            long fibCurrent = fibNMinus1 + fibNMinus2;  
            fibNMinus2 = fibNMinus1;  
            fibNMinus1 = fibCurrent;  
  
            //Mengatur warna teks berdasarkan angka Fibonacci  
            int colorResId = R.color.orange; // Warna Default  
            switch (count % 11) {  
                case 1:  
                    colorResId = R.color.pink_terang; // Warna Orange  
                    break;  
                case 2:  
                    colorResId = R.color.hijaumuda; // Warna Hijau Muda  
                    break;  
                case 3:
```

```

        colorResId = R.color.purple; // Warna Ungu
        break;
    case 4:
        colorResId = R.color.salem; // Warna Salem
        break;
    case 5:
        colorResId = R.color.birumuda; // Warna Biru Muda
        break;
    case 6 :
        colorResId = R.color.koral; // Warna Kuning
        break;
    case 7:
        colorResId = R.color.hijau; // Warna Hijau
        break;
    case 8:
        colorResId = R.color.cream; // Warna Cream
        break;
    case 9:
        colorResId = R.color.pink; // Warna Pink
        break;
    case 10:
        colorResId = R.color.biru; // Warna Biru
        break;
    case 11:
        colorResId = R.color.colorAccent; // Warna Pink Tua
        break;
    }
    show_count.setTextColor(getResources().getColor(colorResId));
    show_count.setText(String.valueOf(fibCurrent));
}
}

```

```
        count++;  
    }  
}
```

```
public void restart(View view) {  
    count = 1;  
    fibNMinus1 = 1;  
    fibNMinus2 = 0;  
    show_count.setText(getString(R.string.count_initial_value));  
}
```

```
public void setLimit(View view) {  
    // Create and display a dialog to set the limit  
    AlertDialog.Builder builder = new AlertDialog.Builder(this);  
    builder.setTitle("Set Limit");  
  
    final EditText input = new EditText(this);  
    input.setInputType(android.text.InputType.TYPE_CLASS_NUMBER);  
    builder.setView(input);  
  
    builder.setPositiveButton("OK", new DialogInterface.OnClickListener() {  
        @Override  
        public void onClick(DialogInterface dialog, int which) {  
            // Get the limit from the input and set it for calculations  
            String limitStr = input.getText().toString();  
            limit = Integer.parseInt(limitStr);  
        }  
    });  
};
```

```
builder.setNegativeButton("Cancel", new DialogInterface.OnClickListener() {  
    @Override  
    public void onClick(DialogInterface dialog, int which) {  
        dialog.cancel();  
    }  
});
```

```

        }

    });

    builder.show();

}

}

```

4. Two Activity (Send and Reply Message)

- String

```

<string name="button_main">Send</string>

<string name="editText_main">Enter Your Message Here</string>

<string name="text_header">Messege Received</string>

<string name="button_second">Reply</string>

<string name="editText_second">Enter Your Reply Here</string>

<string name="text_header_reply">Reply Received</string>

```

- Layout
- activity_send.xml

```

<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout

    xmlns:android="http://schemas.android.com/apk/res/android"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    xmlns:tools="http://schemas.android.com/tools"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    tools:context=".SendActivity">

```

```

<TextView

    android:id="@+id/text_header"

    android:layout_width="wrap_content"

    android:layout_height="wrap_content"

    android:layout_marginStart="8dp"

    android:layout_marginLeft="8dp"

    android:layout_marginTop="16dp"

    android:text="@string/text_header"

```

```
android:textAppearance="@style/TextAppearance.AppCompat.Medium"
android:textStyle="bold"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent" />
```

<TextView

```
android:id="@+id/text_message"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginStart="8dp"
android:layout_marginLeft="8dp"
android:layout_marginTop="8dp"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toBottomOf="@+id/text_header" />
```

<Button

```
android:id="@+id/button_second"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_marginBottom="16dp"
android:layout_marginRight="16dp"
android:text="@string/button_second"
android:onClick="returnReply"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintRight_toRightOf="parent"
tools:ignore="UsingOnClickInXml" />
```

<EditText

```
android:id="@+id/editText_second"
android:layout_width="0dp"
android:layout_height="wrap_content"
android:layout_marginStart="8dp"
```

```

        android:layout_marginEnd="8dp"
        android:layout_marginBottom="16dp"
        android:ems="10"
        android:hint="@string/editText_second"
        android:inputType="textLongMessage"
        android:minHeight="48dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toStartOf="@+id/button_second"
        app:layout_constraintStart_toStartOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

- activity_reply.xml

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    xmlns:tools="http://schemas.android.com/tools"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    tools:context=".ReplyActivity">

    <TextView
        android:id="@+id/text_header_reply"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginStart="8dp"
        android:layout_marginLeft="8dp"
        android:layout_marginTop="16dp"
        android:text="@string/text_header_reply"
        android:textAppearance="@style/TextAppearance.AppCompat.Medium"
        android:textStyle="bold"
        android:visibility="invisible"
        app:layout_constraintStart_toStartOf="parent"

```

```
app:layout_constraintTop_toTopOf="parent"/>
```

```
<TextView
```

```
    android:id="@+id/text_message_reply"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginStart="8dp"
```

```
    android:layout_marginLeft="8dp"
```

```
    android:layout_marginTop="8dp"
```

```
    android:visibility="invisible"
```

```
    app:layout_constraintStart_toStartOf="parent"
```

```
    app:layout_constraintTop_toBottomOf="@+id/text_header_reply" />
```

```
<Button
```

```
    android:id="@+id/button_main"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginBottom="16dp"
```

```
    android:layout_marginRight="16dp"
```

```
    android:text="@string/button_main"
```

```
    android:onClick="LaunchSecondActivity"
```

```
    app:layout_constraintBottom_toBottomOf="parent"
```

```
    app:layout_constraintRight_toRightOf="parent"
```

```
    tools:ignore="UsingOnClickInXml" />
```

```
<EditText
```

```
    android:id="@+id/editText_main"
```

```
    android:layout_width="0dp"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginStart="8dp"
```

```
    android:layout_marginEnd="8dp"
```

```
    android:layout_marginBottom="16dp"
```

```

        android:ems="10"
        android:hint="@string/editText_main"
        android:inputType="textLongMessage"
        android:minHeight="48dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toStartOf="@+id/button_main"
        app:layout_constraintStart_toStartOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

- Java
- SendActivity.java

```
package com.tiaraapps;
```

```

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;

```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
public class SendActivity extends AppCompatActivity {
```

```
    public static final String EXTRA_REPLY ="com.example.android.Reply.extra.REPLY";
```

```
    private EditText mReply;
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState){
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_send);
```

```
        mReply = findViewById(R.id.editText_second);
```



```

        Intent intent = getIntent();

        String message = intent.getStringExtra(ReplyActivity.EXTRA_MESSAGE);

        TextView textView = findViewById(R.id.text_message);
        textView.setText(message);
    }

    public void returnReply(View view){
        String reply = mReply.getText().toString();

        Intent replyIntent = new Intent();
        setResult(RESULT_OK, replyIntent);

        finish();
    }
}

```

- ReplyActivity.java

```

package com.tiaraapps;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.View;
import android.widget.EditText;
import android.widget.TextView;

public class ReplyActivity extends AppCompatActivity {

    private static final String LOG_TAG = ReplyActivity.class.getSimpleName();

    public static final String EXTRA_MESSAGE =
        "com.example.android.SendActivity.extra.MESSAGE";

    public static final int TEXT_REQUEST = 1;

```

```
private EditText mMessageEditText;
```

```
private TextView mReplyHeadTextView;
```

```
private TextView mReplyTextView;
```

```
@Override
```

```
protected void onCreate(Bundle savedInstanceState) {
```

```
    super.onCreate(savedInstanceState);
```

```
    setContentView(R.layout.activity_reply);
```

```
    mMessageEditText = findViewById(R.id.editText_main);
```

```
    mReplyHeadTextView = findViewById(R.id.text_header_reply);
```

```
    mReplyTextView = findViewById(R.id.text_message_reply);
```

```
}
```

```
public void LaunchSecondActivity(View view) {
```

```
    Log.d(LOG_TAG, "Button clicked!");
```

```
    Intent intent = new Intent(this, SendActivity.class);
```

```
    String message = mMessageEditText.getText().toString();
```

```
    intent.putExtra(EXTRA_MESSAGE, message);
```

```
    startActivityForResult(intent, TEXT_REQUEST);
```

```
}
```

```
@Override
```

```
public void onActivityResult(int requestCode, int resultCode, Intent data) {
```

```
    super.onActivityResult(requestCode, resultCode, data);
```

```
    if (requestCode == TEXT_REQUEST) {
```

```
        if (resultCode == RESULT_OK) {
```

```
            String reply = data.getStringExtra(SendActivity.EXTRA_REPLY);
```

```

        mReplyHeadTextView.setVisibility(View.VISIBLE);

        mReplyTextView.setText(reply);

        mReplyTextView.setVisibility(View.VISIBLE);
    }
}
}

```

5. Intent (Implicit)

- Java
- Alarm

```

public void createAlarm(String message, int hour, int minutes) {
    Intent intent = new Intent(AlarmClock.ACTION_SET_ALARM)
        .putExtra(AlarmClock.EXTRA_MESSAGE, message)
        .putExtra(AlarmClock.EXTRA_HOUR, hour)
        .putExtra(AlarmClock.EXTRA_MINUTES, minutes);
    if (intent.resolveActivity(getPackageManager()) != null) {
        startActivity(intent);
    }
}

```

- Maps

```

public void showMap(Uri geoLocation) {
    Intent intent = new Intent(Intent.ACTION_VIEW);
    intent.setData(geoLocation);
    if (intent.resolveActivity(getPackageManager()) != null) {
        startActivity(intent);
    }
}

```

- Manifest
- Alarm

<activity ...>

<intent-filter>

<action android:name="android.intent.action.SET_ALARM" />

```

        <category android:name="android.intent.category.DEFAULT" />
    </intent-filter>
</activity>

```

- Maps

```

<activity ...>
    <intent-filter>
        <action android:name="android.intent.action.VIEW" />
        <data android:scheme="geo" />
        <category android:name="android.intent.category.DEFAULT" />
    </intent-filter>
</activity>

```

6. Fragment (Tab Layout)

- build.gradle.kts (Module :app)

```

plugins {
    id("com.android.application")
}

android {
    namespace = "com.tablayout"
    compileSdk = 34

    defaultConfig {
        applicationId = "com.tablayout"
        minSdk = 21
        targetSdk = 34
        versionCode = 1
        versionName = "1.0"

        testInstrumentationRunner = "androidx.test.runner.AndroidJUnitRunner"
    }

    buildTypes {
        release {

```

```

        isMinifyEnabled = false

        proguardFiles(getDefaultProguardFile("proguard-android-optimize.txt"), "proguard-
rules.pro")
    }
}

compileOptions {
    sourceCompatibility = JavaVersion.VERSION_1_8
    targetCompatibility = JavaVersion.VERSION_1_8
}

buildToolsVersion = "34.0.0"
}

```

```

dependencies {
    val fragment_version = "1.6.1"
    implementation("androidx.appcompat:appcompat:1.6.1")
    implementation("com.google.android.material:material:1.10.0")
    implementation("androidx.constraintlayout:constraintlayout:2.1.4")
    testImplementation("junit:junit:4.13.2")
    androidTestImplementation("androidx.test.ext:junit:1.1.5")
    androidTestImplementation("androidx.test.espresso:espresso-core:3.5.1")
    implementation("androidx.fragment:fragment:$fragment_version")
}

```

- Setelah itu klik Sync now
- Colors.xml

```

<?xml version="1.0" encoding="utf-8"?>

<resources>

    <color name="black">#FF000000</color>

    <color name="white">#FFFFFFF</color>

    <color name="blue">#3700B3</color>

    <color name="pink">#FFC0CB</color>

    <color name="colorPrimary">#3F5185</color>

    <color name="colorPrimaryDark">#303F9F</color>

    <color name="colorAccent">#FF4081</color>

```

```

<color name="birumuda">#ABCBFA</color>
<color name="salem">#F8C6E6</color>
<color name="purple">#E3A2ED</color>
<color name="hijau">#92A676</color>
<color name="biru">#8FC2EA</color>
<color name="hijaumuda">#C2E69C</color>
<color name="kuning">#FFEB3B</color>
<color name="orange">#FF9800</color>
<color name="cream">#E6C18A</color>
<color name="hijautua">#3F4A2F</color>
</resources>

• themes.xml dan themes.xml(night)
<resources xmlns:tools="http://schemas.android.com/tools">

    <!-- Base application theme.-->

    <style name="Base.Theme.TabLayout"
parent="Theme.MaterialComponents.DayNight.DarkActionBar">

        <!-- Primary brand color.-->

        <item name="colorPrimary">@color/colorPrimary</item>
        <item name="colorPrimaryVariant">@color/biru</item>
        <item name="colorOnPrimary">@color/white</item>

        <!-- Secondary brand color.-->

        <item name="colorSecondary">@color/blue</item>
        <item name="colorSecondaryVariant">@color/blue</item>
        <item name="colorOnSecondary">@color/blue</item>

        <!-- Status bar color.-->

        <item name="android:statusBarColor">@color/blue</item>
        <item name="android:navigationBarColor">@color/blue</item>

        <!-- Customize your light theme here.-->

    </style>

    <style name="Theme.TabLayout" parent="Base.Theme.TabLayout" />
</resources>

• Layout

```

- activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<androidx.constraintlayout.widget.ConstraintLayout  
xmlns:android="http://schemas.android.com/apk/res/android"
```

```
xmlns:app="http://schemas.android.com/apk/res-auto"
```

```
xmlns:tools="http://schemas.android.com/tools"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="match_parent"
```

```
android:background="@color/white"
```

```
tools:context=".MainActivity">
```

```
<com.google.android.material.tabs.TabLayout
```

```
android:id="@+id/tab"
```

```
android:layout_width="match_parent"
```

```
android:layout_height="wrap_content"
```

```
android:background="@color/blue"
```

```
app:tabSelectedTextColor="@color/white"
```

```
app:tabIndicatorColor="@color/white"
```

```
app:tabTextColor="@color/white"
```

```
tools:layout_editor_absoluteX="1dp"
```

```
tools:layout_editor_absoluteY="3dp"
```

```
tools:ignore="MissingConstraints">
```

```
<com.google.android.material.tabs.TabItem
```

```
android:layout_width="wrap_content"
```

```
android:layout_height="wrap_content"
```

```
android:text="Action"
```

```
tools:layout_editor_absoluteX="0dp"
```

```
tools:layout_editor_absoluteY="3dp" />
```

```
<com.google.android.material.tabs.TabItem
```

```
android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
    android:text="Comedy" />
```

```
    <com.google.android.material.tabs.TabItem
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Romance" />
</com.google.android.material.tabs.TabLayout>
```

```
<androidx.viewpager2.widget.ViewPager2
    android:id="@+id/view"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_marginTop="50dp"
    android:background="@color/white"
    tools:layout_editor_absoluteX="1dp"
    tools:layout_editor_absoluteY="52dp" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

- fragment_action.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout
```

```
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="25dp">
```

```
<ImageView
```

```
    android:id="@+id/imgMovie"
    android:layout_width="150dp"
    android:layout_height="170dp"
    android:src="@drawable/avatar"/>
```



```
<TextView
    android:id="@+id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_marginStart="16dp"
    android:textSize="16sp"
    android:textColor="@color/black"
    android:text="AVATAR : THE WAY OF WATER"/>
```

```
<TextView
    android:id="@+id/Deskription"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="16dp"
    android:layout_marginTop="16dp"
    android:maxLines="5"
```

android:text="Set more than a decade after the events of the first film, “Avatar: The Way of Water” begins to tell the story of the Sully family (Jake, Neytiri, and their kids), the trouble that follows them, the lengths they go to keep each other safe, the battles they fight to stay alive, and the tragedies they endure."/>

```
<ImageView
    android:id="@+id/imgMovie2"
    android:layout_width="150dp"
    android:layout_height="170dp"
    android:layout_marginTop="200dp"
    android:src="@drawable/theflash"/>
```

```
<TextView
    android:id="@+id/tvTitle2"
    android:layout_width="match_parent"
```

```
android:layout_height="wrap_content"
android:layout_toRightOf="@id/imgMovie"
android:layout_marginStart="16dp"
android:layout_marginTop="200dp"
android:textSize="16sp"
android:textColor="@color/black"
android:text="THE FLASH"/>
```

<TextView

```
android:id="@+id/Deskription2"
android:layout_toRightOf="@id/imgMovie"
android:layout_below="@id/tvTitle"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_marginStart="16dp"
android:layout_marginTop="200dp"
android:maxLines="5"
```

android:text="Worlds collide in “The Flash” as Barry uses his superpowers to travel back in time to change past events. But when his efforts to save his family inadvertently alter the future, Barry is trapped in a reality where General Zod has returned, threatening annihilation, and there are no Super Heroes to turn to. That is, unless Barry can coax a very different Batman out of retirement and rescue the imprisoned Kryptonian... although that's not what he's looking for. Ultimately, to save the world he finds himself in and return to the future he knows, Barry's only hope is to race for his life. But will making the ultimate sacrifice be enough to reset the universe?"/>

<ImageView

```
android:id="@+id/imgMovie3"
android:layout_width="150dp"
android:layout_height="170dp"
android:layout_marginTop="400dp"
android:src="@drawable/drstrange"/>
```

<TextView

```
android:id="@+id/tvTitle3"
android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_marginStart="16dp"
    android:layout_marginTop="400dp"
    android:textSize="16sp"
    android:textColor="@color/black"
    android:text="DOCTOR STRANGE"/>
```

```
<TextView
```

```
    android:id="@+id/Deskription3"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="16dp"
    android:layout_marginTop="420dp"
    android:maxLines="5"
```

```
    android:text="Dr. Stephen Strange suffered a fatal accident that damaged the motor skills of
both hands. For his recovery, he visited a mysterious magician named Ancient One in Tibet."
```

```
/>
```

```
</RelativeLayout>
```

- fragment_comedy.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout
```

```
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="25dp">
```

```
<ImageView
```

```
    android:id="@+id/imgMovie"
    android:layout_width="150dp"
    android:layout_height="170dp"
```

```
android:src="@drawable/mystupidbos"/>
```

```
<TextView
```

```
    android:id="@+id/tvTitle"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:layout_marginStart="16dp"
```

```
    android:textSize="16sp"
```

```
    android:textColor="@color/black"
```

```
    android:text="MY STUPID BOSS"/>
```

```
<TextView
```

```
    android:id="@+id/Deskription"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:layout_below="@id/tvTitle"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginStart="16dp"
```

```
    android:layout_marginTop="16dp"
```

```
    android:maxLines="5"
```

```
    android:text="Due to the crisis of shortage of factory employees, Bossman finally intends to look for new factory employees in Vietnam. Bossman, Diana, Mr. Kho, and Adrian departed for Vietnam. In Vietnam, instead of getting employees, they actually got one problem after another because of Bossman's actions."
```

```
/>
```

```
<ImageView
```

```
    android:id="@+id/imgMovie2"
```

```
    android:layout_width="150dp"
```

```
    android:layout_height="170dp"
```

```
    android:layout_marginTop="200dp"
```

```
    android:src="@drawable/okb"/>
```

```
<TextView
```

```
android:id="@+id/tvTitle2"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_toRightOf="@id/imgMovie"
android:layout_marginStart="16dp"
android:layout_marginTop="200dp"
android:textSize="16sp"
android:textColor="@color/black"
android:text="ORANG KAYA BARU"/>
```

<TextView

```
android:id="@+id/Deskripsi2"
android:layout_toRightOf="@id/imgMovie"
android:layout_below="@id/tvTitle"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_marginStart="16dp"
android:layout_marginTop="200dp"
android:maxLines="5"
```

android:text="What happens if a family that has been living just barely, suddenly gets abundant wealth? Surely they will be surprised, confused, happy and start buying things that previously only existed in their dreams..."

/>

<ImageView

```
android:id="@+id/imgMovie3"
android:layout_width="150dp"
android:layout_height="170dp"
android:layout_marginTop="400dp"
android:src="@drawable/susahsinyal"/>
```

<TextView

```
android:id="@+id/tvTitle3"
android:layout_width="match_parent"
```

```

        android:layout_height="wrap_content"
        android:layout_toRightOf="@id/imgMovie"
        android:layout_marginStart="16dp"
        android:layout_marginTop="400dp"
        android:textSize="16sp"
        android:textColor="@color/black"
        android:text="SUSAH SINYAL"/>

```

```
<TextView
```

```

        android:id="@+id/Deskripsi3"
        android:layout_toRightOf="@id/imgMovie"
        android:layout_below="@id/tvTitle"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginStart="16dp"
        android:layout_marginTop="420dp"
        android:maxLines="5"

```

android:text="Ellen (Adinia Wirasti), a successful lawyer, is a single mom who rarely makes time for her only child Kiara (Aurora Ribero), who eventually grows up as a rebellious teenager who mostly vents her emotions on social media. They live with Agatha (Niniek L. Karim), Ellen's mother who really loves Kiara. When Agatha died of a heart attack, Kiara, who had been very close to her grandmother since childhood, was immediately shaken. The psychologist advised Ellen to take Kiara on holiday, to spend quality time to treat the times when Ellen was too busy working. They went to Sumba, spending fun moments together. Kiara went home with a happy heart. In Jakarta, Ellen was immediately greeted by a big problem at the office. The big project he is working on with Iwan (Ernest Prakasa) is in danger of falling apart. Finally, because she was busy, Ellen didn't keep her promise to watch Kiara perform in the inter-high school talent show competition that Kiara had been preparing for a long time. Kiara was angry and went to Sumba alone, the last place where she could feel a glimmer of happiness. Will Kiara be able to trust her mother again? Will Ellen be able to knit this little family back together? Watch SUSAH SIGNAL, showing in cinemas starting December 21." />

```
</RelativeLayout>
```

- fragment_romance.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout
```

```

        xmlns:android="http://schemas.android.com/apk/res/android"
        android:layout_width="match_parent"

```

```
android:layout_height="wrap_content"
android:padding="25dp">
```

```
<ImageView
    android:id="@+id/imgMovie"
    android:layout_width="150dp"
    android:layout_height="170dp"
    android:src="@drawable/ayat2cinta2"/>
```

```
<TextView
    android:id="@+id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="16dp"
    android:layout_marginLeft="16dp"
    android:layout_toRightOf="@id/imgMovie"
    android:text="AYAT AYAT CINTA 2"
    android:textColor="@color/black"
    android:textSize="16sp" />
```

```
<TextView
    android:id="@+id/Deskripsi"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="16dp"
    android:layout_marginTop="16dp"
    android:maxLines="5"
```

android:text="The days of FAHRI's life were filled with sorrow and efforts to find the wife he loved so much, AISHA. FAHRI (Fedi Nuril) chooses to live in Edinburgh, Scotland. A city that AISHA really likes. FAHRI works as a respected lecturer and researcher at a well-known university in the city. In living his daily life, FAHRI is only accompanied by HULUSI (Pandji Pragiwaksono), his Turkish household assistant. His politeness and friendly attitude made FAHRI liked by many people, such

as Grandma Catarina (Dewi Irawan), a Jewish woman who lived not far from his house. However, there are also those who oppose and even hate him, such as KEIRA (Chelsea Islan), a Scottish-born girl who is obsessed with becoming a famous violinist. One day, FAHRI met HULYA (Tajana Saphira), a Turkish-German girl who was taking a master's degree in Edinburgh who was still related to AISHA. HULYA's arrival actually triggers FAHRI's sad memories. Can FAHRI achieve its determination to improve the image of Islam and Muslims in this first world country?" />

```
<ImageView
    android:id="@+id/imgMovie2"
    android:layout_width="150dp"
    android:layout_height="170dp"
    android:layout_marginTop="200dp"
    android:src="@drawable/ily_from_38_000_ft"/>
```

```
<TextView
    android:id="@+id/tvTitle2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_marginStart="16dp"
    android:layout_marginTop="200dp"
    android:textSize="16sp"
    android:textColor="@color/black"
    android:text="ILY FROM 38.000 FT"/>
```

```
<TextView
    android:id="@+id/Deskription2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@id/tvTitle"
    android:layout_marginStart="16dp"
    android:layout_marginLeft="12dp"
    android:layout_marginTop="211dp"
    android:layout_toRightOf="@id/imgMovie"
```



```
android:maxLines="5"
```

```
    android:text="While on holiday in Bali, Aletta met Arga. The two of them fell in love because they had a lot of chemistry. However, when Aletta decided to return to Jakarta, Arga did not follow her and slowly disappeared from her life." />
```

```
<ImageView
```

```
    android:id="@+id/imgMovie3"
```

```
    android:layout_width="150dp"
```

```
    android:layout_height="175dp"
```

```
    android:layout_marginTop="400dp"
```

```
    android:src="@drawable/ketikaberhentidisini"/>
```

```
<TextView
```

```
    android:id="@+id/tvTitle3"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:layout_marginStart="16dp"
```

```
    android:layout_marginTop="400dp"
```

```
    android:textSize="16sp"
```

```
    android:textColor="@color/black"
```

```
    android:text="KETIKA BERHENTI DISINI"/>
```

```
<TextView
```

```
    android:id="@+id/Deskripsi3"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_below="@id/tvTitle"
```

```
    android:layout_marginStart="16dp"
```

```
    android:layout_marginLeft="16dp"
```

```
    android:layout_marginTop="409dp"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:maxLines="5"
```

android:text="Dita, a graphic designer with high ideals, who is afraid of failure meets Ed, an architect. The meeting, which started with a misunderstanding, ended in a warm conversation. Two people who are similar but not the same come together. Four years since their first meeting, Dita felt that their relationship was going nowhere, without realizing it, Dita always demanded that Ed be what she wanted, but in the end Ed had an accident and died. Dita was devastated and filled with guilt. Two years later, Dita tries to forget everything about Ed and tries to live her new life with Ifan, her best friend since childhood who is now her lover. Not long ago, Dita actually got 'LOOK' glasses with Augmented Reality (AR) technology which can present Ed's figure, exactly the same as real. Will Dita accept Ed's presence again or stay with Ifan?" />

</RelativeLayout>

- Pada directory drawable kita bisa tambahkan gambar untuk pict dari film yang ingin kita tampilkan, dan jangan lupa untuk menambahkan icon baseline_more_vert_24.xml dengan cara klik kanan pada drawable lalu klik New, setelah itu kita pilih dan klik Vector Asset. Setelah itu kita klik clip art lalu kita pilih icon nya, jika sudah ketemu kita klik OK lalu kita klik next
- Selanjutnya kita klik kanan pada app lalu pilih dan klik Android Resource Directory setelah itu kita beri nama "menu" lalu klik OK. Setelah itu kita buat Menu Resource File dengan nama menu_tab.xml lalu isi dengan code :

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<menu xmlns:tools="http://schemas.android.com/tools"
```

```
    xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    xmlns:app="http://schemas.android.com/apk/res-auto">
```

```
    <item
```

```
        android:id="@+id/tab_action"
```

```
        android:title="Action"/>
```

```
    <item
```

```
        android:id="@+id/tab_comedy"
```

```
        android:title="Comedy"/>
```

```
    <item
```

```
        android:id="@+id/tab_romance"
```

```
        android:title="Romance"/>
```

```
</menu>
```

- Java
- MainActivity.java

```
package com.tablayout;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
import androidx.viewpager2.widget.ViewPager2;

import android.annotation.SuppressLint;
import android.graphics.drawable.ColorDrawable;
import android.os.Bundle;

import com.google.android.material.tabs.TabLayout;

import java.util.Objects;

public class MainActivity extends AppCompatActivity {

    TabLayout tabLayout;
    ViewPager2 viewPager2;
    ViewAdapter adapter;

    @SuppressWarnings("NewApi")
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

        Objects.requireNonNull(getSupportActionBar()).setBackgroundDrawable(new
        ColorDrawable(getColor(R.color.blue)));

        tabLayout = findViewById(R.id.tab);
        viewPager2 = findViewById(R.id.view);
        adapter = new ViewAdapter(this);
        viewPager2.setAdapter(adapter);

        tabLayout.addTabSelectedListener(new TabLayout.OnTabSelectedListener() {
            @Override
            public void onTabSelected(TabLayout.Tab tab) {
```

```

        viewPager2.setCurrentItem(tab.getPosition());
    }

    @Override
    public void onTabUnselected(TabLayout.Tab tab) {

    }

    @Override
    public void onTabReselected(TabLayout.Tab tab) {

    }
});

viewPager2.registerOnPageChangeCallback(new ViewPager2.OnPageChangeCallback() {
    @Override
    public void onPageSelected(int position) {
        super.onPageSelected(position);
        tabLayout.getTabAt(position).select();
    }
});
}
}

```

- Membuat file fragment dengan cara klik kanan pada MainActivity.java lalu pilih dan klik fragment, setelah itu kita pilih dan klik fragment (Blank), setelah itu kita beri nama ActionFragment, ComedyFragment, RomanceFragment. Untuk file fragment sudah sekaligus dengan file layout xml nya (code berada pada bagian res layout)
- ActionFragment.java

```
package com.tablayout;
```

```
import android.os.Bundle;
```

```
import androidx.fragment.app.Fragment;
```

```
import android.view.LayoutInflater;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Toast;
```

```
public class ActionFragment extends Fragment {
```

```
    @Override
```

```
    public View onCreateView(LayoutInflater inflater, ViewGroup container,
                             Bundle savedInstanceState) {
        // Inflate the layout for this fragment
        setHasOptionsMenu(true);
        return inflater.inflate(R.layout.fragment_action, container, false);
    }
```

```
    @Override
```

```
    public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {
        inflater.inflate(R.menu.menu_tab, menu);
    }
```

```
    @Override
```

```
    public boolean onOptionsItemSelected(MenuItem item) {
        if (item.getItemId() == R.id.tab_action) {
            Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)
                .show();
        }
        return true;
    }
```

```
}
```

- ComedyFragment.java

```
package com.tablayout;
```

```
import android.os.Bundle;
```

```
import androidx.fragment.app.Fragment;
```

```
import android.view.LayoutInflater;
```

```
import android.view.Menu;
```

```
import android.view.MenuInflater;
```

```
import android.view.MenuItem;
```

```
import android.view.View;
```

```
import android.view.ViewGroup;
```

```
import android.widget.Toast;
```

```
public class ComedyFragment extends Fragment {
```

```
    @Override
```

```
    public View onCreateView(LayoutInflater inflater, ViewGroup container,
```

```
        Bundle savedInstanceState) {
```

```
        // Inflate the layout for this fragment
```

```
        setHasOptionsMenu(true);
```

```
        return inflater.inflate(R.layout.fragment_comedy, container, false);
```

```
    }
```

```
    @Override
```

```
    public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {
```

```
        inflater.inflate(R.menu.menu_tab, menu);
```

```
    }
```

```
    @Override
```

```

public boolean onOptionsItemSelected(MenuItem item) {
    if (item.getItemId() == R.id.tab_comedy) {
        Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)
            .show();
    }
    return true;
}
}

```

- RomanceFragment.java

```

package com.tablayout;

```

```

import android.os.Bundle;

```

```

import androidx.fragment.app.Fragment;

```

```

import android.view.LayoutInflater;

```

```

import android.view.Menu;

```

```

import android.view.MenuInflater;

```

```

import android.view.MenuItem;

```

```

import android.view.View;

```

```

import android.view.ViewGroup;

```

```

import android.widget.Toast;

```

```

public class RomanceFragment extends Fragment {

```

```

    @Override

```

```

    public View onCreateView(LayoutInflater inflater, ViewGroup container,
        Bundle savedInstanceState) {

```

```

        // Inflate the layout for this fragment

```

```

        setHasOptionsMenu(true);

```

```

        return inflater.inflate(R.layout.fragment_romance, container, false);
    }
}

```

```

    }

    @Override
    public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {
        inflater.inflate(R.menu.menu_tab, menu);
    }

    @Override
    public boolean onOptionsItemSelected(MenuItem item) {
        if (item.getItemId() == R.id.tab_romance) {
            Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)
                .show();
        }
        return true;
    }
}

```

- ViewAdapter.java

```
package com.tablayout;
```

```

import androidx.annotation.NonNull;
import androidx.fragment.app.Fragment;
import androidx.fragment.app.FragmentActivity;
import androidx.viewpager2.adapter.FragmentStateAdapter;

```

```

public class ViewAdapter extends FragmentStateAdapter {
    public ViewAdapter(@NonNull FragmentActivity fragmentActivity) {
        super(fragmentActivity);
    }
}

```

```
@NonNull
```

```
@Override
```

```

public Fragment createFragment(int position) {
    switch (position){

```



```

        case 0:
            return new ActionFragment();
        case 1:
            return new ComedyFragment();
        case 2:
            return new RomanceFragment();
        default:
            return new ActionFragment();
    }
}

```

```

@Override
public int getItemCount() {
    return 3;
}
}

```

7. Exoplayer

- Layout
- activity_video_player.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```

<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:gravity="center"
    android:background="@color/black">

```

```

    <VideoView
        android:id="@+id/videoView"
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        android:layout_centerInParent="true"/>
</RelativeLayout>

```

- fragment_action.xml

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    xmlns:tools="http://schemas.android.com/tools"
```

```
    android:padding="25dp"
```

```
    tools:context=".ActionFragment">
```

```
<ImageView
```

```
    android:id="@+id/imgMovie"
```

```
    android:layout_width="120dp"
```

```
    android:layout_height="160dp"
```

```
    android:layout_alignParentStart="true"
```

```
    android:layout_alignParentTop="true"
```

```
    android:layout_marginTop="5dp"
```

```
    android:src="@drawable/avatar" />
```

```
<TextView
```

```
    android:id="@+id/tvTitle"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_alignParentTop="true"
```

```
    android:layout_alignParentEnd="true"
```

```
    android:layout_marginStart="10dp"
```

```
    android:layout_marginTop="5dp"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:text="AVATAR : THE WAY OF WATER"
```

```
    android:textColor="@color/black"
```

```
    android:textSize="14sp" />
```

<TextView

```
    android:id="@+id/Deskription"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@+id/tvTitle"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:maxLines="5"
```

android:text="Set more than a decade after the events of the first film, “Avatar: The Way of Water” begins to tell the story of the Sully family (Jake, Neytiri, and their kids), the trouble that follows them, the lengths they go to keep each other safe, the battles they fight to stay alive, and the tragedies they endure."

```
    android:textColor="@color/black"
    android:textSize="14sp" />
```

<Button

```
    android:id="@+id/avatar"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/Deskription"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playAvatarTrailer"/>
```

<ImageView

```
    android:id="@+id/imgMovie2"
    android:layout_width="120dp"
    android:layout_height="160dp"
```

```
android:layout_alignParentStart="true"
android:layout_alignParentTop="true"
android:layout_marginTop="190dp"
android:src="@drawable/theflash" />
```

```
<TextView
    android:id="@+id/tvTitle2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie2"
    android:layout_marginStart="10dp"
    android:layout_marginTop="190dp"
    android:textSize="15sp"
    android:textColor="@color/black"
    android:text="THE FLASH"/>
```

```
<TextView
    android:id="@+id/Deskription2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@+id/tvTitle2"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie2"
    android:maxLines="5"
```

android:text="Worlds collide in “The Flash” as Barry uses his superpowers to travel back in time to change past events. But when his efforts to save his family inadvertently alter the future, Barry is trapped in a reality where General Zod has returned, threatening annihilation, and there are no Super Heroes to turn to. That is, unless Barry can coax a very different Batman out of retirement and rescue the imprisoned Kryptonian... although that's not what he's looking for. Ultimately, to save the world he finds himself in and return to the future he knows, Barry's only hope is to race for his life. But will making the ultimate sacrifice be enough to reset the universe?"

```
    android:textColor="@color/black"
    android:textSize="14sp" />
```

```
<Button
    android:id="@+id/theflash"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie2"
    android:layout_below="@id/Deskription2"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playTheflashTrailer"/>
```

```
<ImageView
    android:id="@+id/imgMovie3"
    android:layout_width="120dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_alignParentTop="true"
    android:layout_marginTop="380dp"
    android:src="@drawable/drstrange" />
```

```
<TextView
    android:id="@+id/tvTitle3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie3"
    android:layout_marginStart="10dp"
    android:layout_marginTop="380dp"
    android:textSize="15sp"
    android:textColor="@color/black"
    android:text="DOCTOR STRANGE"/>
```

<TextView

```
    android:id="@+id/Deskription3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@+id/tvTitle3"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie3"
    android:maxLines="5"
```

android:text="Dr. Stephen Strange suffered a fatal accident that damaged the motor skills of both hands. For his recovery, he visited a mysterious magician named Ancient One in Tibet."

```
    android:textColor="@color/black"
    android:textSize="15sp" />
```

<Button

```
    android:id="@+id/drstrange"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie3"
    android:layout_below="@id/Deskription3"
    android:text="Watch Trailer Now"
    android:textSize="12sp"
    android:onClick="playDrstrangeTrailer" />
```

</RelativeLayout>

- fragment_comedy.xml

<?xml version="1.0" encoding="utf-8"?>

<RelativeLayout

xmlns:android="http://schemas.android.com/apk/res/android"

```
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:padding="25dp">
```

```
<ImageView
    android:id="@+id/imgMovie"
    android:layout_width="120dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_alignParentTop="true"
    android:layout_marginTop="5dp"
    android:src="@drawable/mystupidbos" />
```

```
<TextView
    android:id="@+id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_alignParentTop="true"
    android:layout_marginStart="10dp"
    android:layout_marginTop="5dp"
    android:layout_toRightOf="@id/imgMovie"
    android:text="MY STUPID BOSS"
    android:textColor="@color/black"
    android:textSize="15sp" />
```

```
<TextView
    android:id="@+id/Deskription"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/tvTitle"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
```

```
android:layout_marginTop="10dp"
```

```
android:textSize="14sp"
```

```
android:maxLines="5"
```

```
    android:text="Due to the crisis of shortage of factory employees, Bossman finally intends to look for new factory employees in Vietnam. Bossman, Diana, Mr. Kho, and Adrian departed for Vietnam. In Vietnam, instead of getting employees, they actually got one problem after another because of Bossman's actions."
```

```
<Button
```

```
    android:id="@+id/mystupidboss"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="40dp"
```

```
    android:layout_marginStart="10dp"
```

```
    android:layout_marginTop="10dp"
```

```
    android:layout_toRightOf="@id/imgMovie"
```

```
    android:layout_below="@id/Deskription"
```

```
    android:text="Watch Trailer Now"
```

```
    android:textSize="10sp"
```

```
    android:onClick="playMystupidbossTrailer"/>
```

```
<ImageView
```

```
    android:id="@+id/imgMovie2"
```

```
    android:layout_width="120dp"
```

```
    android:layout_height="160dp"
```

```
    android:layout_alignParentStart="true"
```

```
    android:layout_alignParentTop="true"
```

```
    android:layout_marginTop="195dp"
```

```
    android:src="@drawable/okb" />
```

```
<TextView
```

```
    android:id="@+id/tvTitle2"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```



```
android:layout_toRightOf="@id/imgMovie"
android:layout_marginStart="10dp"
android:layout_marginTop="195dp"
android:textSize="15sp"
android:textColor="@color/black"
android:text="ORANG KAYA BARU"/>
```

```
<TextView
```

```
    android:id="@+id/Deskripsi2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@+id/tvTitle2"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:maxLines="5"
```

```
    android:text="What happens if a family that has been living just barely, suddenly gets
abundant wealth? Surely they will be surprised, confused, happy and start buying things that
previously only existed in their dreams..."
```

```
    android:textSize="14sp" />
```

```
<Button
```

```
    android:id="@+id/okb"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/Deskripsi2"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playOrangkayabaruTrailer"/>
```

```
<ImageView
    android:id="@+id/imgMovie3"
    android:layout_width="110dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_marginTop="385dp"
    android:src="@drawable/koalakumal" />
```

```
<TextView
    android:id="@+id/tvTitle3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_marginStart="10dp"
    android:layout_marginTop="385dp"
    android:textSize="15sp"
    android:textColor="@color/black"
    android:text="KOALA KUMAL"/>
```

```
<TextView
    android:id="@+id/Deskripsi3"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@+id/tvTitle3"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:maxLines="5"
```

android:text="KOALA KUMAL is still telling the story of Dika, a guy who just canceled his marriage because his girlfriend, Andrea, cheated on him with a guy named James. His broken heart made it difficult for Dika to write the last chapter of his book. One day, Dika met a girl named Trishna, a unique girl who made Dika's perspective on the world different."

```
    android:textSize="14sp" />
```

```

<Button
    android:id="@+id/susahsinyal"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/Deskripsi3"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playSusahsinyalTrailer"/>

```

```

</RelativeLayout>

```

- fragment_romance

```

<?xml version="1.0" encoding="utf-8"?>

```

```

<RelativeLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:padding="25dp">

```

```

<ImageView
    android:id="@+id/imgMovie"
    android:layout_width="120dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_alignParentTop="true"
    android:layout_marginTop="5dp"
    android:src="@drawable/ayat2cinta2" />

```

```

<TextView
    android:id="@+id/tvTitle"
    android:layout_width="match_parent"

```

```

android:layout_height="wrap_content"
android:layout_alignParentTop="true"
android:layout_marginStart="10dp"
android:layout_marginLeft="16dp"
android:layout_marginTop="5dp"
android:layout_toRightOf="@id/imgMovie"
android:text="AYAT AYAT CINTA 2"
android:textColor="@color/black"
android:textSize="15sp" />

```

<TextView

```

android:id="@+id/Deskripsi"
android:layout_toRightOf="@id/imgMovie"
android:layout_below="@id/tvTitle"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_marginStart="10dp"
android:layout_marginTop="10dp"
android:textSize="14sp"
android:maxLines="5"

```

android:text="The days of FAHRI's life were filled with sorrow and efforts to find the wife he loved so much, AISHA. FAHRI (Fedi Nuril) chooses to live in Edinburgh, Scotland. A city that AISHA really likes. FAHRI works as a respected lecturer and researcher at a well-known university in the city. In living his daily life, FAHRI is only accompanied by HULUSI (Pandji Pragiwaksono), his Turkish household assistant. His politeness and friendly attitude made FAHRI liked by many people, such as Grandma Catarina (Dewi Irawan), a Jewish woman who lived not far from his house. However, there are also those who oppose and even hate him, such as KEIRA (Chelsea Islan), a Scottish-born girl who is obsessed with becoming a famous violinist. One day, FAHRI met HULYA (Tajtana Saphira), a Turkish-German girl who was taking a master's degree in Edinburgh who was still related to AISHA. HULYA's arrival actually triggers FAHRI's sad memories. Can FAHRI achieve its determination to improve the image of Islam and Muslims in this first world country?" />

<Button

```

android:id="@+id/ayatayalcinta2"
android:layout_width="wrap_content"
android:layout_height="40dp"

```

```
android:layout_marginStart="10dp"
android:layout_marginTop="10dp"
android:layout_toRightOf="@id/imgMovie"
android:layout_below="@id/Deskripsi"
android:text="Watch Trailer Now"
android:textSize="10sp"
android:onClick="playAyatayatcinta2Trailer"/>
```

```
<ImageView
    android:id="@+id/imgMovie2"
    android:layout_width="120dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_alignParentTop="true"
    android:layout_marginTop="190dp"
    android:src="@drawable/ily_from_38_000_ft" />
```

```
<TextView
    android:id="@+id/tvTitle2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_marginStart="10dp"
    android:layout_marginTop="190dp"
    android:textSize="15sp"
    android:textColor="@color/black"
    android:text="ILY FROM 38.000 FT"/>
```

```
<TextView
    android:id="@+id/Deskripsi2"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
```

```
android:layout_below="@+id/tvTitle2"
android:layout_marginStart="10dp"
android:layout_marginLeft="12dp"
android:layout_marginTop="10dp"
android:layout_toRightOf="@id/imgMovie"
android:maxLines="5"
```

android:text="While on holiday in Bali, Aletta met Arga. The two of them fell in love because they had a lot of chemistry. However, when Aletta decided to return to Jakarta, Arga did not follow her and slowly disappeared from her life."

```
android:textSize="14sp" />
```

```
<Button
```

```
    android:id="@+id/iloveyoufrom38000ft"
    android:layout_width="wrap_content"
    android:layout_height="40dp"
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/Deskripsi2"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playIlyfrom38000ftTrailer"/>
```

```
<ImageView
```

```
    android:id="@+id/imgMovie3"
    android:layout_width="120dp"
    android:layout_height="160dp"
    android:layout_alignParentStart="true"
    android:layout_alignParentTop="true"
    android:layout_marginTop="380dp"
    android:src="@drawable/ketikaberhentidisini" />
```

```
<TextView
```

```
android:id="@+id/tvTitle3"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_toRightOf="@id/imgMovie"
android:layout_marginStart="10dp"
android:layout_marginTop="380dp"
android:textSize="15sp"
android:textColor="@color/black"
android:text="KETIKA BERHENTI DISINI"/>
```

<TextView

```
android:id="@+id/Deskripsi3"
android:layout_width="match_parent"
android:layout_height="wrap_content"
android:layout_below="@+id/tvTitle3"
android:layout_marginStart="10dp"
android:layout_marginLeft="16dp"
android:layout_marginTop="10dp"
android:layout_toRightOf="@id/imgMovie"
android:maxLines="5"
```

android:text="Dita, a graphic designer with high ideals, who is afraid of failure meets Ed, an architect. The meeting, which started with a misunderstanding, ended in a warm conversation. Two people who are similar but not the same come together. Four years since their first meeting, Dita felt that their relationship was going nowhere, without realizing it, Dita always demanded that Ed be what she wanted, but in the end Ed had an accident and died. Dita was devastated and filled with guilt. Two years later, Dita tries to forget everything about Ed and tries to live her new life with Ifan, her best friend since childhood who is now her lover. Not long ago, Dita actually got 'LOOK' glasses with Augmented Reality (AR) technology which can present Ed's figure, exactly the same as real. Will Dita accept Ed's presence again or stay with Ifan?"

```
android:textSize="14sp" />
```

<Button

```
android:id="@+id/ketikaberhentidisini"
android:layout_width="wrap_content"
android:layout_height="40dp"
```

```
    android:layout_marginStart="10dp"
    android:layout_marginTop="10dp"
    android:layout_toRightOf="@id/imgMovie"
    android:layout_below="@id/Deskripsi3"
    android:text="Watch Trailer Now"
    android:textSize="10sp"
    android:onClick="playKetikaberhentidisiniTrailer"/>
```

```
</RelativeLayout>
```

- Java
- VideoPlayerActivity

```
package com.tiaraapps;
```

```
import android.net.Uri;
import android.os.Bundle;
import android.widget.MediaController;
import android.widget.VideoView;
import androidx.annotation.Nullable;
import androidx.appcompat.app.AppCompatActivity;
```

```
public class VideoPlayerActivity extends AppCompatActivity {
```

```
    @Override
```

```
    protected void onCreate(@Nullable Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_video_player);
```

```
        // Get the video URI from the intent
```

```
        String videoPath = getIntent().getStringExtra("VIDEO_PATH");
```

```
        Uri uri = Uri.parse(videoPath);
```

```
        // Set up VideoView
```

```
        VideoView videoView = findViewById(R.id.videoView);
```



```

        videoView.setVideoURI(uri);

        // Set up MediaController
        MediaController mediaController = new MediaController(this);
        mediaController.setAnchorView(videoView);
        videoView.setMediaController(mediaController);

        // Start playing the video
        videoView.start();
    }
}

```

- ActionFragment

```

package com.tiaraapps;

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.LayoutInflater;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Button;
import android.widget.Toast;

import androidx.fragment.app.Fragment;

public class ActionFragment extends Fragment {

    private static final String TAG = "ActionFragment";

```

```

@Override

public View onCreateView(LayoutInflater inflater, ViewGroup container,
                        Bundle savedInstanceState) {

    // Inflate the layout for this fragment
    setHasOptionsMenu(true);

    View view = inflater.inflate(R.layout.fragment_action, container, false);

    // Find the button by its ID
    Button avatarButton = view.findViewById(R.id.avatar);
    Button theflashButton = view.findViewById(R.id.theflash);
    Button drstrangeButton = view.findViewById(R.id.drstrange);

    // Set click listener for each button
    avatarButton.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {
            Log.d(TAG, "Avenger button clicked");
            playVideo(R.raw.avatar);
        }
    });

    theflashButton.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {
            Log.d(TAG, "MyName button clicked");
            playVideo(R.raw.theflash);
        }
    });

    drstrangeButton.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View v) {

```

```

        Log.d(TAG, "Spiderman button clicked");

        playVideo(R.raw.drstrange);
    }

});

return view;
}

@Override

public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {

    inflater.inflate(R.menu.menu_tab, menu);
}

@Override

public boolean onOptionsItemSelected(MenuItem item) {

    if (item.getItemId() == R.id.tab_action) {

        Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)

            .show();

    }

    return true;
}

private void playVideo(int videoResource) {

    String videoPath = "android.resource://" + getActivity().getPackageName() + "/" +
videoResource;

    Intent intent = new Intent(getActivity(), VideoPlayerActivity.class);

    intent.putExtra("VIDEO_PATH", videoPath);

    startActivity(intent);
}
}

• ComedyFragment
package com.tiaraapps;

```

```

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.LayoutInflater;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Button;
import android.widget.Toast;

import androidx.fragment.app.Fragment;

public class ComedyFragment extends Fragment {

    private static final String TAG = "ComedyFragment";

    @Override
    public View onCreateView(LayoutInflater inflater, ViewGroup container,
                             Bundle savedInstanceState) {
        // Inflate the layout for this fragment
        setHasOptionsMenu(true);
        View view = inflater.inflate(R.layout.fragment_comedy, container, false);

        // Find the button by its ID
        Button mystupidbossButton = view.findViewById(R.id.mystupidboss);
        Button orangkayabaruButton = view.findViewById(R.id.okb);
        Button susahsinyalButton = view.findViewById(R.id.susahsinyal);

        // Set click listener for each button
        mystupidbossButton.setOnClickListener(new View.OnClickListener() {

```

```

@Override

public void onClick(View v) {
    Log.d(TAG, "Mt stupid boss button clicked");
    playVideo(R.raw.mystupidboss);
}
});

orangkayabaruButton.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Log.d(TAG, "Orang kaya baru button clicked");
        playVideo(R.raw.orangkayabaru);
    }
});

susahsinyalButton.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Log.d(TAG, "Susah sinyal button clicked");
        playVideo(R.raw.susahsinyal);
    }
});

return view;
}

@Override

public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {
    inflater.inflate(R.menu.menu_tab, menu);
}

@Override

```

```

public boolean onOptionsItemSelected(MenuItem item) {

    if (item.getItemId() == R.id.tab_comedy) {

        Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)

            .show();

    }

    return true;

}

private void playVideo(int videoResource) {

    String videoPath = "android.resource://" + getActivity().getPackageName() + "/" +
videoResource;

    Intent intent = new Intent(getActivity(), VideoPlayerActivity.class);

    intent.putExtra("VIDEO_PATH", videoPath);

    startActivity(intent);

}

}

```

- RomanceFragment

```

package com.tiaraapps;

```

```

import android.content.Intent;
import android.os.Bundle;
import android.util.Log;
import android.view.LayoutInflater;
import android.view.Menu;
import android.view.MenuInflater;
import android.view.MenuItem;
import android.view.View;
import android.view.ViewGroup;
import android.widget.Button;
import android.widget.Toast;

import androidx.fragment.app.Fragment;

```

```

public class RomanceFragment extends Fragment {

    private static final String TAG = "RomanceFragment";

    @Override
    public View onCreateView(LayoutInflater inflater, ViewGroup container,
                             Bundle savedInstanceState) {
        // Inflate the layout for this fragment
        setHasOptionsMenu(true);
        View view = inflater.inflate(R.layout.fragment_romance, container, false);

        // Find the button by its ID
        Button ayatayalcinta2Button = view.findViewById(R.id.ayatayalcinta2);
        Button ilyfrom38000ftButton = view.findViewById(R.id.iloveyoufrom38000ft);
        Button ketikaberhentidisiniButton = view.findViewById(R.id.ketikaberhentidisini);

        // Set click listener for each button
        ayatayalcinta2Button.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                Log.d(TAG, "Ayat ayat cinta 2 button clicked");
                playVideo(R.raw.ayatayalcinta2);
            }
        });

        ilyfrom38000ftButton.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                Log.d(TAG, "I love from 38.000 ft button clicked");
                playVideo(R.raw.ilyfrom38000ft);
            }
        });
    }
}

```

```

        ketikaberhentidisniButton.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View v) {
                Log.d(TAG, "Ketika berhenti disini button clicked");
                playVideo(R.raw.ketikaberhentidisini);
            }
        });

        return view;
    }

    @Override
    public void onCreateOptionsMenu(Menu menu, MenuInflater inflater) {
        inflater.inflate(R.menu.menu_tab, menu);
    }

    @Override
    public boolean onOptionsItemSelected(MenuItem item) {
        if (item.getItemId() == R.id.tab_romance) {
            Toast.makeText(getActivity(), "Clicked on " + item.getTitle(), Toast.LENGTH_SHORT)
                .show();
        }
        return true;
    }

    private void playVideo(int videoResource) {
        String videoPath = "android.resource://" + getActivity().getPackageName() + "/" +
            videoResource;

        Intent intent = new Intent(getActivity(), VideoPlayerActivity.class);
        intent.putExtra("VIDEO_PATH", videoPath);
        startActivity(intent);
    }

```


